

NOTICE OF PRODUCT CERTIFICATION

Company: Therma-Tru Corporation
 221 W. Cherry Street
 Butler, IN 46721

Certification No.: NI005729-R1
Certification Date: 10/15/2003
Expiration Date: 12/31/2009
Revision Date: 06/29/2007

Product: Classic Craft Series Fiberglass Glazed Door Inswing/Outswing w/ and w/o Sidelites

Specifications Tested To: ASTM E330/E331/E283/TAS202


The "Notice of Product Certification" is only valid if the NAMI Certification Label has been applied to the product as described within this document. The certification label represents product conformity to the applicable specification and that all certification criteria has been satisfied. This product has been approved for listing within NAMI's Certified Product Listing at www.Namicertification.com. NAMI's Certification Program is accredited by The American National Standards Institute (ANSI).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Missile Impact Rated	Test Report Number & Comments
X Single	I/S	Glazed	3'6" x 6'8"	+57/-57	No	ETC-01-741-11198.0/11194.0
X Single	O/S	Glazed	3'6" x 6'8"	+57/-57	No	ETC-01-741-11198.0/11194.0
OXO/OX/XO Single w/Sidelites	I/S	Glazed Door Glazed Sidelites	5'10" x 6'8"	+40/-40	Door-No Sidelites-No	ETC-01-741-11198.0/11194.0
OXO/OX/XO Single w/Sidelites	O/S	Glazed Door Glazed Sidelites	5'10" x 6'8"	+40/-40	Door-No Sidelites-No	ETC-01-741-11198.0/11194.0
XX Double	I/S	Glazed	7'0" x 6'8"	+34/-34	No	ETC-01-741-11198.0/11194.0 Standard Astragal
XX Double	O/S	Glazed	7'0" x 6'8"	+34/-34	No	ETC-01-741-11198.0/11194.0 Standard Astragal
XX Double	I/S	Glazed	7'0" x 6'8"	+40/-40	No	ETC-01-741-11198.0/11194.0 Coastal Astragal
XX Double	O/S	Glazed	7'0" x 6'8"	+40/-40	No	ETC-01-741-11198.0/11194.0 Coastal Astragal
OXXO Double w/Sidelites	I/S	Glazed Doors Glazed Sidelites	9'4" x 6'8"	+34/-34	Doors-No Sidelites-No	ETC-01-741-11198.0/11194.0 Standard Astragal
OXXO Double w/Sidelites	O/S	Glazed Doors Glazed Sidelites	9'4" x 6'8"	+34/-34	Doors-No Sidelites-No	ETC-01-741-11198.0/11194.0 Standard Astragal
OXXO Double w/Sidelites	I/S	Glazed Doors Glazed Sidelites	9'4" x 6'8"	+40/-40	Doors-No Sidelites-No	ETC-01-741-11198.0/11194.0 Coastal Astragal
OXXO Double w/Sidelites	O/S	Glazed Doors Glazed Sidelites	9'4" x 6'8"	+40/-40	Doors-No Sidelites-No	ETC-01-741-11198.0/11194.0 Coastal Astragal

National Accreditation & Management Institute, Inc./11870 Merchants Walk Suite 202/Newport News, VA 23606

Tel-757.594.8658/Fax-757.594.8659

NAMI AUTHORIZED SIGNATURE: _____



NOTICE OF PRODUCT CERTIFICATION

Company: Therma-Tru Corporation
 221 W. Cherry Street
 Butler, IN 46721

Certification No.: NI005728-R1
Certification Date: 10/15/2003
Expiration Date: 12/31/2009
Revision Date: 06/29/2007

Product: Classic Craft Series Fiberglass Opaque Door Inswing/Outswing w/ and w/o Sidelites

Specifications Tested To: ASTM E330/E331/E283/TAS202


The "Notice of Product Certification" is only valid if the NAMI Certification Label has been applied to the product as described within this document. The certification label represents product conformity to the applicable specification and that all certification criteria has been satisfied. This product has been approved for listing within NAMI's Certified Product Listing at www.Namicertification.com. NAMI's Certification Program is accredited by The American National Standards Institute (ANSI).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Missile Impact Rated	Test Report Number & Comments
X Single	I/S	Opaque	3'6" x 6'8"	+77/-77	No	ETC-01-741-10704.0/11008.0
X Single	O/S	Opaque	3'6" x 6'8"	+77/-77	No	ETC-01-741-10704.0/11008.0
OXO/OX/XO Single w/Sidelites	I/S	Opaque Door Glazed Sidelites	5'10" x 6'8"	+47/-47	Door-No Sidelites-No	ETC-01-741-10704.0/11008.0
OXO/OX/XO Single w/Sidelites	O/S	Opaque Door Glazed Sidelites	5'10" x 6'8"	+47/-47	Door-No Sidelites-No	ETC-01-741-10704.0/11008.0
XX Double	I/S	Opaque	7'0" x 6'8"	+40/-40	No	ETC-01-741-10704.0/11008.0 Standard Astragal
XX Double	O/S	Opaque	7'0" x 6'8"	+40/-40	No	ETC-01-741-10704.0/11008.0 Standard Astragal
XX Double	I/S	Opaque	7'0" x 6'8"	+47/-47	No	ETC-01-741-10704.0/11008.0 Coastal Astragal
XX Double	O/S	Opaque	7'0" x 6'8"	+47/-47	No	ETC-01-741-10704.0/11008.0 Coastal Astragal
OXXO Double w/Sidelites	I/S	Opaque Doors Glazed Sidelites	9'4" x 6'8"	+40/-40	Doors-No Sidelites-No	ETC-01-741-10704.0/11008.0 Standard Astragal
OXXO Double w/Sidelites	O/S	Opaque Doors Glazed Sidelites	9'4" x 6'8"	+40/-40	Doors-No Sidelites-No	ETC-01-741-10704.0/11008.0 Standard Astragal
OXXO Double w/Sidelites	I/S	Opaque Doors Glazed Sidelites	9'4" x 6'8"	+47/-47	Doors-No Sidelites-No	ETC-01-741-10704.0/11008.0 Coastal Astragal
OXXO Double w/Sidelites	O/S	Opaque Doors Glazed Sidelites	9'4" x 6'8"	+47/-47	Doors-No Sidelites-No	ETC-01-741-10704.0/11008.0 Coastal Astragal

National Accreditation & Management Institute, Inc./11870 Merchants Walk Suite 202/Newport News, VA 23606

Tel-757.594.8658/Fax-757.594.8659

NAMI AUTHORIZED SIGNATURE: _____



NOTICE OF PRODUCT CERTIFICATION

Company: Therma-Tru Corporation
221 W. Cherry Street
Butler, IN 46721

Certification No.: NI005727-R1
Certification Date: 10/15/2003
Expiration Date: 12/31/2009
Revision Date: 06/29/2007

Product: Classic Craft Series Fiberglass Opaque Door Inswing/Outswing w/ and w/o Sidelites


Specifications Tested To: ASTM E330/E331/E283/TAS202

The "Notice of Product Certification" is only valid if the NAMI Certification Label has been applied to the product as described within this document. The certification label represents product conformity to the applicable specification and that all certification criteria has been satisfied. This product has been approved for listing within NAMI's Certified Product Listing at www.Namicertification.com. NAMI's Certification Program is accredited by The American National Standards Institute (ANSI).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Missile Impact Rated	Test Report Number & Comments
X Single	I/S	Opaque	3'6" x 8'0"	+64/-64	No	ETC-01-741-10705.0/10593.0
X Single	O/S	Opaque	3'6" x 8'0"	+64/-64	No	ETC-01-741-10705.0/10593.0
OXO/OX/XO Single w/Sidelites	I/S	Opaque Door Glazed Sidelites	5'10" x 8'0"	+40/-40	Door-No Sidelites-No	ETC-01-741-10705.0/10593.0
OXO/OX/XO Single w/Sidelites	O/S	Opaque Door Glazed Sidelites	5'10" x 8'0"	+40/-40	Door-No Sidelites-No	ETC-01-741-10705.0/10593.0
XX Double	I/S	Opaque	7'0" x 8'0"	+34/-34	No	ETC-01-741-10705.0/10593.0 Standard Astragal
XX Double	O/S	Opaque	7'0" x 8'0"	+34/-34	No	ETC-01-741-10705.0/10593.0 Standard Astragal
XX Double	I/S	Opaque	7'0" x 8'0"	+40/-40	No	ETC-01-741-10705.0/10593.0 Coastal Astragal
XX Double	O/S	Opaque	7'0" x 8'0"	+40/-40	No	ETC-01-741-10705.0/10593.0 Coastal Astragal
OXXO Double w/Sidelites	I/S	Opaque Doors Glazed Sidelites	9'4" x 8'0"	+34/-34	Doors-No Sidelites-No	ETC-01-741-10705.0/10593.0 Standard Astragal
OXXO Double w/Sidelites	O/S	Opaque Doors Glazed Sidelites	9'4" x 8'0"	+34/-34	Doors-No Sidelites-No	ETC-01-741-10705.0/10593.0 Standard Astragal
OXXO Double w/Sidelites	I/S	Opaque Doors Glazed Sidelites	9'4" x 8'0"	+40/-40	Doors-No Sidelites-No	ETC-01-741-10705.0/10593.0 Coastal Astragal
OXXO Double w/Sidelites	O/S	Opaque Doors Glazed Sidelites	9'4" x 8'0"	+40/-40	Doors-No Sidelites-No	ETC-01-741-10705.0/10593.0 Coastal Astragal

National Accreditation & Management Institute, Inc./11870 Merchants Walk Suite 202/Newport News, VA 23606
Tel-757.594.8658/Fax-757.594.8659

NAMI AUTHORIZED SIGNATURE: _____



NOTICE OF PRODUCT CERTIFICATION

Company: Therma-Tru Corporation
 221 W. Cherry Street
 Butler, IN 46721

Certification No.: NI005724-R1
Certification Date: 10/15/2003
Expiration Date: 12/31/2009
Revision Date: 06/29/2007

Product: Classic Craft Series Fiberglass Glazed Door Inswing/Outswing w/ and w/o Sidelites

Specifications Tested To: ASTM E330/E331/E283/TAS202

The "Notice of Product Certification" is only valid if the NAMI Certification Label has been applied to the product as described within this document. The certification label represents product conformity to the applicable specification and that all certification criteria has been satisfied. This product has been approved for listing within NAMI's Certified Product Listing at www.Namicertification.com. NAMI's Certification Program is accredited by The American National Standards Institute (ANSI).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Missile Impact Rated	Test Report Number & Comments
X Single	I/S	Glazed	3'6" x 8'0"	+57/-57	No	ETC-01-741-11198.0/11212.0
X Single	O/S	Glazed	3'6" x 8'0"	+57/-57	No	ETC-01-741-11198.0/11212.0
OXO/OX/XO Single w/Sidelites	I/S	Glazed Door Glazed Sidelites	5'10" x 8'0"	+40/-40	Door-No Sidelites-No	ETC-01-741-11198.0/11212.0
OXO/OX/XO Single w/Sidelites	O/S	Glazed Door Glazed Sidelites	5'10" x 8'0"	+40/-40	Door-No Sidelites-No	ETC-01-741-11198.0/11212.0
XX Double	I/S	Glazed	7'0" x 8'0"	+34/-34	No	ETC-01-741-11198.0/11212.0 Standard Astragal
XX Double	O/S	Glazed	7'0" x 8'0"	+34/-34	No	ETC-01-741-11198.0/11212.0 Standard Astragal
XX Double	I/S	Glazed	7'0" x 8'0"	+40/-40	No	ETC-01-741-11198.0/11212.0 Coastal Astragal
XX Double	O/S	Glazed	7'0" x 8'0"	+40/-40	No	ETC-01-741-11198.0/11212.0 Coastal Astragal
OXXO Double w/Sidelites	I/S	Glazed Doors Glazed Sidelites	9'4" x 8'0"	+34/-34	Doors-No Sidelites-No	ETC-01-741-11198.0/11212.0 Standard Astragal
OXXO Double w/Sidelites	O/S	Glazed Doors Glazed Sidelites	9'4" x 8'0"	+34/-34	Doors-No Sidelites-No	ETC-01-741-11198.0/11212.0 Standard Astragal
OXXO Double w/Sidelites	I/S	Glazed Doors Glazed Sidelites	9'4" x 8'0"	+40/-40	Doors-No Sidelites-No	ETC-01-741-11198.0/11212.0 Coastal Astragal
OXXO Double w/Sidelites	O/S	Glazed Doors Glazed Sidelites	9'4" x 8'0"	+40/-40	Doors-No Sidelites-No	ETC-01-741-11198.0/11212.0 Coastal Astragal

National Accreditation & Management Institute, Inc./11870 Merchants Walk Suite 202/Newport News, VA 23606

Tel-757.594.8658/Fax-757.594.8659

NAMI AUTHORIZED SIGNATURE: _____

