



# 2017 ENERGY STAR® Qualification Chart - CCA THERMA TRU® DOORS

Door Collection / Glass Design				
Classic-Craft <sup>®</sup> American Style Collection™				
<b>6'8" Section</b>				
Glass Size (Inches)		26x18	8x66	8x18
Villager™		.23 / .17	.23 / .17	.19 / .09
Homeward™		.23 / .17	.23 / .17	.19 / .09
Arborwatch™		.23 / .17	.23 / .17	.19 / .09
Chinchilla		.23 / .17	.23 / .17	.19 / .09
Chord		.23 / .17	.23 / .17	.19 / .09
Granite		.23 / .17	.23 / .17	.19 / .09
Rainglass		.23 / .17	.23 / .17	.19 / .09
Low-E with Divided Lites		.21 / .10	.21 / .10	.18 / .06
Low-E Glass		.21 / .10	.21 / .10	.18 / .06
<b>8'0" Section</b>				
Glass Size (Inches)	30x24	26x18	8x80	
Villager™		.23 / .17	.23 / .17	
Homeward™	.23 / .17	.23 / .17	.23 / .17	
Arborwatch™	.23 / .17	.23 / .17	.23 / .17	
Chinchilla	.23 / .17	.23 / .17	.23 / .17	
Chord	.23 / .17	.23 / .17	.23 / .17	
Granite	.23 / .17	.23 / .17	.23 / .17	
Rainglass	.23 / .17	.23 / .17	.23 / .17	
Low-E with Divided Lites	.21 / .10	.21 / .10	.21 / .10	
Low-E Glass	.21 / .10	.21 / .10	.21 / .10	

<b>Key</b>	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart- CCM THERMA TRU® DOORS

Door Collection / Glass Design													
<b>Classic-Craft® Mahogany Collection™</b>													
<b>6'8" Section</b>													
Glass Size (Inches)	25x66	25x51	25x51A	10x51	10x51A	25x35	15x38	10x42R	OPAQUE	8x66	8x52	6x52	8x41R
Villager™	.27 / .30	.27 / .30				.22 / .17				.23 / .17			
Homeward™	.27 / .30	.27 / .30				.22 / .17				.23 / .17			
Arcadia™	.27 / .30	.27 / .30	.27 / .30	.24 / .23	.22 / .17	.22 / .17	.22 / .17	.18 / .09		.23 / .17	.19 / .09	.19 / .09	.19 / .09
Augustine®	.34 / .31	.34 / .31	.34 / .31										
Ashurst™	.27 / .30	.27 / .30	.27 / .30	.24 / .23	.22 / .17	.22 / .17	.22 / .17	.18 / .09		.23 / .17	.19 / .09	.19 / .09	.19 / .09
Bella™	.27 / .30	.27 / .30	.27 / .30			.22 / .17	.22 / .17	.18 / .09		.23 / .17	.19 / .09	.19 / .09	.19 / .09
Arborwatch™	.27 / .30	.27 / .30				.22 / .17				.23 / .17			
Borrassa™	.34 / .31	.34 / .31	.34 / .31										
Longford™	.27 / .30	.27 / .30	.27 / .30	.24 / .23	.22 / .17	.22 / .17	.22 / .17	.18 / .09		.23 / .17	.19 / .09	.19 / .09	.19 / .09
Zaha™	.27 / .30	.27 / .30	.27 / .30							.23 / .17	.19 / .09	.19 / .09	
Lucerna®	.27 / .30	.27 / .30	.27 / .30			.22 / .17	.22 / .17	.18 / .09		.23 / .17	.19 / .09	.19 / .09	.19 / .09
Chinchilla	.27 / .30	.27 / .30	.27 / .30							.23 / .17			
Chord	.27 / .30	.27 / .30	.27 / .30							.23 / .17			
Granite	.27 / .30	.27 / .30	.27 / .30							.23 / .17			
Rainglass	.27 / .30	.27 / .30	.27 / .30							.23 / .17			
Hammered										.23 / .17			
Low-E Glass	.27 / .18	.27 / .18	.27 / .18	.24 / .14	.22 / .10	.22 / .10	.22 / .10	.19 / .06		.21 / .10	.18 / .06		.18 / .06
Solid Panel									.14 / .01				
<b>8'0" Section</b>													
Glass Size (Inches)	25x66								OPAQUE	8x80			
Villager™		.27 / .30								.23 / .17			
Homeward™		.27 / .30								.23 / .17			
Arcadia™		.27 / .30								.23 / .17			
Augustine®		.34 / .31											
Ashurst™		.27 / .30								.23 / .17			
Bella™		.27 / .30								.23 / .17			
Arborwatch™		.27 / .30								.23 / .17			
Borrassa™		.34 / .31											
Longford™		.27 / .30								.23 / .17			
Zaha™		.27 / .30								.23 / .17			
Lucerna®		.27 / .30								.23 / .17			
Chinchilla		.27 / .30								.23 / .17			
Chord		.27 / .30								.23 / .17			
Granite		.27 / .30								.23 / .17			
Rainglass		.27 / .30								.23 / .17			
Hammered										.23 / .17			
Low-E Glass		.27 / .18								.21 / .10			
Solid Panel									.14 / .01				

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-CCR



Door Collection / Glass Design								
<b>Classic-Craft<sup>®</sup> Rustic Collection<sup>™</sup></b>								
6'8" Section								
Glass Size (Inches)	25x66	25x42	25x42A	25x42A	OPAQUE	OPAQUE	OPAQUE	8x66
Homeward <sup>™</sup>	.27 / .30	.24 / .23						.23 / .17
Villager <sup>™</sup>	.27 / .30	.24 / .23						.23 / .17
Arcadia <sup>™</sup>	.27 / .30	.24 / .23						.23 / .17
Augustine <sup>®</sup>	.34 / .31	.29 / .23	.29 / .23	.29 / .23				
Ashurst <sup>™</sup>	.27 / .30	.24 / .23						.23 / .17
Bella <sup>™</sup>	.27 / .30	.24 / .23						.23 / .17
Arborwatch <sup>™</sup>	.27 / .30	.24 / .23						.23 / .17
Borrassa <sup>™</sup>	.34 / .31	.29 / .23	.29 / .23	.29 / .23				
Provincial <sup>™</sup>	.27 / .30	.24 / .23						.23 / .17
Longford <sup>™</sup>	.27 / .30	.24 / .23						.23 / .17
Cambridge <sup>™</sup>	.27 / .30	.24 / .23						.23 / .17
Zaha <sup>™</sup>	.27 / .30	.24 / .23						.23 / .17
Lucerna <sup>®</sup>	.27 / .30	.24 / .23						.23 / .17
Chinchilla	.27 / .30	.24 / .23						.23 / .17
Chord	.27 / .30	.24 / .23						.23 / .17
Granite	.27 / .30	.24 / .23						.23 / .17
Rainglass	.27 / .30	.24 / .23						.23 / .17
Hammered								.23 / .17
Low-E Glass	.27 / .18	.24 / .14						.21 / .10
Solid Panel					.14 / .01	.14 / .01	.14 / .01	

<b>Key</b>	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-CCR



Door Collection / Glass Design											
	31x51	25x51	31x51A	25x51A	31x51A	21x51A	OPAQUE	OPAQUE	OPAQUE	8x80	
<b>Classic-Craft<sup>®</sup> Rustic Collection™</b>											
8'0" Section											
Villager™		.27 / .30								.23 / .17	
Homeward™	.27 / .30	.27 / .30								.23 / .17	
Arcadia™		.27 / .30								.23 / .17	
Augustine®	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31					
Ashurst™		.27 / .30		.27 / .30		.27 / .30				.23 / .17	
Bella™		.27 / .30								.23 / .17	
Arborwatch™	.27 / .30	.27 / .30								.23 / .17	
Borrassa™	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31					
Provincial™		.27 / .30								.23 / .17	
Longford™		.27 / .30								.23 / .17	
Cambridge™		.27 / .30								.23 / .17	
Zaha™		.27 / .30		.27 / .30		.27 / .30				.23 / .17	
Lucerna®	.27 / .30	.27 / .30		.27 / .30		.27 / .30				.23 / .17	
Chinchilla	.27 / .30	.27 / .30		.27 / .30		.27 / .30				.23 / .17	
Chord	.27 / .30	.27 / .30		.27 / .30		.27 / .30				.23 / .17	
Granite	.27 / .30	.27 / .30		.27 / .30		.27 / .30				.23 / .17	
Rainglass	.27 / .30	.27 / .30		.27 / .30		.27 / .30				.23 / .17	
Hammered										.23 / .17	
Low-E Glass	.27 / .18	.27 / .18		.27 / .18		.27 / .18				.21 / .10	
Solid Panel							.14 / .01	.14 / .01	.14 / .01		

<b>Key</b>	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-CCO THERMA TRU® DOORS

Door Collection / Glass Design										
<b>Classic-Craft<sup>®</sup> Oak Collection™</b>										
<b>6'8" Section</b>										
Glass Size (Inches)	25x66	25x51	25x48C	25x35	21x35	25x37R	15x38	10x42R	10x8	OPAQUE
Villager™	.27 / .30	.27 / .30		.22 / .17						
Homeward™	.27 / .30	.27 / .30		.22 / .17						
Arcadia™	.27 / .30	.27 / .30	.27 / .30	.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09		
Bella™	.27 / .30	.27 / .30		.22 / .17			.22 / .17	.18 / .09		
Arborwatch™	.27 / .30	.27 / .30		.22 / .17						
Provincial™	.27 / .30	.27 / .30	.27 / .30	.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09		
Cambridge™	.27 / .30	.27 / .30	.27 / .30	.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09		
Lucerna®	.27 / .30	.27 / .30		.22 / .17			.22 / .17	.18 / .09		
Chinchilla	.27 / .30	.27 / .30								
Chord	.27 / .30	.27 / .30								
Granite	.27 / .30	.27 / .30								
Rainglass	.27 / .30	.27 / .30								
Low-E with Divided Lites	.27 / .18			.22 / .10	.22 / .10					
Low-E Glass	.27 / .18	.27 / .18	.27 / .18	.22 / .10	.22 / .10	.22 / .10	.22 / .10	.19 / .06	.19 / .06	
Solid Panel										.14 / .01

<b>Key</b>	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-CCO THERMA TRU® DOORS

Door Collection / Glass Design				
<b>Classic-Craft<sup>®</sup> Oak Collection™</b>				
<b>6'8" Section</b>				
<b>Glass Size (Inches)</b>	<b>8x66</b>	<b>8x45</b>	<b>8x35</b>	<b>8x41R</b>
Villager™	.23 / .17			
Homeward™	.23 / .17			
Arcadia™	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Bella™	.23 / .17			.19 / .09
Arborwatch™	.23 / .17			
Provincial™	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Cambridge™	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Lucerna®	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Chinchilla	.23 / .17			
Chord	.23 / .17			
Granite	.23 / .17			
Rainglass	.23 / .17			
Low-E with Divided Lites	.21 / .10		.18 / .06	
Low-E Glass	.21 / .10	.18 / .06	.18 / .06	.18 / .06

<b>Key</b>	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-CCO THERMA TRU® DOORS

Door Collection / Glass Design							
<b>Classic-Craft<sup>®</sup> Oak Collection™</b>							
<b>8'0" Section</b>							
Glass Size (Inches)	25x66	25x51	16x56	10x42	8x42	OPAQUE	8x80
Villager™	.27 / .30	.27 / .30					.23 / .17
Homeward™	.27 / .30	.27 / .30					.23 / .17
Arcadia™	.27 / .30	.27 / .30	.22 / .17				.23 / .17
Bella™	.27 / .30	.27 / .30					.23 / .17
Arborwatch™	.27 / .30	.27 / .30					.23 / .17
Provincial™	.27 / .30	.27 / .30	.22 / .17				.23 / .17
Cambridge™	.27 / .30	.27 / .30	.22 / .17				.23 / .17
Lucerna <sup>®</sup>	.27 / .30	.27 / .30					.23 / .17
Chinchilla	.27 / .30	.27 / .30					.23 / .17
Chord	.27 / .30	.27 / .30					.23 / .17
Granite	.27 / .30	.27 / .30					.23 / .17
Rainglass	.27 / .30	.27 / .30					.23 / .17
Low-E with Divided Lites	.27 / .18	.27 / .18					
Low-E Glass	.27 / .18	.27 / .18	.22 / .10	.19 / .06	.19 / .06		.21 / .10
Solid Panel						.14 / .01	

<b>Key</b>	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	