



2017 ENERGY STAR® Qualification Chart - CCA THERMA TRU® DOORS













Door Collection / Glass Design				
Classic-Craft® American Style Collection™				
6'8" Section				
Glass Size (Inches)		26x18	8x66	8x18
Villager™		.23 / .17	.23 / .17	.19 / .09
Homeward™		.23 / .17	.23 / .17	.19 / .09
Arborwatch™		.23 / .17	.23 / .17	.19 / .09
Chinchilla		.23 / .17	.23 / .17	.19 / .09
Chord		.23 / .17	.23 / .17	.19 / .09
Granite		.23 / .17	.23 / .17	.19 / .09
Rainglass		.23 / .17	.23 / .17	.19 / .09
Low-E with Divided Lites		.21 / .10	.21 / .10	.18 / .06
Low-E Glass		.21 / .10	.21 / .10	.18 / .06
8'0" Section				
Glass Size (Inches)	30x24	26x18	8x80	
Villager™		.23 / .17	.23 / .17	
Homeward™	.23 / .17	.23 / .17	.23 / .17	
Arborwatch™	.23 / .17	.23 / .17	.23 / .17	
Chinchilla	.23 / .17	.23 / .17	.23 / .17	
Chord	.23 / .17	.23 / .17	.23 / .17	
Granite	.23 / .17	.23 / .17	.23 / .17	
Rainglass	.23 / .17	.23 / .17	.23 / .17	
Low-E with Divided Lites	.21 / .10	.21 / .10	.21 / .10	
Low-E Glass	.21 / .10	.21 / .10	.21 / .10	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart- CCM



Door Collection / Glass Design													
Classic-Craft® Mahogany Collection™													
6'8" Section													
Glass Size (Inches)	25x66	25x51	25x51A	10x51	10x51A	25x35	15x38	10x42R	OPAQUE	8x66	8x52	6x52	8x41R
Villager™	.27 / .30	.27 / .30				.22 / .17				.23 / .17			
Homeward™	.27 / .30	.27 / .30				.22 / .17				.23 / .17			
Arcadia™	.27 / .30	.27 / .30	.27 / .30	.24 / .23	.22 / .17	.22 / .17	.22 / .17	.18 / .09		.23 / .17	.19 / .09	.19 / .09	.19 / .09
Augustine®	.34 / .31	.34 / .31	.34 / .31										
Ashurst™	.27 / .30	.27 / .30	.27 / .30	.24 / .23	.22 / .17	.22 / .17	.22 / .17	.18 / .09		.23 / .17	.19 / .09	.19 / .09	.19 / .09
Bella™	.27 / .30	.27 / .30	.27 / .30			.22 / .17	.22 / .17	.18 / .09		.23 / .17	.19 / .09	.19 / .09	.19 / .09
Arborwatch™	.27 / .30	.27 / .30				.22 / .17				.23 / .17			
Borrassa™	.34 / .31	.34 / .31	.34 / .31										
Longford™	.27 / .30	.27 / .30	.27 / .30	.24 / .23	.22 / .17	.22 / .17	.22 / .17	.18 / .09		.23 / .17	.19 / .09	.19 / .09	.19 / .09
Zaha™	.27 / .30	.27 / .30	.27 / .30							.23 / .17	.19 / .09	.19 / .09	
Lucerna®	.27 / .30	.27 / .30	.27 / .30			.22 / .17	.22 / .17	.18 / .09		.23 / .17	.19 / .09	.19 / .09	.19 / .09
Chinchilla	.27 / .30	.27 / .30	.27 / .30							.23 / .17			
Chord	.27 / .30	.27 / .30	.27 / .30							.23 / .17			
Granite	.27 / .30	.27 / .30	.27 / .30							.23 / .17			
Rainglass	.27 / .30	.27 / .30	.27 / .30							.23 / .17			
Hammered										.23 / .17			
Low-E Glass	.27 / .18	.27 / .18	.27 / .18	.24 / .14	.22 / .10	.22 / .10	.22 / .10	.19 / .06		.21 / .10	.18 / .06		.18 / .06
Solid Panel									.14 / .01				
8'0" Section													
Glass Size (Inches)		25x66							OPAQUE	8x80			
Villager™		.27 / .30								.23 / .17			
Homeward™		.27 / .30								.23 / .17			
Arcadia™		.27 / .30								.23 / .17			
Augustine®		.34 / .31											
Ashurst™		.27 / .30								.23 / .17			
Bella™		.27 / .30								.23 / .17			
Arborwatch™		.27 / .30								.23 / .17			
Borrassa™		.34 / .31											
Longford™		.27 / .30								.23 / .17			
Zaha™		.27 / .30								.23 / .17			
Lucerna®		.27 / .30								.23 / .17			
Chinchilla		.27 / .30								.23 / .17			
Chord		.27 / .30								.23 / .17			
Granite		.27 / .30								.23 / .17			
Rainglass		.27 / .30								.23 / .17			
Hammered										.23 / .17			
Low-E Glass		.27 / .18								.21 / .10			
Solid Panel									.14 / .01				

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-CCR










Door Collection / Glass Design								
Classic-Craft® Rustic Collection™								
6'8" Section								
Glass Size (Inches)	25x66	25x42	25x42A	25x42A	OPAQUE	OPAQUE	OPAQUE	8x66
Homeward™	.27 / .30	.24 / .23						.23 / .17
Villager™	.27 / .30	.24 / .23						.23 / .17
Arcadia™	.27 / .30	.24 / .23						.23 / .17
Augustine®	.34 / .31	.29 / .23	.29 / .23	.29 / .23				
Ashurst™	.27 / .30	.24 / .23						.23 / .17
Bella™	.27 / .30	.24 / .23						.23 / .17
Arborwatch™	.27 / .30	.24 / .23						.23 / .17
Borrassa™	.34 / .31	.29 / .23	.29 / .23	.29 / .23				
Provincial™	.27 / .30	.24 / .23						.23 / .17
Longford™	.27 / .30	.24 / .23						.23 / .17
Cambridge™	.27 / .30	.24 / .23						.23 / .17
Zaha™	.27 / .30	.24 / .23						.23 / .17
Lucerna®	.27 / .30	.24 / .23						.23 / .17
Chinchilla	.27 / .30	.24 / .23						.23 / .17
Chord	.27 / .30	.24 / .23						.23 / .17
Granite	.27 / .30	.24 / .23						.23 / .17
Rainglass	.27 / .30	.24 / .23						.23 / .17
Hammered								.23 / .17
Low-E Glass	.27 / .18	.24 / .14						.21 / .10
Solid Panel					.14 / .01	.14 / .01	.14 / .01	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-CCR



Door Collection / Glass Design										
Classic-Craft® Rustic Collection™										
8'0" Section										
Glass Size (Inches)	31x51	25x51	31x51A	25x51A	31x51A	21x51A	OPAQUE	OPAQUE	OPAQUE	8x80
Villager™		.27 / .30								.23 / .17
Homeward™	.27 / .30	.27 / .30								.23 / .17
Arcadia™		.27 / .30								.23 / .17
Augustine®	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31				
Ashurst™		.27 / .30		.27 / .30		.27 / .30				.23 / .17
Bella™		.27 / .30								.23 / .17
Arborwatch™	.27 / .30	.27 / .30								.23 / .17
Borrassa™	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31				
Provincial™		.27 / .30								.23 / .17
Longford™		.27 / .30								.23 / .17
Cambridge™		.27 / .30								.23 / .17
Zaha™		.27 / .30		.27 / .30		.27 / .30				.23 / .17
Lucerna®	.27 / .30	.27 / .30		.27 / .30		.27 / .30				.23 / .17
Chinchilla	.27 / .30	.27 / .30		.27 / .30		.27 / .30				.23 / .17
Chord	.27 / .30	.27 / .30		.27 / .30		.27 / .30				.23 / .17
Granite	.27 / .30	.27 / .30		.27 / .30		.27 / .30				.23 / .17
Rainglass	.27 / .30	.27 / .30		.27 / .30		.27 / .30				.23 / .17
Hammered										.23 / .17
Low-E Glass	.27 / .18	.27 / .18		.27 / .18		.27 / .18				.21 / .10
Solid Panel							.14 / .01	.14 / .01	.14 / .01	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-CCO THERMA TRU® DOORS

Door Collection / Glass Design										
Classic-Craft _® Oak Collection _™										
6'8" Section										
Glass Size (Inches)	25x66	25x51	25x48C	25x35	21x35	25x37R	15x38	10x42R	10x8	OPAQUE
Villager _™	.27 / .30	.27 / .30		.22 / .17						
Homeward _™	.27 / .30	.27 / .30		.22 / .17						
Arcadia _™	.27 / .30	.27 / .30	.27 / .30	.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09		
Bella _™	.27 / .30	.27 / .30		.22 / .17			.22 / .17	.18 / .09		
Arborwatch _™	.27 / .30	.27 / .30		.22 / .17						
Provincial _™	.27 / .30	.27 / .30	.27 / .30	.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09		
Cambridge _™	.27 / .30	.27 / .30	.27 / .30	.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09		
Lucerna _®	.27 / .30	.27 / .30		.22 / .17			.22 / .17	.18 / .09		
Chinchilla	.27 / .30	.27 / .30								
Chord	.27 / .30	.27 / .30								
Granite	.27 / .30	.27 / .30								
Rainglass	.27 / .30	.27 / .30								
Low-E with Divided Lites	.27 / .18			.22 / .10	.22 / .10					
Low-E Glass	.27 / .18	.27 / .18	.27 / .18	.22 / .10	.22 / .10	.22 / .10	.22 / .10	.19 / .06	.19 / .06	
Solid Panel										.14 / .01

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	









2017 ENERGY STAR® Qualification Chart-CCO THERMA TRU® DOORS

Door Collection / Glass Design				
Classic-Craft® Oak Collection™				
6'8" Section				
Glass Size (Inches)	8x66	8x45	8x35	8x41R
Villager™	.23 / .17			
Homeward™	.23 / .17			
Arcadia™	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Bella™	.23 / .17			.19 / .09
Arborwatch™	.23 / .17			
Provincial™	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Cambridge™	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Lucerna®	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Chinchilla	.23 / .17			
Chord	.23 / .17			
Granite	.23 / .17			
Rainglass	.23 / .17			
Low-E with Divided Lites	.21 / .10		.18 / .06	
Low-E Glass	.21 / .10	.18 / .06	.18 / .06	.18 / .06

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-CCO THERMA TRU® DOORS

Door Collection / Glass Design							
Classic-Craft [®] Oak Collection [™]							
8'0" Section							
Glass Size (Inches)	25x66	25x51	16x56	10x42	8x42	OPAQUE	8x80
Villager [™]	.27 / .30	.27 / .30					.23 / .17
Homeward [™]	.27 / .30	.27 / .30					.23 / .17
Arcadia [™]	.27 / .30	.27 / .30	.22 / .17				.23 / .17
Bella [™]	.27 / .30	.27 / .30					.23 / .17
Arborwatch [™]	.27 / .30	.27 / .30					.23 / .17
Provincial [™]	.27 / .30	.27 / .30	.22 / .17				.23 / .17
Cambridge [™]	.27 / .30	.27 / .30	.22 / .17				.23 / .17
Lucerna [®]	.27 / .30	.27 / .30					.23 / .17
Chinchilla	.27 / .30	.27 / .30					.23 / .17
Chord	.27 / .30	.27 / .30					.23 / .17
Granite	.27 / .30	.27 / .30					.23 / .17
Rainglass	.27 / .30	.27 / .30					.23 / .17
Low-E with Divided Lites	.27 / .18	.27 / .18					
Low-E Glass	.27 / .18	.27 / .18	.22 / .10	.19 / .06	.19 / .06		.21 / .10
Solid Panel						.14 / .01	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	









2017 ENERGY STAR® Qualification Chart-CCVTHERMA TRU® DOORS

Door Collection / Glass Design											
Classic-Craft_® Canvas Collection_®											
6'8" Section											
Glass Size (Inches)	25x66	25x51	25x42	25x42A	25x42A	25x35	26x18	OPAQUE	OPAQUE	8x66	8x18
Villager™	.27 / .30	.27 / .30	.24 / .23			.22 / .17	.23 / .17			.23 / .17	.19 / .09
Homeward™	.27 / .30	.27 / .30	.24 / .23			.22 / .17	.23 / .17			.23 / .17	.19 / .09
Arcadia™	.27 / .30	.27 / .30	.24 / .23			.22 / .17				.23 / .17	
Augustine®	.34 / .31	.34 / .31	.29 / .23	.29 / .23	.29 / .23						
Ashurst™	.27 / .30	.27 / .30	.24 / .23			.22 / .17				.23 / .17	
Bella™	.27 / .30	.27 / .30	.24 / .23			.22 / .17				.23 / .17	
Arborwatch™	.27 / .30	.27 / .30	.24 / .23			.22 / .17	.23 / .17			.23 / .17	.19 / .09
Borrassa™	.34 / .31	.34 / .31	.29 / .23	.29 / .23	.29 / .23						
Provincial™	.27 / .30	.27 / .30	.24 / .23			.22 / .17				.23 / .17	
Longford™	.27 / .30	.27 / .30	.24 / .23			.22 / .17				.23 / .17	
Cambridge™	.27 / .30	.27 / .30	.24 / .23			.22 / .17				.23 / .17	
Zaha™	.27 / .30	.27 / .30	.24 / .23							.23 / .17	
Lucerna®	.27 / .30	.27 / .30	.24 / .23			.22 / .17				.23 / .17	
Privacy with Divided Lites							.23 / .17			.23 / .17	.19 / .09
Chinchilla	.27 / .30	.27 / .30	.24 / .23				.23 / .17			.23 / .17	.19 / .09
Chord	.27 / .30	.27 / .30	.24 / .23				.23 / .17			.23 / .17	.19 / .09
Granite	.27 / .30	.27 / .30	.24 / .23				.23 / .17			.23 / .17	.19 / .09
Rainglass	.27 / .30	.27 / .30	.24 / .23				.23 / .17			.23 / .17	.19 / .09
Hammered										.23 / .17	
Low-E with Divided Lites	.27 / .18					.22 / .10	.21 / .10			.21 / .10	.18 / .06
Low-E Glass	.27 / .18	.27 / .18	.24 / .14			.22 / .10	.21 / .10			.21 / .10	.18 / .06
Solid Panel								.14 / .01	.14 / .01		

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-CCVTHERMA TRU® DOORS

Door Collection / Glass Design									
Classic-Craft [®] Canvas Collection [®]									
8'0" Section									
Glass Size (Inches)	25x66	31x51	25x51	25x51A	25x51A	25x51	OPAQUE	OPAQUE	8x66
Villager™	.27 / .30		.27 / .30			.27 / .30			
Homeward™	.27 / .30	.27 / .30	.27 / .30			.27 / .30			
Arcadia™	.27 / .30		.27 / .30			.27 / .30			.23 / .17
Augustine®	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31			
Ashurst™	.27 / .30		.27 / .30	.27 / .30	.27 / .30	.27 / .30			.23 / .17
Bella™	.27 / .30		.27 / .30			.27 / .30			.23 / .17
Arborwatch™	.27 / .30	.27 / .30	.27 / .30			.27 / .30			.23 / .17
Borrassa™	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31	.34 / .31			
Provincial™	.27 / .30		.27 / .30			.27 / .30			.23 / .17
Longford™	.27 / .30		.27 / .30			.27 / .30			.23 / .17
Cambridge™	.27 / .30		.27 / .30			.27 / .30			.23 / .17
Zaha™	.27 / .30		.27 / .30	.27 / .30	.27 / .30	.27 / .30			.23 / .17
Lucerna®	.27 / .30	.27 / .30	.27 / .30	.27 / .30	.27 / .30	.27 / .30			.23 / .17
Privacy with Divided Lites			.27 / .30			.27 / .30			.23 / .17
Chinchilla	.27 / .30	.27 / .30	.27 / .30	.27 / .30	.27 / .30	.27 / .30			.23 / .17
Chord	.27 / .30	.27 / .30	.27 / .30	.27 / .30	.27 / .30	.27 / .30			.23 / .17
Granite	.27 / .30	.27 / .30	.27 / .30	.27 / .30	.27 / .30	.27 / .30			.23 / .17
Rainglass	.27 / .30	.27 / .30	.27 / .30	.27 / .30	.27 / .30	.27 / .30			.23 / .17
Hammered									.23 / .17
Low-E Glass	.27 / .18	.27 / .18	.27 / .18	.27 / .18	.27 / .18	.27 / .18			.21 / .10
Low-E with Divided Lites	.27 / .18		.27 / .18			.27 / .18			.21 / .10
Solid Panel							.14 / .01	.14 / .01	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-FCM



Door Collection / Glass Design											
Fiber-Classic® Mahogany Collection™											
6'8" Section											
Glass Size (Inches)	22x64	20x64	16x64	22x47	22x36	16x40	21x15	8x42R	22x10A	8x6	OPAQUE
Blackstone®	.27 / .30	.27 / .30		.24 / .23	.22 / .17	.22 / .17		.18 / .09			
Crystalline™	.27 / .30	.27 / .30		.24 / .23	.22 / .17			.18 / .09		.18 / .09	
Sedona	.27 / .30	.27 / .30		.24 / .23	.22 / .17		.18 / .09	.18 / .09			
Sedona Art	.27 / .30	.27 / .30		.24 / .23	.22 / .17		.18 / .09	.18 / .09			
Salinas®	.34 / .31	.34 / .31		.29 / .23	.26 / .18			.21 / .09			
Element	.27 / .30										
Maple Park®	.27 / .30			.24 / .23	.22 / .17		.18 / .09	.18 / .09	.18 / .09		
Avonlea®	.27 / .30			.24 / .23	.22 / .17	.22 / .17		.18 / .09			
Saratoga™	.27 / .30	.27 / .30		.24 / .23	.22 / .17		.18 / .09	.18 / .09	.18 / .09		
Arden®	.27 / .30			.24 / .23	.22 / .17	.22 / .17		.18 / .09			
Texas Star	.27 / .30			.24 / .23	.22 / .17	.22 / .17					
Wellesley™	.27 / .30	.27 / .30		.24 / .23	.22 / .17	.22 / .17		.18 / .09	.18 / .09		
Riserva™	.34 / .31	.34 / .31		.29 / .23	.26 / .18			.21 / .09			
Concorde™	.27 / .30	.27 / .30		.24 / .23	.22 / .17	.22 / .17		.18 / .09	.18 / .09		
Kensington™	.27 / .30			.24 / .23	.22 / .17	.22 / .17		.18 / .09			
Crystal Diamonds™	.27 / .30	.27 / .30		.24 / .23	.22 / .17	.22 / .17		.18 / .09			
Axis™	.27 / .30	.27 / .30	.24 / .23	.24 / .23	.22 / .17		.18 / .09			.18 / .09	
Frosted Images®	.34 / .34	.34 / .34		.29 / .25	.26 / .19	.26 / .19					
Privacy with Divided Lites	.27 / .30	.27 / .30	.24 / .23	.24 / .23	.22 / .17		.18 / .09		.18 / .09		
Chinchilla	.27 / .30	.27 / .30	.24 / .23	.24 / .23	.22 / .17		.18 / .09		.18 / .09	.18 / .09	
Chord	.27 / .30	.27 / .30	.24 / .23	.24 / .23	.22 / .17		.18 / .09		.18 / .09	.18 / .09	
Granite	.27 / .30	.27 / .30	.24 / .23	.24 / .23	.22 / .17		.18 / .09		.18 / .09	.18 / .09	
Rainglass	.27 / .30	.27 / .30	.24 / .23	.24 / .23	.22 / .17		.18 / .09		.18 / .09	.18 / .09	
Satin Etch	.27 / .30	.27 / .30	.24 / .23	.24 / .23	.22 / .17		.18 / .09		.18 / .09	.18 / .09	
Clear with Internal Blinds	.37 / .28	.37 / .28	.32 / .21	.32 / .21	.27 / .16						
Clear with Divided Lites	.36 / .34			.29 / .25	.27 / .19				.21 / .10		
Clear with Grilles Between Glass	.36 / .31	.36 / .31	.30 / .23	.29 / .23	.26 / .18				.21 / .09		
Clear Glass	.36 / .34			.29 / .25	.27 / .19	.26 / .19		.21 / .10	.21 / .10	.21 / .10	
Low-E with Internal Blinds	.32 / .23	.32 / .23	.28 / .17	.28 / .17	.25 / .14						
Low-E with Divided Lites	.30 / .19	.30 / .19		.24 / .14	.23 / .11		.19 / .06		.19 / .08		
Low-E with Grilles Between Glass	.30 / .17	.30 / .17	.26 / .13	.24 / .13	.23 / .10				.19 / .05		
Low-E Glass	.30 / .19	.30 / .19	.26 / .14	.24 / .14	.23 / .11	.22 / .10	.19 / .06	.19 / .06	.19 / .08	.19 / .06	
Solid Panel											.14 / .01

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-FCM











Non-Impact	Door Collection / Glass Design				
	Fiber-Classic® Mahogany Collection™				
	6'8" Section				
	Glass Size (Inches)	7x64	8x47	8x36	8x44S
	Blackstone®	.18 / .09	.18 / .09	.18 / .09	
	Crystalline™	.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Sedona	.18 / .09	.18 / .09	.18 / .09	
	Sedona Art	.18 / .09	.18 / .09	.18 / .09	
	Salinas®	.21 / .09	.21 / .09	.21 / .09	
	Element	.18 / .09			
	Maple Park®	.18 / .09	.18 / .09	.18 / .09	
	Avonlea®	.18 / .09	.18 / .09	.18 / .09	
	Saratoga™	.18 / .09	.18 / .09	.18 / .09	
	Arden®	.18 / .09	.18 / .09	.18 / .09	
	Texas Star	.18 / .09	.18 / .09	.18 / .09	
	Wellesley™	.18 / .09	.18 / .09	.18 / .09	
	Riserva™	.21 / .09	.21 / .09	.21 / .09	
	Concorde™	.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Kensington™	.18 / .09	.18 / .09	.18 / .09	
	Crystal Diamonds™	.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Axis™	.18 / .09	.18 / .09	.18 / .09	
	Frosted Images®	.21 / .10		.21 / .10	
	Privacy with Divided Lites	.18 / .09	.18 / .09	.18 / .09	
	Chinchilla	.18 / .09	.18 / .09	.18 / .09	
	Chord	.18 / .09	.18 / .09	.18 / .09	
	Granite	.18 / .09	.18 / .09	.18 / .09	
	Rainglass	.18 / .09	.18 / .09	.18 / .09	
	Satin Etch	.18 / .09	.18 / .09	.18 / .09	
	Clear with Internal Blinds	.22 / .08	.22 / .08	.22 / .08	
	Clear with Divided Lites	.21 / .10	.21 / .10	.21 / .10	
	Clear with Grilles Between Glass	.21 / .09	.21 / .09	.21 / .09	
	Clear Glass	.21 / .10	.21 / .10	.21 / .10	.21 / .10
	Low-E with Internal Blinds	.20 / .07	.20 / .07	.20 / .07	
	Low-E with Divided Lites	.19 / .06	.19 / .06	.19 / .06	
	Low-E with Grilles Between Glass	.19 / .05	.19 / .05	.19 / .05	
	Low-E Glass	.19 / .06	.19 / .06	.19 / .06	.19 / .06

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-FCM












Impact	Door Collection / Glass Design									
	Fiber-Classic® Mahogany Collection™									
	6'8" Section									
	Glass Size (Inches)	22x64	20x64	22x47	14x64	22x36	21x15	7x64	8x47	8x36
	Blackstone®	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09
	Crystalline™	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09
	Salinas®	.32 / .29		.28 / .22		.24 / .17		.20 / .09	.20 / .09	.20 / .09
	Element	.29 / .29						.19 / .09		
	Maple Park®	.29 / .29		.26 / .22		.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Avonlea®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09
	Saratoga™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Arden®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09
	Texas Star	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09
	Wellesley™	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09
	Riserva™	.32 / .29		.28 / .22		.24 / .17	.20 / .09	.20 / .09	.20 / .09	.20 / .09
	Concorde™	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09
	Kensington™	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09
	Crystal Diamonds™	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09
	Axis™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Frosted Images®	.31 / .32	.31 / .32	.27 / .24		.24 / .18		.20 / .09		.20 / .09
	Chinchilla	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Chord	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Granite	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Rainglass	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Satin Etch	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
Clear with Grilles Between Glass	.32 / .29	.32 / .29	.28 / .22	.24 / .17	.24 / .17		.20 / .09	.20 / .09	.20 / .09	
Clear Glass	.31 / .32	.31 / .32	.27 / .24	.24 / .18	.24 / .18		.20 / .09	.20 / .09	.20 / .09	
Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.23 / .13	.21 / .10	.21 / .10		.18 / .05	.18 / .05	.18 / .05	
Low-E Glass	.25 / .18	.25 / .18	.22 / .14	.20 / .10	.23 / .11	.18 / .08	.18 / .06	.18 / .06	.18 / .06	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-FCM



Non-Impact	Door Collection / Glass Design										
	Fiber-Classic® Mahogany Collection™										
	8'0" Section										
	Glass Size (Inches)	22x80	20x80	14x80	22x47	22x10A	8x6	OPAQUE	7x80	7x64	8x47
	Blackstone®	.27 / .30	.27 / .30		.24 / .23				.22 / .17	.18 / .09	.18 / .09
	Crystalline™	.27 / .30	.27 / .30		.24 / .23				.22 / .17	.18 / .09	.18 / .09
	Sedona	.27 / .30			.24 / .23				.22 / .17	.18 / .09	.18 / .09
	Sedona Art	.27 / .30			.24 / .23				.22 / .17	.18 / .09	.18 / .09
	Salinas®	.34 / .31	.34 / .31		.29 / .23				.26 / .18	.21 / .09	.21 / .09
	Element									.18 / .09	
	Maple Park®				.24 / .23	.18 / .09				.18 / .09	.18 / .09
	Avonlea®				.24 / .23					.18 / .09	.18 / .09
	Saratoga™				.24 / .23	.18 / .09			.22 / .17	.18 / .09	.18 / .09
	Arden®				.24 / .23					.18 / .09	.18 / .09
	Texas Star				.24 / .23					.18 / .09	.18 / .09
	Wellesley™	.27 / .30	.27 / .30		.24 / .23	.18 / .09			.22 / .17	.18 / .09	.18 / .09
	Riserva™	.34 / .31	.34 / .31		.29 / .23				.26 / .18	.21 / .09	.21 / .09
	Concorde™	.27 / .30			.24 / .23	.18 / .09			.22 / .17	.18 / .09	.18 / .09
	Kensington™				.24 / .23					.18 / .09	.18 / .09
	Crystal Diamonds™				.24 / .23					.18 / .09	.18 / .09
Axis™	.27 / .30	.27 / .30		.24 / .23		.18 / .09		.22 / .17	.18 / .09	.18 / .09	
Frosted Images®	.34 / .34			.29 / .25				.26 / .19	.21 / .10		
Privacy with Divided Lites				.24 / .23					.18 / .09	.18 / .09	
Chinchilla	.27 / .30	.27 / .30		.24 / .23	.18 / .09	.18 / .09		.22 / .17	.18 / .09	.18 / .09	
Chord	.27 / .30	.27 / .30		.24 / .23	.18 / .09	.18 / .09		.22 / .17	.18 / .09	.18 / .09	
Granite	.27 / .30	.27 / .30		.24 / .23	.18 / .09	.18 / .09		.22 / .17	.18 / .09	.18 / .09	
Rainglass	.27 / .30	.27 / .30		.24 / .23	.18 / .09	.18 / .09		.22 / .17	.18 / .09	.18 / .09	
Satin Etch	.27 / .30	.27 / .30		.24 / .23	.18 / .09	.18 / .09		.22 / .17	.18 / .09	.18 / .09	
Clear with Internal Blinds	.37 / .28	.37 / .28		.32 / .21				.27 / .16	.22 / .08		
Clear with Divided Lites	.34 / .34	.34 / .34		.29 / .25	.21 / .10			.26 / .19	.21 / .10	.21 / .10	
Clear with Grilles Between Glass	.36 / .31	.36 / .31		.29 / .23	.21 / .09			.26 / .18	.21 / .09	.21 / .09	
Clear Glass	.34 / .34	.34 / .34	.29 / .25	.29 / .25	.21 / .10	.21 / .10		.26 / .19	.21 / .10	.21 / .10	
Low-E with Internal Blinds	.32 / .23	.32 / .23		.28 / .21				.25 / .14	.20 / .07		
Low-E with Grilles Between Glass	.30 / .17	.30 / .17	.24 / .13	.24 / .13	.19 / .05			.22 / .10	.19 / .05	.19 / .05	
Low-E with Divided Lites	.30 / .19	.30 / .19		.24 / .14				.22 / .10	.19 / .06	.19 / .06	
Low-E Glass	.30 / .19	.30 / .19		.24 / .14	.19 / .06	.19 / .06		.22 / .10	.19 / .06	.19 / .06	
Solid Panel							.14 / .01				







Non-Impact

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-FCM



Impact	Door Collection / Glass Design							
	Fiber-Classic® Mahogany Collection™							
	8'0" Section							
	Glass Size (Inches)	22x80	20x80	14x80	22x47	7x80	7x64	8x47
	Blackstone®	.29 / .29	.29 / .29		.26 / .22	.23 / .16	.19 / .09	.19 / .09
	Crystalline™	.29 / .29	.29 / .29		.26 / .22	.23 / .16	.19 / .09	.19 / .09
	Salinas®	.32 / .29			.28 / .22	.24 / .17	.20 / .09	.20 / .09
	Element						.19 / .09	
	Maple Park®				.26 / .22		.19 / .09	.19 / .09
	Avonlea®				.26 / .22		.19 / .09	.19 / .09
	Saratoga™				.26 / .22	.23 / .16	.19 / .09	.19 / .09
	Arden®				.26 / .22		.19 / .09	.19 / .09
	Texas Star				.26 / .22		.19 / .09	.19 / .09
	Wellesley™	.29 / .29	.29 / .29		.26 / .22	.23 / .16	.19 / .09	.19 / .09
	Riserva™	.32 / .29			.28 / .22	.24 / .17	.20 / .09	.20 / .09
	Concorde™	.29 / .29	.29 / .29		.26 / .22	.23 / .16	.19 / .09	.19 / .09
	Kensington™				.26 / .22		.19 / .09	.19 / .09
	Crystal Diamonds™				.26 / .22		.19 / .09	.19 / .09
	Axis™	.29 / .29	.29 / .29		.26 / .22	.23 / .16	.19 / .09	.19 / .09
	Frosted Images®	.31 / .32	.31 / .32		.27 / .24	.24 / .18	.20 / .09	
	Chinchilla	.29 / .29	.29 / .29		.26 / .22	.23 / .16	.19 / .09	.19 / .09
	Chord	.29 / .29	.29 / .29		.26 / .22	.23 / .16	.19 / .09	.19 / .09
	Granite	.29 / .29	.29 / .29		.26 / .22	.23 / .16	.19 / .09	.19 / .09
	Rainglass	.29 / .29	.29 / .29		.26 / .22	.23 / .16	.19 / .09	.19 / .09
	Satin Etch	.29 / .29	.29 / .29		.26 / .22	.23 / .16	.19 / .09	.19 / .09
	Clear with Grilles Between Glass	.32 / .29	.32 / .29	.28 / .22	.28 / .22	.24 / .17	.20 / .09	.20 / .09
	Clear Glass	.31 / .32	.31 / .32	.27 / .24	.27 / .24	.24 / .18	.20 / .09	.20 / .09
	Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.23 / .13	.23 / .13	.21 / .10	.18 / .05	.18 / .05
	Low-E Glass	.25 / .18	.25 / .18	.22 / .14	.22 / .14	.20 / .10	.18 / .06	.18 / .06

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-FCO



Non-Impact	Door Collection / Glass Design											
	Fiber-Classic® Oak Collection™											
	6'8" Section											
	Glass Size (Inches)	22x64	20x64	16x64	22x47	14x64	22x36	20x36	8x36	16x40	8x42R	22x10A
	Blackstone®	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	
	Crystalline™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	
	Sedona	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	
	Sedona Art	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	
	Salinas®	.34 / .31	.34 / .31		.29 / .23		.26 / .18		.26 / .18		.21 / .09	
	Element	.27 / .30										
	Maple Park®	.27 / .30			.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	.18 / .09
	Avonlea®	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17	.18 / .09	
	Saratoga™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	.18 / .09
	Arden®	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17	.18 / .09	
	Texas Star	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17		
	Wellesley™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	.18 / .09
	Riserva™	.34 / .31	.34 / .31		.29 / .23		.26 / .18		.26 / .18		.21 / .09	
	Concorde™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	.18 / .09
	Kensington™	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17	.18 / .09	
	Crystal Diamonds™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	
	Axis™	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17	.22 / .17	.22 / .17			
	Frosted Images®	.34 / .34	.34 / .34		.29 / .25		.26 / .19		.26 / .19	.26 / .19		
	Privacy with Divided Lites	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			
	Chinchilla	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09
	Chord	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09
	Granite	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09
	Rainglass	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09
	Satin Etch	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09
	Clear with Internal Blinds	.37 / .28	.37 / .28	.32 / .21	.32 / .21		.27 / .16	.27 / .16				
	Clear with Divided Lites	.36 / .34			.29 / .25		.27 / .19	.27 / .19	.27 / .19			.21 / .10
	Clear with Grilles Between Glass	.36 / .31	.36 / .31	.30 / .23	.29 / .23	.26 / .18	.26 / .18	.26 / .18	.26 / .18			.21 / .09
	Clear Glass	.36 / .34			.29 / .25		.27 / .19	.27 / .19	.27 / .19	.26 / .19	.21 / .10	.21 / .10
Low-E with Internal Blinds	.32 / .23	.32 / .23	.28 / .17	.28 / .17		.25 / .14	.25 / .14					
Low-E with Divided Lites	.30 / .19	.30 / .19		.24 / .14		.23 / .11	.23 / .11	.23 / .11			.19 / .06	
Low-E with Grilles Between Glass	.30 / .17	.30 / .17	.26 / .13	.24 / .13	.22 / .10	.23 / .10	.23 / .10	.23 / .10			.19 / .05	
Low-E Glass	.30 / .19	.30 / .19	.26 / .14	.24 / .14		.23 / .11	.23 / .11	.23 / .11	.22 / .10	.19 / .06	.19 / .05	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-FCO



Non-Impact	Door Collection / Glass Design								
	Fiber-Classic® Oak Collection™								
	6'8" Section								
	Glass Size (Inches)	22x10R	8x6	8x36	OPAQUE	7x64	8x47	8x36	8x44S
	Blackstone®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Crystalline™	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Sedona			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Sedona Art			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Salinas®			.21 / .09		.21 / .09	.21 / .09	.21 / .09	
	Element					.18 / .09			
	Maple Park®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Avonlea®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Saratoga™			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Arden®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Texas Star			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Wellesley™			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Riserva™			.21 / .09		.21 / .09	.21 / .09	.21 / .09	
	Concorde™	.18 / .09		.18 / .09		.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Kensington™			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Crystal Diamonds™	.18 / .09		.18 / .09		.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Axis™		.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Frosted Images®	.21 / .10		.21 / .10		.21 / .10		.21 / .10	
	Privacy with Divided Lites			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Chinchilla	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Chord	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Granite	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Rainglass	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Satin Etch	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Clear with Internal Blinds			.22 / .08		.22 / .08	.22 / .08	.22 / .08	
	Clear with Divided Lites	.21 / .10		.21 / .10		.21 / .10	.21 / .10	.21 / .10	
	Clear with Grilles Between Glass	.21 / .09		.21 / .09		.21 / .09	.21 / .09	.21 / .09	
	Clear Glass	.21 / .10	.21 / .10	.21 / .10		.21 / .10	.21 / .10	.21 / .10	.21 / .10
	Low-E with Internal Blinds			.20 / .07		.20 / .07	.20 / .07	.20 / .07	
	Low-E with Divided Lites	.19 / .06		.19 / .06		.19 / .06	.19 / .06	.19 / .06	
	Low-E with Grilles Between Glass	.19 / .05		.19 / .05		.19 / .05	.19 / .05	.19 / .05	
	Low-E Glass	.19 / .06	.19 / .06	.19 / .06		.19 / .06	.19 / .06	.19 / .06	.19 / .06
	Solid Panel				.14 / .01				

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	









2017 ENERGY STAR® Qualification Chart-FCO



Non-Impact

Door Collection / Glass Design

Fiber-Classic® Oak Collection™

6'6" and 6'8" Flush-Glazed Section

Glass Size (Inches)	27x64	25x64	20x64	14x64	22x36	8x64	8x36
Chinchilla	.33 / .30	.33 / .30	.33 / .30				
Chord	.33 / .30	.33 / .30	.33 / .30				
Granite	.33 / .30	.33 / .30	.33 / .30				
Rainglass	.33 / .30	.33 / .30	.33 / .30				
Satin Etch	.33 / .30	.33 / .30	.33 / .30				
Privacy Glass with Divided Lites	.33 / .30	.33 / .30	.33 / .30				
Clear with Divided Lites	.34 / .34	.34 / .34	.34 / .34	.26 / .19	.26 / .19	.25 / .18	.20 / .09
Clear with Grilles Between Glass	.35 / .31	.35 / .31	.35 / .31	.26 / .18	.26 / .18	.26 / .18	.20 / .09
Clear Glass	.34 / .34	.34 / .34	.34 / .34	.26 / .19	.26 / .19	.25 / .18	.20 / .09
Low-E with Divided Lites	.27 / .18	.27 / .18	.27 / .18	.22 / .10	.22 / .10	.22 / .10	.19 / .06
Low-E with Grilles Between Glass	.29 / .17	.29 / .17	.29 / .17	.23 / .10	.23 / .10	.23 / .10	.19 / .05
Low-E Glass	.27 / .18	.27 / .18	.27 / .18	.22 / .10	.22 / .10	.22 / .10	.19 / .06

8'0" Flush-Glazed Section

Glass Size (Inches)	25x80	21x80		14x80			
Chinchilla	.33 / .30	.33 / .30					
Chord	.33 / .30	.33 / .30					
Granite	.33 / .30	.33 / .30					
Rainglass	.33 / .30	.33 / .30					
Satin Etch	.33 / .30	.33 / .30					
Privacy Glass with Divided Lites	.33 / .30	.33 / .30					
Clear with Divided Lites	.34 / .34	.34 / .34		.34 / .34			
Clear with Grilles Between Glass	.35 / .31	.35 / .31		.35 / .31			
Clear Glass	.34 / .34	.34 / .34		.34 / .34			
Low-E with Divided Lites	.27 / .18	.27 / .18		.27 / .18			
Low-E with Grilles Between Glass	.29 / .17	.29 / .17		.29 / .17			
Low-E Glass	.27 / .18	.27 / .18		.27 / .18			

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-FCO



Impact	Door Collection / Glass Design										
	Fiber-Classic® Oak Collection™										
	6'8" Section										
	Glass Size (Inches)	22x64	20x64	22x47	14x64	22x36	20x36	8x36	7x64	8x47	8x36
	Blackstone®	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Crystalline™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Salinas®	.32 / .29		.28 / .22		.24 / .17		.20 / .09	.20 / .09	.20 / .09	.20 / .09
	Element	.29 / .29							.19 / .09		
	Maple Park®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Avonlea®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Saratoga™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Arden®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Texas Star	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Wellesley™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Riserva™	.32 / .29		.28 / .22		.24 / .17		.20 / .09	.20 / .09	.20 / .09	.20 / .09
	Concorde™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Kensington™	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Crystal Diamonds™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Axis™	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Frosted Images®	.31 / .32	.31 / .32	.27 / .24		.24 / .18		.20 / .09	.20 / .09		.20 / .09
Chinchilla	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
Chord	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
Granite	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
Rainglass	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
Satin Etch	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
Clear with Grilles Between Glass	.32 / .29	.32 / .29	.28 / .22	.24 / .17	.24 / .17		.20 / .09	.20 / .09	.20 / .09	.20 / .09	
Clear Glass	.31 / .32	.31 / .32	.27 / .24	.24 / .18	.24 / .18		.20 / .09	.20 / .09	.20 / .09	.20 / .09	
Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.23 / .13	.21 / .10	.21 / .10			.18 / .05	.18 / .05	.18 / .05	
Low-E Glass	.25 / .18	.25 / .18	.22 / .14	.20 / .10	.20 / .10		.18 / .06	.18 / .06	.18 / .06	.18 / .06	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-FCO



Non-Impact	Door Collection / Glass Design										
	Fiber-Classic® Oak Collection™										
	8'0" Section										
	Glass Size (Inches)	22x80	20x80	22x64	14x80	22x47	22x47	22x10A	8x6	8x36	OPAQUE
	Blackstone®	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Crystalline™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Sedona	.27 / .30		.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Sedona Art	.27 / .30		.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Salinas®	.34 / .31	.34 / .31	.34 / .31		.29 / .23	.29 / .23			.21 / .09	
	Element			.27 / .30							
	Maple Park®			.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
	Avonlea®			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Saratoga™			.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
	Arden®			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Texas Star			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Wellesley™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
	Riserva™	.34 / .31	.34 / .31	.34 / .31		.29 / .23	.29 / .23			.21 / .09	
	Concorde™	.27 / .30		.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
	Kensington™			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Crystal Diamonds™			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Axis™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23		.18 / .09	.18 / .09	
	Frosted Images®	.34 / .34		.34 / .34		.29 / .25	.29 / .25			.21 / .10	
	Privacy with Divided Lites			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Chinchilla	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09	
	Chord	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09	
	Granite	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09	
	Rainglass	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09	
	Satin Etch	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09	
	Clear with Internal Blinds	.37 / .28	.37 / .28	.37 / .28		.32 / .21				.22 / .08	
	Clear with Divided Lites	.34 / .34	.34 / .34	.36 / .34		.29 / .25	.29 / .25	.21 / .10		.21 / .10	
	Clear with Grilles Between Glass	.36 / .31	.36 / .31	.36 / .31		.29 / .23	.29 / .23	.21 / .09		.21 / .09	
	Clear Glass	.34 / .34	.34 / .34	.36 / .34	.29 / .25	.29 / .25	.29 / .25	.21 / .10	.21 / .10	.21 / .10	
	Low-E with Internal Blinds	.32 / .23	.32 / .23	.32 / .23		.28 / .17				.20 / .07	
	Low-E with Divided Lites	.30 / .19	.30 / .19	.30 / .19		.24 / .14	.24 / .14	.19 / .06		.19 / .06	
	Low-E with Grilles Between Glass	.30 / .17	.30 / .17	.30 / .17	.24 / .13	.24 / .13	.24 / .13	.19 / .05		.19 / .05	
	Low-E Glass	.30 / .19	.30 / .19	.30 / .19		.24 / .14	.24 / .14	.19 / .06	.19 / .06	.19 / .06	
	Solid Panel										.14 / .01

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-FCO












Non-Impact	Door Collection / Glass Design			
	Fiber-Classic® Oak Collection™			
	8'0" Section			
	Glass Size (Inches)	7x80	7x64	8x47
	Blackstone®	.22 / .17	.18 / .09	.18 / .09
	Crystalline™	.22 / .17	.18 / .09	.18 / .09
	Sedona	.22 / .17	.18 / .09	.18 / .09
	Sedona Art	.22 / .17	.18 / .09	.18 / .09
	Salinas®	.26 / .18	.21 / .09	.21 / .09
	Element		.18 / .09	
	Maple Park®		.18 / .09	.18 / .09
	Avonlea®		.18 / .09	.18 / .09
	Saratoga™	.22 / .17	.18 / .09	.18 / .09
	Arden®		.18 / .09	.18 / .09
	Texas Star		.18 / .09	.18 / .09
	Wellesley™	.22 / .17	.18 / .09	.18 / .09
	Riserva™	.26 / .18	.21 / .09	.21 / .09
	Concorde™	.22 / .17	.18 / .09	.18 / .09
	Kensington™		.18 / .09	.18 / .09
	Crystal Diamonds™		.18 / .09	.18 / .09
	Axis™	.22 / .17	.18 / .09	.18 / .09
	Frosted Images®	.26 / .19	.21 / .10	
	Privacy with Divided Lites		.18 / .09	.18 / .09
	Chinchilla	.22 / .17	.18 / .09	.18 / .09
	Chord	.22 / .17	.18 / .09	.18 / .09
	Granite	.22 / .17	.18 / .09	.18 / .09
	Rainglass	.22 / .17	.18 / .09	.18 / .09
	Satin Etch	.22 / .17	.18 / .09	.18 / .09
	Clear with Internal Blinds	.27 / .16	.22 / .08	.22 / .08
	Clear with Divided Lites	.26 / .19	.21 / .10	.21 / .10
	Clear with Grilles Between Glass	.26 / .18	.21 / .09	.21 / .09
	Clear Glass	.26 / .19	.21 / .10	.21 / .10
	Low-E with Internal Blinds	.25 / .14	.20 / .07	.20 / .07
	Low-E with Divided Lites	.22 / .10	.19 / .06	.19 / .06
	Low-E with Grilles Between Glass	.22 / .10	.19 / .05	.19 / .05
	Low-E Glass	.22 / .10	.19 / .06	.19 / .06

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-FCO



Impact	Door Collection / Glass Design											
	Fiber-Classic® Oak Collection™											
	8'0" Section											
	Glass Size (Inches)	22x80	20x80	22x64	14x80	22x47	22x47	8x36	7x80	7x64	8x47	
	Blackstone®	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Crystalline™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Salinas®	.32 / .29		.32 / .29		.28 / .22	.28 / .22	.20 / .09	.24 / .17	.20 / .09	.20 / .09	
	Element			.29 / .29						.19 / .09		
	Maple Park™			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Avonlea®			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Saratoga™			.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Arden®			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Texas Star			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Wellesley™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Riserva™	.32 / .29		.32 / .29		.28 / .22	.28 / .22	.20 / .09	.24 / .17	.20 / .09	.20 / .09	
	Concorde™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Kensington™			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Crystal Diamonds™			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Axis™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Frosted Images®	.31 / .32	.31 / .32	.31 / .32		.27 / .24	.27 / .24	.20 / .09	.24 / .18	.20 / .09		
	Chinchilla	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Chord	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Granite	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Rainglass	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Satin Etch	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Clear with Grilles Between Glass	.32 / .29	.32 / .29	.32 / .29	.28 / .22	.28 / .22	.28 / .22	.28 / .22	.24 / .17	.20 / .09	.20 / .09	
	Clear Glass	.31 / .32	.31 / .32	.31 / .32	.27 / .24	.27 / .24	.27 / .24	.27 / .24	.24 / .18	.20 / .09	.20 / .09	
	Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.26 / .17	.23 / .13	.23 / .13	.23 / .13	.23 / .13	.21 / .10	.18 / .05	.18 / .05	
Low-E Glass	.25 / .18	.25 / .18	.25 / .18	.22 / .14	.22 / .14	.22 / .14	.22 / .14	.20 / .10	.18 / .06	.18 / .06		

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-SS



Door Collection / Glass Design												
Smooth-Star®												
6'8" Section												
Glass Size (Inches)	22x64	20x64	16x64	22x47	14x64	20x56	22x36	20x36	22x36	22x36R	22x27	8x36
Blackstone®	.27 / .30	.27 / .30		.24 / .23			.22 / .17	.22 / .17	.22 / .17			.22 / .17
Crystalline™	.27 / .30	.27 / .30		.24 / .23			.22 / .17	.22 / .17	.22 / .17	.22 / .17		.22 / .17
Sedona	.27 / .30	.27 / .30		.24 / .23			.22 / .17	.22 / .17	.22 / .17			.22 / .17
Sedona Art	.27 / .30	.27 / .30		.24 / .23			.22 / .17	.22 / .17	.22 / .17			.22 / .17
Salinas®	.34 / .31	.34 / .31		.29 / .23			.26 / .18	.26 / .18	.26 / .18	.26 / .18		.26 / .18
Element	.27 / .30											
Maple Park®	.27 / .30			.24 / .23			.22 / .17		.22 / .17			.22 / .17
Avonlea®	.27 / .30			.24 / .23			.22 / .17		.22 / .17			.22 / .17
Saratoga™	.27 / .30	.27 / .30		.24 / .23			.22 / .17	.22 / .17	.22 / .17			.22 / .17
Arden®	.27 / .30			.24 / .23			.22 / .17		.22 / .17			.22 / .17
Texas Star	.27 / .30			.24 / .23			.22 / .17		.22 / .17			.22 / .17
Wellesley™	.27 / .30	.27 / .30		.24 / .23			.22 / .17	.22 / .17	.22 / .17			.22 / .17
Riserva™	.34 / .31	.34 / .31		.29 / .23			.26 / .18	.26 / .18	.26 / .18			.26 / .18
Concorde™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.22 / .17		.22 / .17
Kensington™	.27 / .30			.24 / .23			.22 / .17		.22 / .17			.22 / .17
Crystal Diamonds™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17			.22 / .17
Axis™	.27 / .30	.27 / .30	.24 / .23	.24 / .23			.22 / .17	.22 / .17	.22 / .17			.22 / .17
Frosted Images®	.36 / .34	.36 / .34		.29 / .25		.26 / .19				.27 / .19		
Privacy with Divided Lites	.27 / .30	.27 / .30		.24 / .23			.22 / .17		.22 / .17			.22 / .17
Chinchilla	.27 / .30	.27 / .30	.24 / .23	.24 / .23			.22 / .17		.22 / .17			.22 / .17
Chord	.27 / .30	.27 / .30	.24 / .23	.24 / .23			.22 / .17		.22 / .17			.22 / .17
Granite	.27 / .30	.27 / .30	.24 / .23	.24 / .23			.22 / .17		.22 / .17			.22 / .17
Rainglass	.27 / .30	.27 / .30	.24 / .23	.24 / .23			.22 / .17		.22 / .17			.22 / .17
Satin Etch	.27 / .30	.27 / .30	.24 / .23	.24 / .23			.22 / .17		.22 / .17			.22 / .17
Clear with Internal Blinds	.37 / .28	.37 / .28	.32 / .21	.32 / .21			.27 / .16	.27 / .16	.27 / .16			
Clear with Divided Lites	.36 / .34	.36 / .34		.29 / .25			.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19
Clear with Grilles Between Glass	.36 / .31	.36 / .31	.30 / .23	.29 / .23			.26 / .18	.26 / .18	.26 / .18			.26 / .18
Clear Glass	.36 / .34	.36 / .34		.29 / .25	.27 / .19	.26 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19
Low-E with Internal Blinds	.32 / .23	.32 / .23	.28 / .17	.28 / .17			.25 / .14	.25 / .14	.25 / .14			
Low-E with Divided Lites	.30 / .19	.30 / .19	.26 / .14	.24 / .14			.23 / .11	.23 / .11	.23 / .11	.23 / .11	.23 / .11	.23 / .11
Low-E with Grilles Between Glass	.30 / .17	.30 / .17	.26 / .13	.24 / .13	.23 / .10		.23 / .10	.23 / .10	.23 / .10			.23 / .10
Low-E Glass	.30 / .19	.30 / .19	.26 / .14	.24 / .14	.23 / .11	.22 / .10	.23 / .11	.23 / .11	.23 / .11	.23 / .11	.23 / .11	.23 / .11
Solid Panel												

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-SS



Non-Impact	Door Collection / Glass Design										
	Smooth-Star®										
	6'8" Section										
	Glass Size (Inches)	16x40	21x15	8x42R	22x10A	22x10R	22x6	8x6	8x36	OPAQUE	OPAQUE SHAKER
	Blackstone®	.22 / .17		.18 / .09					.18 / .09		
	Crystalline™			.18 / .09		.18 / .09		.18 / .09	.18 / .09		
	Sedona		.18 / .09	.18 / .09					.18 / .09		
	Sedona Art		.18 / .09	.18 / .09					.18 / .09		
	Salinas®			.21 / .09					.21 / .09		
	Element										
	Maple Park®		.18 / .09	.18 / .09	.18 / .09				.18 / .09		
	Avonlea®	.22 / .17		.18 / .09					.18 / .09		
	Saratoga™		.18 / .09	.18 / .09	.18 / .09				.18 / .09		
	Arden®	.22 / .17		.18 / .09					.18 / .09		
	Texas Star	.22 / .17							.18 / .09		
	Wellesley™	.22 / .17		.18 / .09	.18 / .09				.18 / .09		
	Riserva™			.21 / .09					.21 / .09		
	Concorde™	.22 / .17		.18 / .09	.18 / .09	.18 / .09			.18 / .09		
	Kensington™	.22 / .17		.18 / .09					.18 / .09		
	Crystal Diamonds™	.22 / .17		.18 / .09		.18 / .09			.18 / .09		
	Axis™		.18 / .09					.18 / .09	.18 / .09		
	Frosted Images®	.26 / .19									
	Privacy with Divided Lites		.18 / .09						.18 / .09		
	Chinchilla		.18 / .09		.18 / .09	.18 / .09		.18 / .09	.18 / .09		
	Chord		.18 / .09		.18 / .09	.18 / .09		.18 / .09	.18 / .09		
	Granite		.18 / .09		.18 / .09	.18 / .09		.18 / .09	.18 / .09		
	Rainglass		.18 / .09		.18 / .09	.18 / .09		.18 / .09	.18 / .09		
	Satin Etch		.18 / .09		.18 / .09	.18 / .09		.18 / .09	.18 / .09		
	Clear with Internal Blinds								.22 / .08		
	Clear with Divided Lites				.21 / .10	.21 / .10	.21 / .10		.21 / .10		
	Clear with Grilles Between Glass				.21 / .09	.21 / .09			.21 / .09		
	Clear Glass	.26 / .19		.21 / .10	.21 / .10	.21 / .10		.21 / .10	.21 / .10		
	Low-E with Internal Blinds								.20 / .07		
	Low-E with Divided Lites		.19 / .08		.19 / .06	.19 / .06	.19 / .06		.19 / .06		
	Low-E with Grilles Between Glass				.19 / .05	.19 / .05			.19 / .05		
	Low-E Glass	.22 / .10	.19 / .08	.19 / .06	.19 / .06	.19 / .06		.19 / .06	.19 / .06		
	Solid Panel									.14 / .01	.17 / .01

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-SS



Non-Impact	Door Collection / Glass Design											
	Smooth-Star®											
	6'6" and 6'8" Flush-Glazed Section											
	Glass Size (Inches)	25x64	20x64	25x48		21x48	14x64	22x36	23x16 Shaker	7x64	8x47	8x16 Shaker
	Sedona										.19 / .09	
	Sedona Art										.19 / .09	
	Concorde™										.19 / .09	
	Crystal Diamonds™										.19 / .09	
	Frosted Images®										.20 / .10	
	Chinchilla	.33 / .30	.33 / .30						.21 / .08	.19 / .09		.21 / .08
	Chord	.33 / .30	.33 / .30						.21 / .08	.19 / .09		.21 / .08
	Granite	.33 / .30	.33 / .30						.21 / .08	.19 / .09		.21 / .08
	Rainglass	.33 / .30	.33 / .30						.21 / .08	.19 / .09		.21 / .08
	Satin Etch	.33 / .30	.33 / .30						.21 / .08	.19 / .09		.21 / .08
	Privacy Glass with Divided Lites	.33 / .30	.33 / .30						.21 / .08	.19 / .09		.21 / .08
	Clear with Divided Lites	.34 / .34	.34 / .34				.26 / .19	.26 / .19	.22 / .08	.20 / .10	.20 / .10	.22 / .08
	Clear with Grilles Between Glass	.35 / .31	.35 / .31	.35 / .31		.30 / .23	.26 / .18	.26 / .18	.22 / .08	.21 / .09	.21 / .10	
	Clear Glass	.34 / .34	.34 / .34	.34 / .34		.29 / .25	.26 / .19	.26 / .19	.22 / .08	.20 / .10	.20 / .10	.22 / .08
	Low-E with Divided Lites	.27 / .18	.27 / .18				.22 / .10	.22 / .10	.21 / .07	.18 / .06		.21 / .05
	Low-E with Grilles Between Glass	.29 / .17	.29 / .17	.29 / .17		.26 / .13	.23 / .10	.23 / .10		.19 / .05		
	Low-E Glass	.27 / .18	.27 / .18	.27 / .18		.24 / .14	.22 / .10	.22 / .10	.21 / .07	.18 / .06		.21 / .05
	8'0" Flush-Glazed Section											
	Glass Size (Inches)	25x80	14x80	25x64	20x64				23x16 Shaker			8x16 Shaker
	Chinchilla	.33 / .30		.33 / .30	.33 / .30				.21 / .08			.21 / .08
	Chord	.33 / .30		.33 / .30	.33 / .30				.21 / .08			.21 / .08
	Granite	.33 / .30		.33 / .30	.33 / .30				.21 / .08			.21 / .08
	Rainglass	.33 / .30		.33 / .30	.33 / .30				.21 / .08			.21 / .08
	Satin Etch	.33 / .30		.33 / .30	.33 / .30				.21 / .08			.21 / .08
	Privacy Glass with Divided Lites	.33 / .30		.33 / .30	.33 / .30				.21 / .08			.21 / .08
	Clear with Divided Lites	.34 / .34	.34 / .34	.34 / .34	.34 / .34				.22 / .08			.22 / .08
	Clear with Grilles Between Glass	.35 / .31	.35 / .31	.35 / .31	.35 / .31							
	Clear Glass	.34 / .34	.34 / .34	.34 / .34	.34 / .34				.22 / .08			.22 / .08
	Low-E with Divided Lites	.27 / .18	.27 / .18	.27 / .18	.27 / .18				.21 / .07			.21 / .08
	Low-E with Grilles Between Glass	.29 / .17	.29 / .17	.29 / .17	.29 / .17							
	Low-E Glass	.27 / .18	.27 / .18	.27 / .18	.27 / .18				.21 / .07			.21 / .05

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-SS



Impact	Door Collection / Glass Design													
	Smooth-Star®													
	6'8" Section													
	Glass Size (Inches)	22x64	20x64	22x47	14x64	22x36	20x36	22x36	21x15	8x36	7x64	8x47	8x36	
	Axis™	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Blackstone®	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.23 / .16			.19 / .09	.19 / .09	.19 / .09	
	Crystalline™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Salinas®	.32 / .29		.28 / .22		.24 / .17		.24 / .17		.20 / .09	.20 / .09	.20 / .09	.20 / .09	
	Element	.29 / .29									.19 / .09			
	Maple Park®	.29 / .29		.26 / .22		.23 / .16		.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Avonlea®	.29 / .29		.26 / .22		.23 / .16		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Saratoga™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Arden®	.29 / .29		.26 / .22		.23 / .16		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Texas Star	.29 / .29		.26 / .22		.23 / .16		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Wellesley™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Riserva™	.32 / .29		.28 / .22		.24 / .17		.24 / .17	.20 / .09	.20 / .09	.20 / .09	.20 / .09	.20 / .09	
	Concorde™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Kensington™	.29 / .29		.26 / .22		.23 / .16		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Crystal Diamonds™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Frosted Images®	.36 / .34	.36 / .34	.27 / .24		.24 / .18		.24 / .18		.21 / .10	.21 / .09		.21 / .10	
Chinchilla	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09		
Chord	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09		
Granite	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09		
Rainglass	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09		
Satin Etch	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09		
Clear with Grilles Between Glass	.32 / .29	.32 / .29	.28 / .22	.24 / .17	.24 / .17		.24 / .17	.20 / .09	.20 / .09	.20 / .09	.20 / .09	.20 / .09		
Clear Glass	.31 / .32	.31 / .32	.27 / .24	.24 / .18	.24 / .18		.24 / .18		.20 / .09	.20 / .09	.20 / .09	.20 / .09		
Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.23 / .13	.21 / .10	.21 / .10		.21 / .10		.18 / .05	.18 / .05	.18 / .05	.18 / .05		
Low-E Glass	.25 / .18	.25 / .18	.27 / .24	.21 / .10	.20 / .10		.20 / .10	.18 / .08	.18 / .06	.18 / .06	.18 / .06	.18 / .06		

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-SS






Door Collection / Glass Design													
Smooth-Star®													
8'0" Section													
Glass Size (Inches)	22x80	20x80	22x64	14x80	22x47	22x47	21x15	22x10A	22x6	8x6	8x36	OPAQUE	OPAQUE SHAKER
Blackstone®	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23					.18 / .09		
Crystalline™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23					.18 / .09		
Sedona			.27 / .30		.24 / .23	.24 / .23	.18 / .09				.18 / .09		
Sedona Art			.27 / .30		.24 / .23	.24 / .23	.18 / .09				.18 / .09		
Salinas®	.34 / .31	.34 / .31	.34 / .31		.29 / .23	.29 / .23					.21 / .09		
Element			.27 / .30										
Maple Park®			.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09			.18 / .09		
Avonlea®			.27 / .30		.24 / .23	.24 / .23					.18 / .09		
Saratoga™			.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09			.18 / .09		
Arden®			.27 / .30		.24 / .23	.24 / .23					.18 / .09		
Texas Star			.27 / .30		.24 / .23	.24 / .23					.18 / .09		
Wellesley™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23		.18 / .09			.18 / .09		
Riserva™	.34 / .31	.34 / .31	.34 / .31		.29 / .23	.29 / .23					.21 / .09		
Concorde™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23		.18 / .09			.18 / .09		
Kensington™			.27 / .30		.24 / .23	.24 / .23					.18 / .09		
Crystal Diamonds™			.27 / .30		.24 / .23	.24 / .23					.18 / .09		
Axis™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09			.18 / .09	.18 / .09		
Frosted Images®					.29 / .25	.29 / .25							
Privacy with Divided Lites			.27 / .30		.24 / .23	.24 / .23					.18 / .09		
Chinchilla	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09		.18 / .09	.18 / .09		
Chord	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09		.18 / .09	.18 / .09		
Granite	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09		.18 / .09	.18 / .09		
Rainglass	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09		.18 / .09	.18 / .09		
Satin Etch	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09		.18 / .09	.18 / .09		
Clear with Internal Blinds	.37 / .28	.37 / .28	.37 / .28		.32 / .21						.22 / .08		
Clear with Divided Lites	.36 / .34	.36 / .34	.36 / .34		.29 / .25	.29 / .25		.21 / .10	.21 / .10		.21 / .10		
Clear with Grilles Between Glass	.36 / .31	.36 / .31	.36 / .31	.36 / .31	.29 / .23	.29 / .23		.21 / .09			.21 / .09		
Clear Glass	.36 / .34	.36 / .34	.36 / .34		.29 / .25	.29 / .25		.21 / .10		.21 / .10	.21 / .10		
Low-E with Internal Blinds	.32 / .23	.32 / .23	.32 / .23		.28 / .17						.20 / .07		
Low-E with Divided Lites	.30 / .19	.30 / .19	.30 / .19		.24 / .14	.24 / .14	.19 / .06	.19 / .06			.19 / .06		
Low-E with Grilles Between Glass	.30 / .17	.30 / .17	.30 / .17	.30 / .17	.24 / .13	.24 / .13		.19 / .05			.19 / .05		
Low-E Glass	.30 / .19	.30 / .19	.30 / .19		.24 / .14	.24 / .14	.19 / .06	.19 / .06		.19 / .06	.19 / .06		
Solid Panel												.14 / .01	.17 / .01

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-SS



Non-Impact	Door Collection / Glass Design			
	Smooth-Star®			
	8'0" Section			
	Glass Size (Inches)	7x80	7x64	8x47
	Blackstone®	.22 / .17	.18 / .09	.18 / .09
	Crystalline™	.22 / .17	.18 / .09	.18 / .09
	Sedona		.18 / .09	.18 / .09
	Sedona Art	.22 / .17	.18 / .09	.18 / .09
	Salinas®	.26 / .18	.21 / .09	.21 / .09
	Element		.18 / .09	
	Maple Park®		.18 / .09	.18 / .09
	Avonlea®		.18 / .09	.18 / .09
	Saratoga™	.22 / .17	.18 / .09	.18 / .09
	Arden®		.18 / .09	.18 / .09
	Texas Star		.18 / .09	.18 / .09
	Wellesley™	.22 / .17	.18 / .09	.18 / .09
	Riserva™	.26 / .18	.21 / .09	.21 / .09
	Concorde™	.22 / .17	.18 / .09	.18 / .09
	Kensington™		.18 / .09	.18 / .09
	Crystal Diamonds™		.18 / .09	.18 / .09
	Axis™	.22 / .17	.18 / .09	.18 / .09
Non-Impact	Frosted Images®			
	Privacy with Divided Lites		.18 / .09	.18 / .09
	Chinchilla	.22 / .17	.18 / .09	.18 / .09
	Chord	.22 / .17	.18 / .09	.18 / .09
	Granite	.22 / .17	.18 / .09	.18 / .09
	Rainglass	.22 / .17	.18 / .09	.18 / .09
	Satin Etch	.22 / .17	.18 / .09	.18 / .09
	Clear with Internal Blinds	.27 / .16	.22 / .08	
	Clear with Divided Lites	.26 / .19	.21 / .10	.21 / .10
	Clear with Grilles Between Glass	.20 / .08	.21 / .09	.21 / .09
	Clear Glass	.26 / .19	.21 / .10	.21 / .10
	Low-E with Internal Blinds	.25 / .14	.20 / .07	
	Low-E with Divided Lites	.22 / .10	.19 / .06	.19 / .06
	Low-E with Grilles Between Glass	.22 / .10	.19 / .05	.19 / .05
	Low-E Glass	.22 / .10	.19 / .06	.19 / .06

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-SS



Door Collection / Glass Design											
Smooth-Star®											
8'0" Section											
Glass Size (Inches)	22x80	20x80	22x64	14x80	22x47	22x47	21x15	8x36	7x80	7x64	8x47
Blackstone®	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22		.19 / .09	.23 / .16	.19 / .09	.19 / .09
Crystalline™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22		.19 / .09	.23 / .16	.19 / .09	.19 / .09
Salinas®	.32 / .29		.32 / .29		.28 / .22	.28 / .22		.20 / .09	.24 / .17	.20 / .09	.20 / .09
Element			.29 / .29							.19 / .09	
Maple Park®			.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09		.19 / .09	.19 / .09
Avonlea®			.29 / .29		.26 / .22	.26 / .22		.19 / .09		.19 / .09	.19 / .09
Saratoga™			.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Arden®			.29 / .29		.26 / .22	.26 / .22		.19 / .09		.19 / .09	.19 / .09
Texas Star			.29 / .29		.26 / .22	.26 / .22		.19 / .09		.19 / .09	.19 / .09
Wellesley™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22		.19 / .09	.23 / .16	.19 / .09	.19 / .09
Riserva™	.32 / .29		.29 / .29		.26 / .22	.26 / .22	.20 / .09	.19 / .09	.24 / .17	.19 / .09	.19 / .09
Concorde™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22		.19 / .09	.23 / .16	.19 / .09	.19 / .09
Kensington™			.29 / .29		.26 / .22	.26 / .22		.19 / .09		.19 / .09	.19 / .09
Crystal Diamonds™			.29 / .29		.26 / .22	.26 / .22		.19 / .09		.19 / .09	.19 / .09
Axis™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Frosted Images®	.36 / .34	.36 / .34	.36 / .34					.21 / .10		.21 / .10	
Chinchilla	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Chord	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Granite	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Rainglass	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Satin Etch	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Clear with Grilles Between Glass	.32 / .29	.32 / .29	.32 / .29	.28 / .22	.28 / .22	.28 / .22		.20 / .09	.24 / .17	.20 / .09	.20 / .09
Clear Glass	.31 / .32	.31 / .32	.31 / .32	.27 / .24	.27 / .24	.27 / .24		.20 / .09	.24 / .18	.20 / .09	.20 / .09
Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.26 / .17	.23 / .13	.23 / .13	.29 / .25		.18 / .05	.21 / .10	.18 / .05	.18 / .05
Low-E Glass	.25 / .18	.25 / .18	.25 / .18	.22 / .14	.22 / .14	.22 / .14	.18 / .08	.18 / .06	.20 / .10	.18 / .06	.18 / .06

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Profiles



Non-Impact

Door Collection / Glass Design												
Profiles™ Steel												
6'8" Section												
Glass Size (Inches)	22x64	20x64	16x64	22x47	14x64	20x56	22x36	20x36	22x36R	22x27	8x36R	8x36
Blackstone®	.28 / .30	.28 / .30		.24 / .23			.22 / .17	.22 / .17	.22 / .17		.22 / .17	.22 / .17
Crystalline™	.28 / .30	.28 / .30		.24 / .23			.22 / .17	.22 / .17	.22 / .17		.22 / .17	.22 / .17
Sedona	.28 / .30	.28 / .30		.24 / .23			.22 / .17	.22 / .17				.22 / .17
Sedona Art	.28 / .30	.28 / .30		.24 / .23			.22 / .17	.22 / .17				.22 / .17
Salinas®	.34 / .32	.34 / .32		.30 / .24			.26 / .18	.26 / .18	.26 / .18			.26 / .18
Element	.28 / .30											
Maple Park®	.28 / .30			.24 / .23			.22 / .17					.22 / .17
Avonlea®	.28 / .30			.24 / .23			.22 / .17					.22 / .17
Saratoga™	.28 / .30	.28 / .30		.24 / .23			.22 / .17	.22 / .17				.22 / .17
Arden®	.28 / .30			.24 / .23			.22 / .17					.22 / .17
Texas Star	.28 / .30			.24 / .23			.22 / .17					.22 / .17
Wellesley™	.28 / .30	.28 / .30	.24 / .23	.24 / .23			.22 / .17	.22 / .17				.22 / .17
Riserva™	.34 / .32	.34 / .32		.30 / .24			.26 / .18	.26 / .18				.26 / .18
Concorde™	.28 / .30	.28 / .30	.24 / .23	.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17		.22 / .17	.22 / .17
Kensington™	.28 / .30			.24 / .23			.22 / .17					.22 / .17
Crystal Diamonds™	.28 / .30	.28 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17			.22 / .17	.22 / .17
Axis™	.28 / .30	.28 / .30	.24 / .23	.24 / .23			.22 / .17	.22 / .17				.22 / .17
Frosted Images®	.36 / .34	.36 / .34		.29 / .25		.26 / .19	.27 / .19		.27 / .19		.27 / .19	.27 / .19
Privacy Glass	.28 / .30	.28 / .30	.24 / .23	.24 / .23			.22 / .17					.22 / .17
Clear with Internal Blinds	.38 / .29	.38 / .29	.32 / .22	.32 / .22			.28 / .16	.28 / .16				
Clear with Divided Lites	.36 / .34	.36 / .34		.29 / .25	.27 / .19		.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19
Clear with Grilles Between Glass	.36 / .32	.36 / .32	.31 / .24	.29 / .24	.27 / .18		.27 / .18					
Clear Glass	.36 / .34	.36 / .34		.29 / .25	.27 / .19	.26 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19
Low-E with Internal Blinds	.33 / .24	.33 / .24	.28 / .18	.28 / .18			.25 / .14	.25 / .14				
Low-E with Divided Lites	.30 / .19	.30 / .19	.27 / .14	.24 / .14	.24 / .11		.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11
Low-E with Grilles Between Glass	.30 / .18	.30 / .18	.26 / .13	.24 / .13	.23 / .10		.23 / .10					
Low-E Glass	.30 / .19	.30 / .19	.27 / .14	.24 / .14	.24 / .11	.22 / .10	.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11
Solid Panel												

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Profiles










Non-Impact	Door Collection / Glass Design												
	Profiles™ Steel												
	6'8" Section												
	Glass Size (Inches)	16x40V	8x42R	22x10A	22x10R	22x6	8x6	OPAQUE	8x47	8x36	8x36R	8x44S	8x6
	Blackstone®	.22 / .17	.19 / .09						.19 / .09	.19 / .09			
	Crystalline™		.19 / .09		.19 / .09		.19 / .09		.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Sedona		.19 / .09						.19 / .09	.19 / .09			
	Sedona Art		.19 / .09						.19 / .09	.19 / .09			
	Salinas®		.21 / .09						.21 / .09	.21 / .09			
	Element												
	Maple Park®		.19 / .09	.19 / .09					.19 / .09	.19 / .09			
	Avonlea®	.22 / .17	.19 / .09						.19 / .09	.19 / .09			
	Saratoga™		.19 / .09	.19 / .09					.19 / .09	.19 / .09			
	Arden®	.22 / .17	.19 / .09						.19 / .09	.19 / .09			
	Texas Star	.22 / .17							.19 / .09	.19 / .09			
	Wellesley™	.22 / .17	.19 / .09	.19 / .09					.19 / .09	.19 / .09			
	Riserva™		.21 / .09						.21 / .09	.21 / .09			
	Concorde™	.22 / .17	.19 / .09	.19 / .09	.19 / .09				.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Kensington™	.22 / .17	.19 / .09						.19 / .09	.19 / .09			
	Crystal Diamonds™	.22 / .17	.19 / .09		.19 / .09				.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Axis™						.19 / .09		.19 / .09	.19 / .09			.19 / .09
	Frosted Images®	.26 / .19			.21 / .10					.21 / .10			
	Privacy Glass			.19 / .09	.19 / .09		.19 / .09		.19 / .09	.19 / .09			.19 / .09
	Clear with Internal Blinds								.22 / .08	.22 / .08			
	Clear with Divided Lites			.21 / .10	.21 / .10	.21 / .10			.21 / .10	.21 / .10	.21 / .10		
	Clear with Grilles Between Glass			.21 / .09	.21 / .09				.21 / .09	.21 / .09			
	Clear Glass	.26 / .19	.21 / .10	.21 / .10	.21 / .10		.21 / .10		.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10
	Low-E with Internal Blinds								.21 / .07	.21 / .07			
	Low-E with Divided Lites			.20 / .06	.20 / .06	.20 / .06			.19 / .06	.19 / .06	.19 / .06		
	Low-E with Grilles Between Glass			.19 / .05	.19 / .05				.19 / .05	.19 / .05			
	Low-E Glass	.22 / .10	.19 / .06	.20 / .06	.20 / .06		.20 / .06		.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06
	Solid Panel							.14 / .01					

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Profiles



Impact	Door Collection / Glass Design								
		Profiles™ Steel							
	6'8" Section								
	Glass Size (Inches)	22x64	20x64	22x47	14x64	22x36	20x36	8x47	8x36
	Blackstone®	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09
	Crystalline™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09
	Salinas®	.32 / .30		.28 / .23		.24 / .17		.20 / .09	.20 / .09
	Element	.29 / .29							
	Maple Park®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09
	Avonlea®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09
	Saratoga™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09
	Arden®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09
	Texas Star	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09
	Wellesley™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09
	Riserva™	.32 / .30		.28 / .23		.24 / .17		.20 / .09	.20 / .09
	Concorde™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09
	Kensington™	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09
	Crystal Diamonds™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09
	Axis™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09
	Frosted Images®	.32 / .32	.32 / .32	.28 / .24		.24 / .18			.20 / .09
Privacy Glass	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	
Clear with Divided Lites	.32 / .32	.32 / .32		.24 / .18	.24 / .18	.24 / .18		.20 / .09	
Clear with Grilles Between Glass	.33 / .30	.33 / .30	.28 / .23	.25 / .17	.25 / .17			.20 / .09	
Clear Glass	.32 / .32	.32 / .32	.28 / .24	.24 / .18	.24 / .18	.24 / .18	.20 / .09	.20 / .09	
Low-E with Divided Lites	.25 / .18	.25 / .18		.20 / .10	.20 / .10	.20 / .10		.18 / .06	
Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.23 / .13	.21 / .10	.21 / .10			.18 / .05	
Low-E Glass	.25 / .18	.25 / .18	.22 / .14	.20 / .10	.20 / .10	.20 / .10	.18 / .06	.18 / .05	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Traditions



Non-Impact	Door Collection / Glass Design											
	Traditions Steel											
	6'8" Section											
	Glass Size (Inches)	22x64	20x64	16x64	14x64	20x56	22x36	20x36	22x36R	22x27	8x36R	8x36
	Blackstone®	.28 / .30	.28 / .30				.22 / .17	.22 / .17				.22 / .17
	Crystalline™	.28 / .30					.22 / .17	.22 / .17	.22 / .17		.22 / .17	.22 / .17
	Sedona	.28 / .30	.28 / .30				.22 / .17	.22 / .17				.22 / .17
	Sedona Art	.28 / .30	.28 / .30				.22 / .17	.22 / .17				.22 / .17
	Salinas®	.34 / .32	.34 / .32				.26 / .18	.26 / .18	.26 / .18			.26 / .18
	Element	.28 / .30										
	Maple Park®	.28 / .30	.28 / .30				.22 / .17					.22 / .17
	Avonlea®	.28 / .30					.22 / .17					.22 / .17
	Saratoga™	.28 / .30	.28 / .30				.22 / .17	.22 / .17				.22 / .17
	Arden®	.28 / .30					.22 / .17					.22 / .17
	Texas Star	.28 / .30					.22 / .17					.22 / .17
	Wellesley™	.28 / .30	.28 / .30	.24 / .23			.22 / .17	.22 / .17				.22 / .17
	Riserva™	.34 / .32	.34 / .32				.26 / .18	.26 / .18				.26 / .18
	Concorde™	.28 / .30	.28 / .30	.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17		.22 / .17	.22 / .17
	Kensington™	.28 / .30					.22 / .17					.22 / .17
	Crystal Diamonds™	.28 / .30	.28 / .30			.22 / .17	.22 / .17	.22 / .17			.22 / .17	.22 / .17
	Axis™	.28 / .30	.28 / .30	.24 / .23			.22 / .17	.22 / .17				.22 / .17
	Frosted Images®	.36 / .34					.27 / .19				.27 / .19	
	Privacy Glass	.28 / .30	.28 / .30	.24 / .23			.22 / .17	.22 / .17				.22 / .17
	Clear with Internal Blinds	.38 / .29	.38 / .29	.32 / .22			.28 / .16	.28 / .16				
	Clear with Divided Lites	.36 / .34	.36 / .34		.27 / .19		.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19
	Clear with Grilles Between Glass	.36 / .32	.36 / .32		.27 / .18		.27 / .18	.27 / .18	.27 / .18	.27 / .18	.27 / .18	.27 / .18
	Clear Glass	.36 / .34	.36 / .34		.27 / .19		.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19
	Low-E with Internal Blinds	.33 / .24	.33 / .24	.28 / .18			.25 / .14	.25 / .14				.25 / .14
	Low-E with Divided Lites	.30 / .19	.30 / .19	.27 / .14	.24 / .11		.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11
	Low-E with Grilles Between Glass	.30 / .18	.30 / .18	.26 / .13	.23 / .10		.23 / .10					.23 / .10
	Low-E Glass	.30 / .19	.30 / .19	.27 / .14	.24 / .11		.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Traditions











Non-Impact	Door Collection / Glass Design										
	Traditions Steel										
6'8" Section											
Glass Size (Inches)	22x10A	22x10R	22x6	7x18	8x6	OPAQUE	7x64	8x36	8x36R	8x6	
Blackstone®							.19 / .09	.19 / .09			
Crystalline™		.19 / .09		.19 / .09	.19 / .09		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
Sedona							.19 / .09	.19 / .09			
Sedona Art							.19 / .09	.19 / .09			
Salinas®							.21 / .09	.21 / .09			
Element							.19 / .09				
Maple Park®	.19 / .09						.19 / .09	.19 / .09			
Avonlea®							.19 / .09	.19 / .09			
Saratoga™	.19 / .09						.19 / .09	.19 / .09			
Arden®							.19 / .09	.19 / .09			
Texas Star							.19 / .09	.19 / .09			
Wellesley™	.19 / .09						.19 / .09	.19 / .09			
Riserva™							.21 / .09	.21 / .09			
Concorde™	.19 / .09	.19 / .09					.19 / .09	.19 / .09	.19 / .09		
Kensington™							.19 / .09	.19 / .09			
Crystal Diamonds™		.19 / .09					.19 / .09	.19 / .09	.19 / .09		
Axis™					.19 / .09		.19 / .09	.19 / .09			.19 / .09
Frosted Images®		.21 / .10					.21 / .10	.21 / .10	.21 / .10		
Privacy Glass	.19 / .09	.19 / .09			.19 / .09		.19 / .09	.19 / .09			.19 / .09
Clear with Internal Blinds							.22 / .08	.22 / .08			
Clear with Divided Lites	.21 / .10	.21 / .10	.21 / .10				.21 / .10	.21 / .10	.21 / .10		
Clear with Grilles Between Glass	.21 / .09	.21 / .09					.21 / .09	.21 / .09			
Clear Glass	.21 / .10	.21 / .10		.21 / .10	.21 / .10		.21 / .10	.21 / .10	.21 / .10	.21 / .10	
Low-E with Internal Blinds							.21 / .07	.21 / .07	.21 / .07		
Low-E with Divided Lites	.20 / .06	.20 / .06	.20 / .06				.20 / .06	.20 / .06	.20 / .06		
Low-E with Grilles Between Glass	.19 / .05	.19 / .05					.19 / .05	.19 / .05			
Low-E Glass	.20 / .06	.20 / .06		.19 / .06	.20 / .06		.20 / .06	.20 / .06	.20 / .06	.20 / .06	
Solid Panel						.14 / .01					

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Traditions



Impact	Door Collection / Glass Design									
	Traditions Steel									
	6'8" Section									
	Glass Size (Inches)	22x64	20x64	16x64	14x64	22x36	20x36	7x64	8x36	
	Blackstone®	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08	
	Crystalline™	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08	
	Salinas®	.32 / .30				.24 / .17		.20 / .09	.20 / .09	
	Element	.29 / .29						.19 / .08		
	Maple Park®	.29 / .29				.23 / .16		.19 / .08	.19 / .08	
	Avonlea®	.29 / .29				.23 / .16		.19 / .08	.19 / .08	
	Saratoga™	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08	
	Arden®	.29 / .29				.23 / .16		.19 / .08	.19 / .08	
	Texas Star	.29 / .29				.23 / .16		.19 / .08	.19 / .08	
	Wellesley™	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08	
	Riserva™	.32 / .30				.24 / .17		.20 / .09	.20 / .09	
	Concorde™	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08	
	Kensington™	.29 / .29				.23 / .16		.19 / .08	.19 / .08	
	Crystal Diamonds™	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08	
	Axis™	.29 / .29				.23 / .16				
	Frosted Images®	.32 / .32	.32 / .32			.24 / .18		.20 / .09	.20 / .09	
	Privacy Glass	.29 / .29	.29 / .29			.23 / .16		.19 / .08	.19 / .08	
	Clear with Divided Lites	.32 / .32	.32 / .32		.24 / .18	.24 / .18	.24 / .18	.20 / .09	.20 / .09	
	Clear with Grilles Between Glass	.33 / .30	.33 / .30		.25 / .17	.25 / .17		.20 / .09	.20 / .09	
	Clear Glass	.32 / .32	.32 / .32		.24 / .18	.24 / .18	.24 / .18	.20 / .09	.20 / .09	
Low-E with Divided Lites	.25 / .18	.25 / .18	.27 / .14	.20 / .10	.20 / .10	.20 / .10	.18 / .06	.18 / .06		
Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.26 / .13	.21 / .10	.21 / .10		.18 / .05	.18 / .05		
Low-E Glass	.25 / .18	.25 / .18	.27 / .14	.20 / .10	.20 / .10	.20 / .10	.18 / .06	.18 / .06		

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	










2017 ENERGY STAR® Qualification Chart-Traditions



Non-Impact

Door Collection / Glass Design



Traditions Steel (Wood Edge)

8'0" Section






Glass Size (Inches)	22x80	20x80	14x80	22x47	22x10A	22x6	8x6	OPAQUE	7x80
Blackstone®	.28 / .30	.28 / .30		.24 / .23					.22 / .17
Crystalline™	.28 / .30	.28 / .30		.24 / .23					.22 / .17
Sedona				.24 / .23					
Sedona Art				.24 / .23					.22 / .17
Salinas®	.34 / .32	.34 / .32		.30 / .24					.26 / .18
Maple Park®				.24 / .23	.19 / .09				
Avonlea®				.24 / .23					
Saratoga™				.24 / .23	.19 / .09				.22 / .17
Arden®				.24 / .23					
Texas Star				.24 / .23					
Wellesley™	.28 / .30	.28 / .30		.24 / .23	.19 / .09				.22 / .17
Riserva™	.34 / .32	.34 / .32		.30 / .24					.26 / .18
Concorde™	.28 / .30	.28 / .30		.24 / .23	.19 / .09				.22 / .17
Kensington™				.24 / .23					
Crystal Diamonds™				.24 / .23					
Axis™	.28 / .30	.28 / .30		.24 / .23			.19 / .09		
Frosted Images®				.29 / .25					
Privacy Glass	.28 / .30	.28 / .30		.24 / .23					.22 / .17
Clear with Internal Blinds	.38 / .29	.38 / .29		.32 / .22					.28 / .16
Clear with Divided Lites	.36 / .34	.36 / .34		.29 / .25	.21 / .10	.21 / .10			.26 / .19
Clear with Grilles Between Glass	.36 / .32	.36 / .32	.31 / .24	.29 / .24	.21 / .09				.26 / .18
Clear Glass	.36 / .34	.36 / .34		.29 / .25			.21 / .10		.26 / .19
Low-E with Internal Blinds	.33 / .24	.33 / .24		.28 / .18					.25 / .14
Low-E with Divided Lites	.30 / .19	.30 / .19		.24 / .14	.20 / .06	.20 / .06			.22 / .10
Low-E with Grilles Between Glass	.30 / .18	.30 / .18	.26 / .13	.24 / .13	.19 / .05				.22 / .10
Low-E Glass	.30 / .19	.30 / .19		.24 / .14			.20 / .05		.22 / .10
Solid Panel								.14 / .01	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Traditions



Impact	Door Collection / Glass Design					
	Traditions Steel (Wood Edge)					
	8'0" Section					
	Glass Size (Inches)	22x80	20x80	14x80	22x47	7x80
	Blackstone®	.29 / .29	.29 / .29		.26 / .22	.23 / .16
	Crystalline™	.29 / .29	.29 / .29		.26 / .22	.23 / .16
	Salinas®	.32 / .30			.28 / .23	.24 / .17
	Element					
	Maple Park®				.26 / .22	
	Avonlea®				.26 / .22	
	Saratoga™				.26 / .22	.23 / .16
	Arden®				.26 / .22	
	Texas Star				.26 / .22	
	Wellesley™	.29 / .29	.29 / .29		.26 / .22	.23 / .16
	Riserva™	.32 / .30			.28 / .23	.24 / .17
	Concorde™	.29 / .29	.29 / .29		.26 / .22	.23 / .16
	Kensington™				.26 / .22	
	Crystal Diamonds™				.26 / .22	
	Axis™	.29 / .29	.29 / .29		.26 / .22	.23 / .16
	Frosted Images®	.32 / .32	.32 / .32		.28 / .24	.24 / .18
	Privacy Glass	.29 / .29	.29 / .29		.26 / .22	.23 / .16
	Clear with Divided Lites	.32 / .32	.32 / .32		.29 / .24	
	Clear with Grilles Between Glass	.33 / .30	.33 / .30	.28 / .24	.28 / .23	.25 / .17
	Clear Glass	.32 / .32	.32 / .32	.28 / .24	.28 / .24	.24 / .18
	Low-E with Divided Lites	.25 / .18	.25 / .18		.24 / .13	
	Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.23 / .13	.23 / .13	.21 / .10
	Low-E Glass	.25 / .18	.25 / .18	.22 / .14	.22 / .14	.20 / .10

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Pulse-FG















	Door Collection / Glass Design												
		Pulse® Fiberglass											
	6'8" Section												
		Glass Size (Inches)	21x15	7x64	8x6	8x6	8x6	8x6	8x6	8x6	8x6	8x6	8x6
Non-Impact	Riserva™		.26 / .18										
	Blackstone®			.18 / .09									
	Crystalline™			.18 / .09									
	Sedona			.18 / .09									
	Sedona Art			.18 / .09									
	Salinas®			.21 / .09									
	Element			.18 / .09									
	Maple Park™			.18 / .09									
	Avonlea™			.18 / .09									
	Saratoga™			.18 / .09									
	Arden™			.18 / .09									
	Texas Star			.18 / .09									
	Crystal Diamonds™			.18 / .09									
	Axis™		.22 / .17	.18 / .09		.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Privacy Glass		.22 / .17	.18 / .09		.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Clear with Internal Blinds			.22 / .08									
	Clear Glass			.21 / .10		.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10
	Low-E with Internal Blinds			.20 / .07									
	Low-E Glass		.23 / .16	.19 / .06		.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06
Impact	Riserva™			.20 / .09									
	Blackstone®			.19 / .09									
	Crystalline™			.19 / .09									
	Salinas®			.20 / .09									
	Element			.19 / .09									
	Maple Park™			.19 / .09									
	Avonlea™			.19 / .09									
	Saratoga™			.19 / .09									
	Arden™			.19 / .09									
	Texas Star			.19 / .09									
	Crystal Diamonds™			.19 / .09									
	Axis™			.19 / .09									
	Privacy Glass			.19 / .09									
	Clear Glass			.20 / .09									
	Low-E Glass			.18 / .06									

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Pulse-FG



Non-Impact	Door Collection / Glass Design												
	Pulse® Fiberglass												
	8'0" Section												
	Glass Size (Inches)	21x15	7x80	8x6	8x6	8x6	8x6	8x6	8x6	8x6	8x6	8x6	8x6
	Riserva™	.34 / .32	.26 / .18										
	Blackstone®		.22 / .17										
	Crystalline™		.22 / .17										
	Sedona		.22 / .17										
	Sedona Art		.22 / .17										
	Salinas®		.26 / .18										
	Saratoga™		.22 / .17										
	Axis™	.27 / .30	.22 / .17	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Privacy Glass	.27 / .30	.22 / .17	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Clear with Internal Blinds		.27 / .16										
	Clear Glass		.26 / .19	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10
	Low-E with Internal Blinds		.25 / .14										
	Low-E Glass	.28 / .28	.22 / .10	.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06
Impact	Riserva™		.24 / .17										
	Blackstone®		.23 / .16										
	Crystalline™		.23 / .16										
	Salinas®		.24 / .17										
	Saratoga™		.23 / .16										
	Axis™		.23 / .16										
	Privacy Glass		.23 / .16										
	Clear Glass		.24 / .18										
Low-E Glass		.20 / .10											

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Pulse-ST















	Door Collection / Glass Design										
		Pulse® Steel									
	6'8" Section										
		Glass Size (Inches)	21x15	7x64	8x6	8x6	8x6	8x6	8x6	8x6	8x6
Non-Impact	Riserva™		.26 / .18	.19 / .09							
	Blackstone®			.19 / .09							
	Crystalline™			.19 / .09							
	Sedona			.19 / .09							
	Sedona Art			.19 / .09							
	Salinas®			.21 / .09							
	Element			.19 / .09							
	Maple Park™			.19 / .09							
	Avonlea™			.19 / .09							
	Saratoga™			.19 / .09							
	Arden™			.19 / .09							
	Texas Star			.19 / .09							
	Crystal Diamonds™			.19 / .09							
	Axis™		.22 / .17	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.20 / .05	.20 / .05	.20 / .05
	Privacy Glass		.22 / .17	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Clear with Internal Blinds			.22 / .08							
	Clear Glass			.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10
	Low-E with Internal Blinds			.21 / .07							
	Low-E Glass		.23 / .16	.20 / .06	.20 / .06	.20 / .06	.20 / .06	.20 / .06	.20 / .06	.20 / .06	.20 / .06
Impact	Riserva™			.20 / .09							
	Blackstone®			.19 / .09							
	Crystalline™			.19 / .09							
	Salinas®			.20 / .09							
	Element			.19 / .09							
	Maple Park™			.19 / .09							
	Avonlea™			.19 / .09							
	Saratoga™			.19 / .09							
	Arden™			.19 / .09							
	Texas Star			.19 / .09							
	Crystal Diamonds™			.19 / .09							
	Axis™			.19 / .09							
	Privacy Glass			.19 / .09							
	Clear Glass			.20 / .09							
	Low-E Glass			.18 / .06							

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Pulse-ST



Non-Impact	Door Collection / Glass Design													
	Pulse® Steel													
	8'0" Section													
	Glass Size (Inches)	21x15	7x80	8x6	8x6	8x6	8x6	8x6	8x6	8x6	8x6	8x6	8x6	8x6
	Riserva™	.34 / .32												
	Blackstone®		.22 / .17											
	Crystalline™		.22 / .17											
	Sedona		.22 / .17											
	Sedona Art		.22 / .17											
	Salinas®		.26 / .18											
	Saratoga™		.22 / .17											
	Axis™	.28 / .30	.22 / .17	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Privacy Glass	.28 / .30	.22 / .17	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Clear with Internal Blinds		.28 / .16											
	Clear Glass		.26 / .19	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10
	Low-E with Internal Blinds		.25 / .14											
	Low-E Glass	.29 / .28	.22 / .10	.20 / .06	.20 / .06	.20 / .06	.20 / .06	.20 / .06	.20 / .06	.20 / .06	.20 / .06	.20 / .06	.20 / .06	.20 / .06
	Impact	Riserva™		.24 / .17										
		Blackstone®		.23 / .16										
		Crystalline™		.23 / .16										
Sedona			.23 / .16											
Saratoga™			.23 / .16											
Axis™			.23 / .16											
Privacy Glass			.23 / .16											
Clear Glass			.24 / .18											
Low-E Glass		.20 / .10												

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	