



# 2017 ENERGY STAR® Qualification Chart-CCO THERMA TRU® DOORS

Door Collection / Glass Design										
<b>Classic-Craft<sup>®</sup> Oak Collection™</b>										
<b>6'8" Section</b>										
Glass Size (Inches)	25x66	25x51	25x48C	25x35	21x35	25x37R	15x38	10x42R	10x8	OPAQUE
Villager™	.27 / .30	.27 / .30		.22 / .17						
Homeward™	.27 / .30	.27 / .30		.22 / .17						
Arcadia™	.27 / .30	.27 / .30	.27 / .30	.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09		
Bella™	.27 / .30	.27 / .30		.22 / .17			.22 / .17	.18 / .09		
Arborwatch™	.27 / .30	.27 / .30		.22 / .17						
Provincial™	.27 / .30	.27 / .30	.27 / .30	.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09		
Cambridge™	.27 / .30	.27 / .30	.27 / .30	.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09		
Lucerna®	.27 / .30	.27 / .30		.22 / .17			.22 / .17	.18 / .09		
Chinchilla	.27 / .30	.27 / .30								
Chord	.27 / .30	.27 / .30								
Granite	.27 / .30	.27 / .30								
Rainglass	.27 / .30	.27 / .30								
Low-E with Divided Lites	.27 / .18			.22 / .10	.22 / .10					
Low-E Glass	.27 / .18	.27 / .18	.27 / .18	.22 / .10	.22 / .10	.22 / .10	.22 / .10	.19 / .06	.19 / .06	
Solid Panel										.14 / .01

<b>Key</b>	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-CCO THERMA TRU® DOORS

Door Collection / Glass Design				
<b>Classic-Craft<sup>®</sup> Oak Collection™</b>				
<b>6'8" Section</b>				
<b>Glass Size (Inches)</b>	<b>8x66</b>	<b>8x45</b>	<b>8x35</b>	<b>8x41R</b>
Villager™	.23 / .17			
Homeward™	.23 / .17			
Arcadia™	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Bella™	.23 / .17			.19 / .09
Arborwatch™	.23 / .17			
Provincial™	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Cambridge™	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Lucerna®	.23 / .17	.19 / .09	.19 / .09	.19 / .09
Chinchilla	.23 / .17			
Chord	.23 / .17			
Granite	.23 / .17			
Rainglass	.23 / .17			
Low-E with Divided Lites	.21 / .10		.18 / .06	
Low-E Glass	.21 / .10	.18 / .06	.18 / .06	.18 / .06

<b>Key</b>	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-CCO THERMA TRU® DOORS

Door Collection / Glass Design							
<b>Classic-Craft<sup>®</sup> Oak Collection™</b>							
<b>8'0" Section</b>							
Glass Size (Inches)	25x66	25x51	16x56	10x42	8x42	OPAQUE	8x80
Villager™	.27 / .30	.27 / .30					.23 / .17
Homeward™	.27 / .30	.27 / .30					.23 / .17
Arcadia™	.27 / .30	.27 / .30	.22 / .17				.23 / .17
Bella™	.27 / .30	.27 / .30					.23 / .17
Arborwatch™	.27 / .30	.27 / .30					.23 / .17
Provincial™	.27 / .30	.27 / .30	.22 / .17				.23 / .17
Cambridge™	.27 / .30	.27 / .30	.22 / .17				.23 / .17
Lucerna®	.27 / .30	.27 / .30					.23 / .17
Chinchilla	.27 / .30	.27 / .30					.23 / .17
Chord	.27 / .30	.27 / .30					.23 / .17
Granite	.27 / .30	.27 / .30					.23 / .17
Rainglass	.27 / .30	.27 / .30					.23 / .17
Low-E with Divided Lites	.27 / .18	.27 / .18					
Low-E Glass	.27 / .18	.27 / .18	.22 / .10	.19 / .06	.19 / .06		.21 / .10
Solid Panel						.14 / .01	

<b>Key</b>	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	