



# 2017 ENERGY STAR® Qualification Chart-FCO



Door Collection / Glass Design											
	Fiber-Classic® Oak Collection™										
6'8" Section											
Glass Size (Inches)	22x64	20x64	16x64	22x47	14x64	22x36	20x36	8x36	16x40	8x42R	22x10A
Blackstone®	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	
Crystalline™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	
Sedona	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	
Sedona Art	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	
Salinas®	.34 / .31	.34 / .31		.29 / .23		.26 / .18		.26 / .18		.21 / .09	
Element	.27 / .30										
Maple Park®	.27 / .30			.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	.18 / .09
Avonlea®	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17	.18 / .09	
Saratoga™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	.18 / .09
Arden®	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17	.18 / .09	
Texas Star	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17	.18 / .09	
Wellesley™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	.18 / .09
Riserva™	.34 / .31	.34 / .31		.29 / .23		.26 / .18		.26 / .18		.21 / .09	
Concorde™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	.18 / .09
Kensington™	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17	.18 / .09	
Crystal Diamonds™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	
Axis™	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17	.22 / .17	.22 / .17			
Frosted Images®	.34 / .34	.34 / .34		.29 / .25		.26 / .19		.26 / .19	.26 / .19		
Privacy with Divided Lites	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			
Chinchilla	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09
Chord	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09
Granite	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09
Rainglass	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09
Satin Etch	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09
Clear with Internal Blinds	.37 / .28	.37 / .28	.32 / .21	.32 / .21		.27 / .16	.27 / .16				
Clear with Divided Lites	.36 / .34			.29 / .25		.27 / .19	.27 / .19	.27 / .19			.21 / .10
Clear with Grilles Between Glass	.36 / .31	.36 / .31	.30 / .23	.29 / .23	.26 / .18	.26 / .18	.26 / .18	.26 / .18			.21 / .09
Clear Glass	.36 / .34			.29 / .25		.27 / .19	.27 / .19	.27 / .19	.26 / .19	.21 / .10	.21 / .10
Low-E with Internal Blinds	.32 / .23	.32 / .23	.28 / .17	.28 / .17		.25 / .14	.25 / .14				
Low-E with Divided Lites	.30 / .19	.30 / .19		.24 / .14		.23 / .11	.23 / .11	.23 / .11			.19 / .06
Low-E with Grilles Between Glass	.30 / .17	.30 / .17	.26 / .13	.24 / .13	.22 / .10	.23 / .10	.23 / .10	.23 / .10			.19 / .05
Low-E Glass	.30 / .19	.30 / .19	.26 / .14	.24 / .14		.23 / .11	.23 / .11	.23 / .11	.22 / .10	.19 / .06	.19 / .06

Non-Impact

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-FCO



Door Collection / Glass Design								
	Fiber-Classic® Oak Collection™							
6'8" Section								
Glass Size (Inches)	22x10R	8x6	8x36	OPAQUE	7x64	8x47	8x36	8x44S
Blackstone®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Crystalline™	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	.18 / .09
Sedona			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Sedona Art			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Salinas®			.21 / .09		.21 / .09	.21 / .09	.21 / .09	
Element					.18 / .09			
Maple Park®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Avonlea®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Saratoga™			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Arden®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Texas Star			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Wellesley™			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Riserva™			.21 / .09		.21 / .09	.21 / .09	.21 / .09	
Concorde™	.18 / .09		.18 / .09		.18 / .09	.18 / .09	.18 / .09	.18 / .09
Kensington™			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Crystal Diamonds™	.18 / .09		.18 / .09		.18 / .09	.18 / .09	.18 / .09	.18 / .09
Axis™		.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Frosted Images®	.21 / .10		.21 / .10		.21 / .10		.21 / .10	
Privacy with Divided Lites			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Chinchilla	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Chord	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Granite	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Rainglass	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Satin Etch	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
Clear with Internal Blinds			.22 / .08		.22 / .08	.22 / .08	.22 / .08	
Clear with Divided Lites	.21 / .10		.21 / .10		.21 / .10	.21 / .10	.21 / .10	
Clear with Grilles Between Glass	.21 / .09		.21 / .09		.21 / .09	.21 / .09	.21 / .09	
Clear Glass	.21 / .10	.21 / .10	.21 / .10		.21 / .10	.21 / .10	.21 / .10	.21 / .10
Low-E with Internal Blinds			.20 / .07		.20 / .07	.20 / .07	.20 / .07	
Low-E with Divided Lites	.19 / .06		.19 / .06		.19 / .06	.19 / .06	.19 / .06	
Low-E with Grilles Between Glass	.19 / .05		.19 / .05		.19 / .05	.19 / .05	.19 / .05	
Low-E Glass	.19 / .06	.19 / .06	.19 / .06		.19 / .06	.19 / .06	.19 / .06	.19 / .06
Solid Panel				.14 / .01				

Non-Impact

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-FCO



Non-Impact	Door Collection / Glass Design							
	<b>Fiber-Classic® Oak Collection™</b>							
<b>6'6" and 6'8" Flush-Glazed Section</b>								
	<b>Glass Size (Inches)</b>	<b>27x64</b>	<b>25x64</b>	<b>20x64</b>	<b>14x64</b>	<b>22x36</b>	<b>8x64</b>	<b>8x36</b>
	Chinchilla	.33 / .30	.33 / .30	.33 / .30				
	Chord	.33 / .30	.33 / .30	.33 / .30				
	Granite	.33 / .30	.33 / .30	.33 / .30				
	Rainglass	.33 / .30	.33 / .30	.33 / .30				
	Satin Etch	.33 / .30	.33 / .30	.33 / .30				
	Privacy Glass with Divided Lites	.33 / .30	.33 / .30	.33 / .30				
	Clear with Divided Lites	.34 / .34	.34 / .34	.34 / .34	.26 / .19	.26 / .19	.25 / .18	.20 / .09
	Clear with Grilles Between Glass	.35 / .31	.35 / .31	.35 / .31	.26 / .18	.26 / .18	.26 / .18	.20 / .09
	Clear Glass	.34 / .34	.34 / .34	.34 / .34	.26 / .19	.26 / .19	.25 / .18	.20 / .09
	Low-E with Divided Lites	.27 / .18	.27 / .18	.27 / .18	.22 / .10	.22 / .10	.22 / .10	.19 / .06
	Low-E with Grilles Between Glass	.29 / .17	.29 / .17	.29 / .17	.23 / .10	.23 / .10	.23 / .10	.19 / .05
	Low-E Glass	.27 / .18	.27 / .18	.27 / .18	.22 / .10	.22 / .10	.22 / .10	.19 / .06
<b>8'0" Flush-Glazed Section</b>								
	<b>Glass Size (Inches)</b>	<b>25x80</b>	<b>21x80</b>		<b>14x80</b>			
	Chinchilla	.33 / .30	.33 / .30					
	Chord	.33 / .30	.33 / .30					
	Granite	.33 / .30	.33 / .30					
	Rainglass	.33 / .30	.33 / .30					
	Satin Etch	.33 / .30	.33 / .30					
	Privacy Glass with Divided Lites	.33 / .30	.33 / .30					
	Clear with Divided Lites	.34 / .34	.34 / .34		.34 / .34			
	Clear with Grilles Between Glass	.35 / .31	.35 / .31		.35 / .31			
	Clear Glass	.34 / .34	.34 / .34		.34 / .34			
	Low-E with Divided Lites	.27 / .18	.27 / .18		.27 / .18			
	Low-E with Grilles Between Glass	.29 / .17	.29 / .17		.29 / .17			
	Low-E Glass	.27 / .18	.27 / .18		.27 / .18			

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-FCO



Door Collection / Glass Design											
Impact	<b>Fiber-Classic® Oak Collection™</b>										
	<b>6'8" Section</b>										
	<b>Glass Size (Inches)</b>	<b>22x64</b>	<b>20x64</b>	<b>22x47</b>	<b>14x64</b>	<b>22x36</b>	<b>20x36</b>	<b>8x36</b>	<b>7x64</b>	<b>8x47</b>	<b>8x36</b>
	Blackstone®	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Crystalline™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Salinas®	.32 / .29		.28 / .22		.24 / .17		.20 / .09	.20 / .09	.20 / .09	.20 / .09
	Element	.29 / .29							.19 / .09		
	Maple Park®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Avonlea®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Saratoga™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Arden®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Texas Star	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Wellesley™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Riserva™	.32 / .29		.28 / .22		.24 / .17		.20 / .09	.20 / .09	.20 / .09	.20 / .09
	Concorde™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Kensington™	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Crystal Diamonds™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Axis™	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Frosted Images®	.31 / .32	.31 / .32	.27 / .24		.24 / .18		.20 / .09	.20 / .09		.20 / .09
	Chinchilla	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Chord	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Granite	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Rainglass	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Satin Etch	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Clear with Grilles Between Glass	.32 / .29	.32 / .29	.28 / .22	.24 / .17	.24 / .17		.20 / .09	.20 / .09	.20 / .09	.20 / .09
	Clear Glass	.31 / .32	.31 / .32	.27 / .24	.24 / .18	.24 / .18		.20 / .09	.20 / .09	.20 / .09	.20 / .09
	Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.23 / .13	.21 / .10	.21 / .10			.18 / .05	.18 / .05	.18 / .05
	Low-E Glass	.25 / .18	.25 / .18	.22 / .14	.20 / .10	.20 / .10		.18 / .06	.18 / .06	.18 / .06	.18 / .06

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-FCO



Door Collection / Glass Design										
<b>Fiber-Classic® Oak Collection™</b>										
<b>8'0" Section</b>										
<b>Glass Size (Inches)</b>	<b>22x80</b>	<b>20x80</b>	<b>22x64</b>	<b>14x80</b>	<b>22x47</b>	<b>22x47</b>	<b>22x10A</b>	<b>8x6</b>	<b>8x36</b>	<b>OPAQUE</b>
Blackstone®	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23			.18 / .09	
Crystalline™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23			.18 / .09	
Sedona	.27 / .30		.27 / .30		.24 / .23	.24 / .23			.18 / .09	
Sedona Art	.27 / .30		.27 / .30		.24 / .23	.24 / .23			.18 / .09	
Salinas®	.34 / .31	.34 / .31	.34 / .31		.29 / .23	.29 / .23			.21 / .09	
Element			.27 / .30							
Maple Park®			.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
Avonlea®			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
Saratoga™			.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
Arden®			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
Texas Star			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
Wellesley™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
Riserva™	.34 / .31	.34 / .31	.34 / .31		.29 / .23	.29 / .23	.21 / .10		.21 / .09	
Concorde™	.27 / .30		.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
Kensington™			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
Crystal Diamonds™			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
Axis™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23		.18 / .09	.18 / .09	
Frosted Images®	.34 / .34		.34 / .34		.29 / .25	.29 / .25			.21 / .10	
Privacy with Divided Lites			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
Chinchilla	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09	
Chord	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09	
Granite	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09	
Rainglass	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09	
Satin Etch	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09	
Clear with Internal Blinds	.37 / .28	.37 / .28	.37 / .28		.32 / .21				.22 / .08	
Clear with Divided Lites	.34 / .34	.34 / .34	.36 / .34		.29 / .25	.29 / .25	.21 / .10		.21 / .10	
Clear with Grilles Between Glass	.36 / .31	.36 / .31	.36 / .31		.29 / .23	.29 / .23	.21 / .09		.21 / .09	
Clear Glass	.34 / .34	.34 / .34	.36 / .34	.29 / .25	.29 / .25	.29 / .25	.21 / .10	.21 / .10	.21 / .10	
Low-E with Internal Blinds	.32 / .23	.32 / .23	.32 / .23		.28 / .17				.20 / .07	
Low-E with Divided Lites	.30 / .19	.30 / .19	.30 / .19		.24 / .14	.24 / .14	.19 / .06		.19 / .06	
Low-E with Grilles Between Glass	.30 / .17	.30 / .17	.30 / .17	.24 / .13	.24 / .13	.24 / .13	.19 / .05		.19 / .05	
Low-E Glass	.30 / .19	.30 / .19	.30 / .19		.24 / .14	.24 / .14	.19 / .06	.19 / .06	.19 / .06	
Solid Panel										.14 / .01




Non-Impact

<b>Key</b>	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-FCO



Non-Impact	Door Collection / Glass Design			
	Fiber-Classic® Oak Collection™			
8'0" Section				
Glass Size (Inches)		7x80	7x64	8x47
	Blackstone®	.22 / .17	.18 / .09	.18 / .09
	Crystalline™	.22 / .17	.18 / .09	.18 / .09
	Sedona	.22 / .17	.18 / .09	.18 / .09
	Sedona Art	.22 / .17	.18 / .09	.18 / .09
	Salinas®	.26 / .18	.21 / .09	.21 / .09
	Element		.18 / .09	
	Maple Park®		.18 / .09	.18 / .09
	Avonlea®		.18 / .09	.18 / .09
	Saratoga™	.22 / .17	.18 / .09	.18 / .09
	Arden®		.18 / .09	.18 / .09
	Texas Star		.18 / .09	.18 / .09
	Wellesley™	.22 / .17	.18 / .09	.18 / .09
	Riserva™	.26 / .18	.21 / .09	.21 / .09
	Concorde™	.22 / .17	.18 / .09	.18 / .09
	Kensington™		.18 / .09	.18 / .09
	Crystal Diamonds™		.18 / .09	.18 / .09
	Axis™	.22 / .17	.18 / .09	.18 / .09
	Frosted Images®	.26 / .19	.21 / .10	
	Privacy with Divided Lites		.18 / .09	.18 / .09
	Chinchilla	.22 / .17	.18 / .09	.18 / .09
	Chord	.22 / .17	.18 / .09	.18 / .09
	Granite	.22 / .17	.18 / .09	.18 / .09
	Rainglass	.22 / .17	.18 / .09	.18 / .09
	Satin Etch	.22 / .17	.18 / .09	.18 / .09
	Clear with Internal Blinds	.27 / .16	.22 / .08	.22 / .08
	Clear with Divided Lites	.26 / .19	.21 / .10	.21 / .10
	Clear with Grilles Between Glass	.26 / .18	.21 / .09	.21 / .09
	Clear Glass	.26 / .19	.21 / .10	.21 / .10
	Low-E with Internal Blinds	.25 / .14	.20 / .07	.20 / .07
	Low-E with Divided Lites	.22 / .10	.19 / .06	.19 / .06
	Low-E with Grilles Between Glass	.22 / .10	.19 / .05	.19 / .05
	Low-E Glass	.22 / .10	.19 / .06	.19 / .06

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



# 2017 ENERGY STAR® Qualification Chart-FCO



Door Collection / Glass Design											
<b>Fiber-Classic® Oak Collection™</b>											
<b>8'0" Section</b>											
<b>Glass Size (Inches)</b>		<b>22x80</b>	<b>20x80</b>	<b>22x64</b>	<b>14x80</b>	<b>22x47</b>	<b>22x47</b>	<b>8x36</b>	<b>7x80</b>	<b>7x64</b>	<b>8x47</b>
Blackstone®		.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Crystalline™		.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Salinas®		.32 / .29		.32 / .29		.28 / .22	.28 / .22	.20 / .09	.24 / .17	.20 / .09	.20 / .09
Element		.29 / .29		.29 / .29						.19 / .09	
Maple Park™				.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09
Avonlea®				.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09
Saratoga™				.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Arden®				.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09
Texas Star				.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09
Wellesley™		.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Riserva™		.32 / .29		.32 / .29		.28 / .22	.28 / .22	.20 / .09	.24 / .17	.20 / .09	.20 / .09
Concorde™		.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Kensington™				.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09
Crystal Diamonds™				.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09
Axis™		.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Frosted Images®		.31 / .32	.31 / .32	.31 / .32		.27 / .24	.27 / .24	.20 / .09	.24 / .18	.20 / .09	
Chinchilla		.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Chord		.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Granite		.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Rainglass		.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Satin Etch		.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Clear with Grilles Between Glass		.32 / .29	.32 / .29	.32 / .29	.28 / .22	.28 / .22	.28 / .22	.28 / .22	.24 / .17	.20 / .09	.20 / .09
Clear Glass		.31 / .32	.31 / .32	.31 / .32	.27 / .24	.27 / .24	.27 / .24	.27 / .24	.24 / .18	.20 / .09	.20 / .09
Low-E with Grilles Between Glass		.26 / .17	.26 / .17	.26 / .17	.23 / .13	.23 / .13	.23 / .13	.23 / .13	.21 / .10	.18 / .05	.18 / .05
Low-E Glass		.25 / .18	.25 / .18	.25 / .18	.22 / .14	.22 / .14	.22 / .14	.22 / .14	.20 / .10	.18 / .06	.18 / .06

Impact

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	