












2016 ENERGY STAR® Qualification Chart



Non-Impact	Door Collection / Glass Design											
	Fiber-Classic® Oak Collection™											
	6'8" Section											
	Glass Size (Inches)	22x64	20x64	16x64	22x47	14x64	22x36	20x36	8x36	16x40	8x42R	22x10A
	Blackstone®	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	
	Crystalline™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	
	Sedona	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	
	Sedona Art	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	
	Salinas®	.34 / .31	.34 / .31		.29 / .23		.26 / .18		.26 / .18		.21 / .09	
	Element	.27 / .30										
	Maple Park®	.27 / .30			.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	.18 / .09
	Avonlea®	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17	.18 / .09	
	Saratoga™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17		.18 / .09	.18 / .09
	Arden®	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17	.18 / .09	
	Texas Star	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17		
	Wellesley™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	.18 / .09
	Riserva™	.34 / .31	.34 / .31		.29 / .23		.26 / .18		.26 / .18		.21 / .09	
	Concorde™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	.18 / .09
	Kensington™	.27 / .30			.24 / .23		.22 / .17		.22 / .17	.22 / .17	.18 / .09	
	Crystal Diamonds™	.27 / .30	.27 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17	.18 / .09	
Axis™	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17	.22 / .17	.22 / .17				
Frosted Images®	.34 / .34	.34 / .34		.29 / .25		.26 / .19		.26 / .19	.26 / .19			
Privacy with Divided Lites	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17				
Chinchilla	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09	
Chord	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09	
Granite	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09	
Rainglass	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09	
Satin Etch	.27 / .30	.27 / .30	.24 / .23	.24 / .23		.22 / .17		.22 / .17			.18 / .09	
Clear with Internal Blinds	.37 / .28	.37 / .28	.32 / .21			.27 / .16	.27 / .16					
Clear with Divided Lites	.36 / .34			.29 / .25		.27 / .19	.27 / .19	.27 / .19			.21 / .10	
Clear with Grilles Between Glass	.36 / .31	.36 / .31	.30 / .23	.29 / .23	.26 / .18	.26 / .18	.26 / .18	.26 / .18			.21 / .09	
Clear Glass	.36 / .34			.29 / .25		.27 / .19	.27 / .19	.27 / .19	.26 / .19	.21 / .10	.21 / .10	
Low-E with Internal Blinds	.32 / .23	.32 / .23	.28 / .17			.25 / .14	.25 / .14					
Low-E with Divided Lites	.30 / .16	.30 / .16				.23 / .11	.23 / .11	.23 / .11			.19 / .06	
Low-E with Grilles Between Glass	.30 / .17	.30 / .17	.26 / .13	.24 / .13	.22 / .10	.23 / .10	.23 / .10	.23 / .10			.19 / .05	
Low-E Glass	.30 / .16	.30 / .16	.26 / .14	.24 / .14		.23 / .11	.23 / .11	.23 / .11	.22 / .10	.19 / .06	.19 / .06	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2016 ENERGY STAR® Qualification Chart











Non-Impact	Door Collection / Glass Design								
	Fiber-Classic® Oak Collection™								
	6'8" Section								
	Glass Size (Inches)	22x10R	8x6	8x36	OPAQUE	7x64	8x47	8x36	8x44S
	Blackstone®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Crystalline™	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Sedona			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Sedona Art			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Salinas®			.21 / .09		.21 / .09	.21 / .09	.21 / .09	
	Element					.18 / .09			
	Maple Park®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Avonlea®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Saratoga™			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Arden®			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Texas Star			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Wellesley™			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Riserva™			.21 / .09		.21 / .09	.21 / .09	.21 / .09	
	Concorde™	.18 / .09		.18 / .09		.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Kensington™			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Crystal Diamonds™	.18 / .09		.18 / .09		.18 / .09	.18 / .09	.18 / .09	.18 / .09
	Axis™		.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Frosted Images®	.21 / .10		.21 / .10		.21 / .10		.21 / .10	
	Privacy with Divided Lites			.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Chinchilla	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Chord	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Granite	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Rainglass	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Satin Etch	.18 / .09	.18 / .09	.18 / .09		.18 / .09	.18 / .09	.18 / .09	
	Clear with Internal Blinds			.22 / .08		.22 / .08		.22 / .08	
	Clear with Divided Lites	.21 / .10		.21 / .10		.21 / .10	.21 / .10	.21 / .10	
	Clear with Grilles Between Glass	.21 / .09		.21 / .09		.21 / .09	.21 / .09	.21 / .09	
	Clear Glass	.21 / .10	.21 / .10	.21 / .10		.21 / .10	.21 / .10	.21 / .10	.21 / .10
	Low-E with Internal Blinds			.20 / .07		.20 / .07		.20 / .07	
	Low-E with Divided Lites	.19 / .06		.19 / .06		.19 / .06	.19 / .06	.19 / .06	
	Low-E with Grilles Between Glass	.19 / .05		.19 / .05		.19 / .05	.19 / .05	.19 / .05	
	Low-E Glass	.19 / .06	.19 / .06	.19 / .06		.19 / .06	.19 / .06	.19 / .06	.19 / .06
	Solid Panel				.14 / .01				

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2016 ENERGY STAR® Qualification Chart












Impact	Door Collection / Glass Design										
	Fiber-Classic® Oak Collection™										
	6'8" Section										
	Glass Size (Inches)	22x64	20x64	22x47	14x64	22x36	20x36	8x36	7x64	8x47	8x36
	Blackstone®	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Crystalline™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Salinas®	.32 / .29		.28 / .22		.24 / .17		.20 / .09	.20 / .09	.20 / .09	.20 / .09
	Element	.29 / .29							.19 / .09		
	Maple Park®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Avonlea®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Saratoga™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Arden®	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Texas Star	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Wellesley™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Riserva™	.32 / .29		.28 / .22		.24 / .17		.20 / .09	.20 / .09	.20 / .09	.20 / .09
	Concorde™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Kensington™	.29 / .29		.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Crystal Diamonds™	.29 / .29	.29 / .29	.26 / .22		.23 / .16	.23 / .16	.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Axis™	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Frosted Images®	.31 / .32	.31 / .32	.27 / .24		.24 / .18		.20 / .09	.20 / .09		.20 / .09
	Chinchilla	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Chord	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Granite	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Rainglass	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
	Satin Etch	.29 / .29	.29 / .29	.26 / .22		.23 / .16		.19 / .09	.19 / .09	.19 / .09	.19 / .09
Clear with Grilles Between Glass	.32 / .29	.32 / .29	.28 / .22	.24 / .17	.24 / .17		.20 / .09	.20 / .09	.20 / .09	.20 / .09	
Clear Glass	.31 / .32	.31 / .32	.27 / .24	.24 / .18	.24 / .18		.20 / .09	.20 / .09	.20 / .09	.20 / .09	
Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.23 / .13	.21 / .10	.21 / .10			.18 / .05	.18 / .05	.18 / .05	
Low-E Glass	.25 / .18	.25 / .18	.22 / .14	.20 / .10	.20 / .10		.18 / .06	.18 / .06	.18 / .06	.18 / .06	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2016 ENERGY STAR® Qualification Chart






Non-Impact	Door Collection / Glass Design										
	Fiber-Classic® Oak Collection™										
	8'0" Section										
	Glass Size (Inches)	22x80	20x80	22x64	14x80	22x47	22x47	22x10A	8x6	8x36	OPAQUE
	Blackstone®	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Crystalline™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Sedona	.27 / .30		.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Sedona Art	.27 / .30		.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Salinas®	.34 / .31	.34 / .31	.34 / .31		.29 / .23	.29 / .23			.21 / .09	
	Element			.27 / .30							
	Maple Park®			.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
	Avonlea®			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Saratoga™			.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
	Arden®			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Texas Star			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Wellesley™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
	Riserva™	.34 / .31	.34 / .31	.34 / .31		.29 / .23	.29 / .23			.21 / .09	
	Concorde™	.27 / .30		.27 / .30		.24 / .23	.24 / .23	.18 / .09		.18 / .09	
	Kensington™			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
	Crystal Diamonds™			.27 / .30		.24 / .23	.24 / .23			.18 / .09	
Axis™	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23		.18 / .09	.18 / .09		
Frosted Images®	.34 / .34		.34 / .34		.29 / .25	.29 / .25			.21 / .10		
Privacy with Divided Lites			.27 / .30		.24 / .23	.24 / .23			.18 / .09		
Chinchilla	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09		
Chord	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09		
Granite	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09		
Rainglass	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09		
Satin Etch	.27 / .30	.27 / .30	.27 / .30		.24 / .23	.24 / .23	.18 / .09	.18 / .09	.18 / .09		
Clear with Internal Blinds	.37 / .28	.37 / .28	.37 / .28						.22 / .08		
Clear with Divided Lites	.34 / .34	.34 / .34	.36 / .34		.29 / .25	.29 / .25	.21 / .10		.21 / .10		
Clear with Grilles Between Glass	.36 / .31	.36 / .31	.36 / .31		.29 / .23	.29 / .23	.21 / .09		.21 / .09		
Clear Glass	.34 / .34	.34 / .34	.36 / .34	.29 / .25	.29 / .25	.29 / .25	.21 / .10	.21 / .10	.21 / .10		
Low-E with Internal Blinds	.32 / .23	.32 / .23	.32 / .23						.20 / .07		
Low-E with Divided Lites	.30 / .16	.30 / .16	.30 / .19		.24 / .14	.24 / .14	.19 / .06		.19 / .06		
Low-E with Grilles Between Glass	.30 / .17	.30 / .17	.30 / .17	.24 / .13	.24 / .13	.24 / .13	.19 / .05		.19 / .05		
Low-E Glass	.30 / .16	.30 / .16	.30 / .19		.24 / .14	.24 / .14	.19 / .06	.19 / .06	.19 / .06		
Solid Panel										.14 / .01	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2016 ENERGY STAR® Qualification Chart












Non-Impact	Door Collection / Glass Design			
	Fiber-Classic® Oak Collection™			
	8'0" Section			
	Glass Size (Inches)	7x80	7x64	8x47
	Blackstone®	.22 / .17	.18 / .09	.18 / .09
	Crystalline™	.22 / .17	.18 / .09	.18 / .09
	Sedona	.22 / .17	.18 / .09	.18 / .09
	Sedona Art	.22 / .17	.18 / .09	.18 / .09
	Salinas®	.26 / .18	.21 / .09	.21 / .09
	Element		.18 / .09	
	Maple Park®		.18 / .09	.18 / .09
	Avonlea®		.18 / .09	.18 / .09
	Saratoga™	.22 / .17	.18 / .09	.18 / .09
	Arden®		.18 / .09	.18 / .09
	Texas Star		.18 / .09	.18 / .09
	Wellesley™	.22 / .17	.18 / .09	.18 / .09
	Riserva™	.26 / .18	.21 / .09	.21 / .09
	Concorde™	.22 / .17	.18 / .09	.18 / .09
	Kensington™		.18 / .09	.18 / .09
	Crystal Diamonds™		.18 / .09	.18 / .09
	Axis™	.22 / .17	.18 / .09	.18 / .09
	Frosted Images®	.26 / .19	.21 / .10	
	Privacy with Divided Lites		.18 / .09	.18 / .09
	Chinchilla	.22 / .17	.18 / .09	.18 / .09
	Chord	.22 / .17	.18 / .09	.18 / .09
	Granite	.22 / .17	.18 / .09	.18 / .09
	Rainglass	.22 / .17	.18 / .09	.18 / .09
	Satin Etch	.22 / .17	.18 / .09	.18 / .09
	Clear with Internal Blinds	.27 / .16	.22 / .08	
	Clear with Divided Lites	.26 / .19	.21 / .10	.21 / .10
	Clear with Grilles Between Glass	.26 / .18	.21 / .09	.21 / .09
	Clear Glass	.26 / .19	.21 / .10	.21 / .10
	Low-E with Internal Blinds	.25 / .14	.20 / .07	
	Low-E with Divided Lites	.22 / .10	.19 / .06	.19 / .06
	Low-E with Grilles Between Glass	.22 / .10	.19 / .05	.19 / .05
	Low-E Glass	.22 / .10	.19 / .06	.19 / .06

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2016 ENERGY STAR® Qualification Chart



Impact	Door Collection / Glass Design											
	Fiber-Classic® Oak Collection™											
	8'0" Section											
	Glass Size (Inches)	22x80	20x80	22x64	14x80	22x47	22x47	8x36	7x80	7x64	8x47	
	Blackstone®	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Crystalline™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Salinas®	.32 / .29		.32 / .29		.28 / .22	.28 / .22	.20 / .09	.24 / .17	.20 / .09	.20 / .09	
	Element			.29 / .29						.19 / .09		
	Maple Park™			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Avonlea®			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Saratoga™			.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Arden®			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Texas Star			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Wellesley™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Riserva™	.32 / .29		.32 / .29		.28 / .22	.28 / .22	.20 / .09	.24 / .17	.20 / .09	.20 / .09	
	Concorde™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Kensington™			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Crystal Diamonds™			.29 / .29		.26 / .22	.26 / .22	.19 / .09		.19 / .09	.19 / .09	
	Axis™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Frosted Images®	.31 / .32	.31 / .32	.31 / .32		.27 / .24	.27 / .24	.20 / .09	.24 / .18	.20 / .09		
	Chinchilla	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Chord	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Granite	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Rainglass	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Satin Etch	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.23 / .16	.19 / .09	.19 / .09	
	Clear with Grilles Between Glass	.32 / .29	.32 / .29	.32 / .29	.28 / .22	.28 / .22	.28 / .22	.28 / .22	.24 / .17	.20 / .09	.20 / .09	
	Clear Glass	.31 / .32	.31 / .32	.31 / .32	.27 / .24	.27 / .24	.27 / .24	.27 / .24	.24 / .18	.20 / .09	.20 / .09	
	Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.26 / .17	.23 / .13	.23 / .13	.23 / .13	.23 / .13	.21 / .10	.18 / .05	.18 / .05	
	Low-E Glass	.25 / .18	.25 / .18	.25 / .18	.22 / .14	.22 / .14	.22 / .14	.22 / .14	.20 / .10	.18 / .06	.18 / .06	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	