















2016 ENERGY STAR® Qualification Chart















Non-Impact	Door Collection / Glass Design													
	Profiles™ Steel													
	6'8" Section													
	Glass Size (Inches)	22x64	20x64	16x64	22x47	14x64	20x56	22x36	20x36	22x36R	22x27	8x36R	8x36	
	Blackstone®	.28 / .30	.28 / .30		.24 / .23			.22 / .17	.22 / .17				.22 / .17	
	Crystalline™	.28 / .30	.28 / .30		.24 / .23			.22 / .17	.22 / .17	.22 / .17		.22 / .17	.22 / .17	
	Sedona	.28 / .30	.28 / .30		.24 / .23			.22 / .17	.22 / .17				.22 / .17	
	Sedona Art	.28 / .30	.28 / .30		.24 / .23			.22 / .17	.22 / .17				.22 / .17	
	Salinas®	.34 / .32	.34 / .32		.30 / .24			.26 / .18	.26 / .18	.26 / .18			.26 / .18	
	Element	.28 / .30												
	Maple Park®	.28 / .30			.24 / .23			.22 / .17					.22 / .17	
	Avonlea®	.28 / .30			.24 / .23			.22 / .17					.22 / .17	
	Saratoga™	.28 / .30	.28 / .30		.24 / .23			.22 / .17	.22 / .17				.22 / .17	
	Arden®	.28 / .30			.24 / .23			.22 / .17					.22 / .17	
	Texas Star	.28 / .30			.24 / .23			.22 / .17					.22 / .17	
	Wellesley™	.28 / .30	.28 / .30	.24 / .23	.24 / .23			.22 / .17	.22 / .17				.22 / .17	
	Riserva™	.34 / .32	.34 / .32		.30 / .24			.26 / .18	.26 / .18				.26 / .18	
	Concorde™	.28 / .30	.28 / .30	.24 / .23	.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17		.22 / .17	.22 / .17	
	Kensington™	.28 / .30			.24 / .23			.22 / .17					.22 / .17	
	Crystal Diamonds™	.28 / .30	.28 / .30		.24 / .23		.22 / .17	.22 / .17	.22 / .17			.22 / .17	.22 / .17	
	Axis™	.28 / .30	.28 / .30	.24 / .23	.24 / .23			.22 / .17	.22 / .17				.22 / .17	
	Frosted Images®	.36 / .34	.36 / .34		.29 / .25		.26 / .19	.27 / .19		.27 / .19		.27 / .19	.27 / .19	
	Privacy Glass	.28 / .30	.28 / .30	.24 / .23	.24 / .23			.22 / .17					.22 / .17	
	Clear with Internal Blinds	.38 / .29	.38 / .29	.32 / .22				.28 / .16	.28 / .16					
	Clear with Divided Lites	.36 / .34	.36 / .34		.29 / .25	.27 / .19		.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	
	Clear with Grilles Between Glass	.36 / .32	.36 / .32	.31 / .24	.29 / .24	.27 / .18		.27 / .18						
	Clear Glass	.36 / .34	.36 / .34		.29 / .25	.27 / .19	.26 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	
	Low-E with Internal Blinds	.33 / .24	.33 / .24	.28 / .18				.25 / .14	.25 / .14					
Low-E with Divided Lites	.30 / .19	.30 / .19	.27 / .14	.24 / .14	.24 / .11		.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11		
Low-E with Grilles Between Glass	.30 / .18	.30 / .18	.26 / .13	.24 / .13	.23 / .10		.23 / .10							
Low-E Glass	.30 / .19	.30 / .19	.27 / .14	.24 / .14	.24 / .11	.22 / .10	.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11		
Solid Panel														

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2016 ENERGY STAR® Qualification Chart



Non-Impact	Door Collection / Glass Design													
	Profiles™ Steel													
	6'8" Section													
	Glass Size (Inches)	16x40V	8x42R	22x10A	22x10R	22x6	8x6	OPAQUE	8x47	8x36	8x36R	8x44S	8x6	
	Blackstone®	.22 / .17	.19 / .09						.19 / .09	.19 / .09				
	Crystalline™		.19 / .09		.19 / .09		.19 / .09		.19 / .09	.19 / .09	.19 / .09	.19 / .09	.19 / .09	
	Sedona		.19 / .09						.19 / .09	.19 / .09				
	Sedona Art		.19 / .09						.19 / .09	.19 / .09				
	Salinas®		.21 / .09						.21 / .09	.21 / .09				
	Element													
	Maple Park®		.19 / .09	.19 / .09					.19 / .09	.19 / .09				
	Avonlea®	.22 / .17	.19 / .09						.19 / .09	.19 / .09				
	Saratoga™		.19 / .09	.19 / .09					.19 / .09	.19 / .09				
	Arden®	.22 / .17	.19 / .09						.19 / .09	.19 / .09				
	Texas Star	.22 / .17							.19 / .09	.19 / .09				
	Wellesley™	.22 / .17	.19 / .09	.19 / .09					.19 / .09	.19 / .09				
	Riserva™		.21 / .09						.21 / .09	.21 / .09				
	Concorde™	.22 / .17	.19 / .09	.19 / .09	.19 / .09				.19 / .09	.19 / .09	.19 / .09	.19 / .09		
	Kensington™	.22 / .17	.19 / .09						.19 / .09	.19 / .09				
	Crystal Diamonds™	.22 / .17	.19 / .09		.19 / .09				.19 / .09	.19 / .09	.19 / .09	.19 / .09		
Axis™						.19 / .09		.19 / .09	.19 / .09			.19 / .09		
Frosted Images®	.26 / .19			.21 / .10					.21 / .10					
Privacy Glass			.19 / .09	.19 / .09		.19 / .09		.19 / .09	.19 / .09			.19 / .09		
Clear with Internal Blinds									.22 / .08					
Clear with Divided Lites			.21 / .10	.21 / .10	.21 / .10			.21 / .10	.21 / .10	.21 / .10				
Clear with Grilles Between Glass			.21 / .09	.21 / .09				.21 / .09	.21 / .09					
Clear Glass	.26 / .19	.21 / .10	.21 / .10	.21 / .10		.21 / .10		.21 / .10	.21 / .10	.21 / .10	.21 / .10	.21 / .10		
Low-E with Internal Blinds									.21 / .07					
Low-E with Divided Lites			.20 / .06	.20 / .06	.20 / .06			.19 / .06	.19 / .06	.19 / .06				
Low-E with Grilles Between Glass			.19 / .05	.19 / .05				.19 / .05	.19 / .05					
Low-E Glass	.22 / .10	.19 / .06	.20 / .06	.20 / .06		.20 / .06		.19 / .06	.19 / .06	.19 / .06	.19 / .06	.19 / .06		
Solid Panel							.14 / .01							

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2016 ENERGY STAR® Qualification Chart



</

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	