



2017 ENERGY STAR® Qualification Chart-Traditions



Door Collection / Glass Design												
Non-Impact	Traditions Steel											
	6'8" Section											
	Glass Size (Inches)	22x64	20x64	16x64	14x64	20x56	22x36	20x36	22x36R	22x27	8x36R	8x36
	Blackstone®	.28 / .30	.28 / .30				.22 / .17	.22 / .17				.22 / .17
	Crystalline™	.28 / .30					.22 / .17	.22 / .17	.22 / .17		.22 / .17	.22 / .17
	Sedona	.28 / .30	.28 / .30				.22 / .17	.22 / .17				.22 / .17
	Sedona Art	.28 / .30	.28 / .30				.22 / .17	.22 / .17				.22 / .17
	Salinas®	.34 / .32	.34 / .32				.26 / .18	.26 / .18	.26 / .18			.26 / .18
	Element	.28 / .30										
	Maple Park®	.28 / .30	.28 / .30				.22 / .17					.22 / .17
	Avonlea®	.28 / .30					.22 / .17					.22 / .17
	Saratoga™	.28 / .30	.28 / .30				.22 / .17	.22 / .17				.22 / .17
	Arden®	.28 / .30					.22 / .17					.22 / .17
	Texas Star	.28 / .30					.22 / .17					.22 / .17
	Wellesley™	.28 / .30	.28 / .30	.24 / .23			.22 / .17	.22 / .17				.22 / .17
	Riserva™	.34 / .32	.34 / .32				.26 / .18	.26 / .18				.26 / .18
	Concorde™	.28 / .30	.28 / .30	.24 / .23		.22 / .17	.22 / .17	.22 / .17	.22 / .17		.22 / .17	.22 / .17
	Kensington™	.28 / .30					.22 / .17					.22 / .17
	Crystal Diamonds™	.28 / .30	.28 / .30			.22 / .17	.22 / .17	.22 / .17			.22 / .17	.22 / .17
	Axis™	.28 / .30	.28 / .30	.24 / .23			.22 / .17	.22 / .17				.22 / .17
	Frosted Images®	.36 / .34					.27 / .19				.27 / .19	
	Privacy Glass	.28 / .30	.28 / .30	.24 / .23			.22 / .17	.22 / .17				.22 / .17
	Clear with Internal Blinds	.38 / .29	.38 / .29	.32 / .22			.28 / .16	.28 / .16				
	Clear with Divided Lites	.36 / .34	.36 / .34		.27 / .19		.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19
	Clear with Grilles Between Glass	.36 / .32	.36 / .32		.27 / .18		.27 / .18					.27 / .18
	Clear Glass	.36 / .34	.36 / .34		.27 / .19		.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19	.27 / .19
	Low-E with Internal Blinds	.33 / .24	.33 / .24	.28 / .18			.25 / .14	.25 / .14				.25 / .14
	Low-E with Divided Lites	.30 / .19	.30 / .19	.27 / .14	.24 / .11		.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11
Low-E with Grilles Between Glass	.30 / .18	.30 / .18	.26 / .13	.23 / .10		.23 / .10					.23 / .10	
Low-E Glass	.30 / .19	.30 / .19	.27 / .14	.24 / .11		.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11	.24 / .11	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Traditions



Non-Impact	Door Collection / Glass Design										
	Traditions Steel										
6'8" Section											
Glass Size (Inches)	22x10A	22x10R	22x6	7x18	8x6	OPAQUE	7x64	8x36	8x36R	8x6	
Blackstone®							.19 / .09	.19 / .09			
Crystalline™		.19 / .09		.19 / .09	.19 / .09		.19 / .09	.19 / .09	.19 / .09	.19 / .09	
Sedona							.19 / .09	.19 / .09			
Sedona Art							.19 / .09	.19 / .09			
Salinas®							.21 / .09	.21 / .09			
Element							.19 / .09				
Maple Park®	.19 / .09						.19 / .09	.19 / .09			
Avonlea®							.19 / .09	.19 / .09			
Saratoga™	.19 / .09						.19 / .09	.19 / .09			
Arden®							.19 / .09	.19 / .09			
Texas Star							.19 / .09	.19 / .09			
Wellesley™	.19 / .09						.19 / .09	.19 / .09			
Riserva™							.21 / .09	.21 / .09			
Concorde™	.19 / .09	.19 / .09					.19 / .09	.19 / .09	.19 / .09		
Kensington™							.19 / .09	.19 / .09			
Crystal Diamonds™		.19 / .09					.19 / .09	.19 / .09	.19 / .09		
Axis™					.19 / .09		.19 / .09	.19 / .09		.19 / .09	
Frosted Images®		.21 / .10					.21 / .10	.21 / .10	.21 / .10		
Privacy Glass	.19 / .09	.19 / .09			.19 / .09		.19 / .09	.19 / .09		.19 / .09	
Clear with Internal Blinds							.22 / .08	.22 / .08			
Clear with Divided Lites	.21 / .10	.21 / .10	.21 / .10				.21 / .10	.21 / .10	.21 / .10		
Clear with Grilles Between Glass	.21 / .09	.21 / .09					.21 / .09	.21 / .09			
Clear Glass	.21 / .10	.21 / .10		.21 / .10	.21 / .10		.21 / .10	.21 / .10	.21 / .10	.21 / .10	
Low-E with Internal Blinds							.21 / .07	.21 / .07	.21 / .07		
Low-E with Divided Lites	.20 / .06	.20 / .06	.20 / .06				.20 / .06	.20 / .06	.20 / .06		
Low-E with Grilles Between Glass	.19 / .05	.19 / .05					.19 / .05	.19 / .05			
Low-E Glass	.20 / .06	.20 / .06		.19 / .06	.20 / .06		.20 / .06	.20 / .06	.20 / .06	.20 / .06	
Solid Panel						.14 / .01					

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Traditions



Impact	Door Collection / Glass Design								
	Traditions Steel								
6'8" Section									
Glass Size (Inches)		22x64	20x64	16x64	14x64	22x36	20x36	7x64	8x36
	Blackstone®	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08
	Crystalline™	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08
	Salinas®	.32 / .30				.24 / .17		.20 / .09	.20 / .09
	Element	.29 / .29						.19 / .08	
	Maple Park®	.29 / .29				.23 / .16		.19 / .08	.19 / .08
	Avonlea®	.29 / .29				.23 / .16		.19 / .08	.19 / .08
	Saratoga™	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08
	Arden®	.29 / .29				.23 / .16		.19 / .08	.19 / .08
	Texas Star	.29 / .29				.23 / .16		.19 / .08	.19 / .08
	Wellesley™	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08
	Riserva™	.32 / .30				.24 / .17		.20 / .09	.20 / .09
	Concorde™	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08
	Kensington™	.29 / .29				.23 / .16		.19 / .08	.19 / .08
	Crystal Diamonds™	.29 / .29	.29 / .29			.23 / .16	.23 / .16	.19 / .08	.19 / .08
	Axis™	.29 / .29				.23 / .16			
	Frosted Images®	.32 / .32	.32 / .32			.24 / .18		.20 / .09	.20 / .09
	Privacy Glass	.29 / .29	.29 / .29			.23 / .16		.19 / .08	.19 / .08
	Clear with Divided Lites	.32 / .32	.32 / .32		.24 / .18	.24 / .18	.24 / .18	.20 / .09	.20 / .09
	Clear with Grilles Between Glass	.33 / .30	.33 / .30		.25 / .17	.25 / .17		.20 / .09	.20 / .09
	Clear Glass	.32 / .32	.32 / .32		.24 / .18	.24 / .18	.24 / .18	.20 / .09	.20 / .09
	Low-E with Divided Lites	.25 / .18	.25 / .18	.27 / .14	.20 / .10	.20 / .10	.20 / .10	.18 / .06	.18 / .06
	Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.26 / .13	.21 / .10	.21 / .10		.18 / .05	.18 / .05
	Low-E Glass	.25 / .18	.25 / .18	.27 / .14	.20 / .10	.20 / .10	.20 / .10	.18 / .06	.18 / .06

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Traditions



Door Collection / Glass Design										
Traditions Steel (Wood Edge)										
8'0" Section										
Non-Impact	Glass Size (Inches)	22x80	20x80	14x80	22x47	22x10A	22x6	8x6	OPAQUE	7x80
	Blackstone®	.28 / .30	.28 / .30		.24 / .23					.22 / .17
	Crystalline™	.28 / .30	.28 / .30		.24 / .23					.22 / .17
	Sedona				.24 / .23					
	Sedona Art				.24 / .23					.22 / .17
	Salinas®	.34 / .32	.34 / .32		.30 / .24					.26 / .18
	Maple Park®				.24 / .23	.19 / .09				
	Avonlea®				.24 / .23					
	Saratoga™				.24 / .23	.19 / .09				.22 / .17
	Arden®				.24 / .23					
	Texas Star				.24 / .23					
	Wellesley™	.28 / .30	.28 / .30		.24 / .23	.19 / .09				.22 / .17
	Riserva™	.34 / .32	.34 / .32		.30 / .24					.26 / .18
	Concorde™	.28 / .30	.28 / .30		.24 / .23	.19 / .09				.22 / .17
	Kensington™				.24 / .23					
	Crystal Diamonds™				.24 / .23					
	Axis™	.28 / .30	.28 / .30		.24 / .23			.19 / .09		
	Frosted Images®				.29 / .25					
	Privacy Glass	.28 / .30	.28 / .30		.24 / .23					.22 / .17
	Clear with Internal Blinds	.38 / .29	.38 / .29		.32 / .22					.28 / .16
	Clear with Divided Lites	.36 / .34	.36 / .34		.29 / .25	.21 / .10	.21 / .10			.26 / .19
	Clear with Grilles Between Glass	.36 / .32	.36 / .32	.31 / .24	.29 / .24	.21 / .09				.26 / .18
	Clear Glass	.36 / .34	.36 / .34		.29 / .25			.21 / .10		.26 / .19
	Low-E with Internal Blinds	.33 / .24	.33 / .24		.28 / .18					.25 / .14
	Low-E with Divided Lites	.30 / .19	.30 / .19		.24 / .14	.20 / .06	.20 / .06			.22 / .10
	Low-E with Grilles Between Glass	.30 / .18	.30 / .18	.26 / .13	.24 / .13	.19 / .05				.22 / .10
	Low-E Glass	.30 / .19	.30 / .19		.24 / .14			.20 / .05		.22 / .10
	Solid Panel								.14 / .01	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	



2017 ENERGY STAR® Qualification Chart-Traditions



Door Collection / Glass Design						
		22x80	20x80	14x80	22x47	7x80
Impact	Traditions Steel (Wood Edge)					
	8'0" Section					
	Glass Size (Inches)					
	Blackstone®	.29 / .29	.29 / .29		.26 / .22	.23 / .16
	Crystalline™	.29 / .29	.29 / .29		.26 / .22	.23 / .16
	Salinas®	.32 / .30			.28 / .23	.24 / .17
	Element					
	Maple Park®				.26 / .22	
	Avonlea®				.26 / .22	
	Saratoga™				.26 / .22	.23 / .16
	Arden®				.26 / .22	
	Texas Star				.26 / .22	
	Wellesley™	.29 / .29	.29 / .29		.26 / .22	.23 / .16
	Riserva™	.32 / .30			.28 / .23	.24 / .17
	Concorde™	.29 / .29	.29 / .29		.26 / .22	.23 / .16
	Kensington™				.26 / .22	
	Crystal Diamonds™				.26 / .22	
	Axis™	.29 / .29	.29 / .29		.26 / .22	.23 / .16
	Frosted Images®	.32 / .32	.32 / .32		.28 / .24	.24 / .18
	Privacy Glass	.29 / .29	.29 / .29		.26 / .22	.23 / .16
Clear with Divided Lites	.32 / .32	.32 / .32		.29 / .24		
Clear with Grilles Between Glass	.33 / .30	.33 / .30	.28 / .24	.28 / .23	.25 / .17	
Clear Glass	.32 / .32	.32 / .32	.28 / .24	.28 / .24	.24 / .18	
Low-E with Divided Lites	.25 / .18	.25 / .18		.24 / .13		
Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.23 / .13	.23 / .13	.21 / .10	
Low-E Glass	.25 / .18	.25 / .18	.22 / .14	.22 / .14	.20 / .10	

Key	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	