



2016 ENERGY STAR® Qualification Chart



| | | | | | | | | | | | | |
|----------------------------------|-------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
| Non-Impact | Door Collection / Glass Design | | | | | | | | | | | |
| | Fiber-Classic® Mahogany Collection™ | | | | | | | | | | | |
| | 6'8" Section | | | | | | | | | | | |
| | Glass Size (Inches) | 22x64 | 20x64 | 16x64 | 22x47 | 22x36 | 16x40 | 21x15 | 8x42R | 22x10A | 8x6 | OPAQUE |
| | Blackstone® | .27 / .30 | .27 / .30 | | .24 / .23 | .22 / .17 | .22 / .17 | | .18 / .09 | | | |
| | Crystalline™ | .27 / .30 | .27 / .30 | | .24 / .23 | .22 / .17 | | | .18 / .09 | | .18 / .09 | |
| | Sedona | .27 / .30 | .27 / .30 | | .24 / .23 | .22 / .17 | | .18 / .09 | .18 / .09 | | | |
| | Sedona Art | .27 / .30 | .27 / .30 | | .24 / .23 | .22 / .17 | | .18 / .09 | .18 / .09 | | | |
| | Salinas® | .34 / .31 | .34 / .31 | | .29 / .23 | .26 / .18 | | | .21 / .09 | | | |
| | Element | .27 / .30 | | | | | | | | | | |
| | Maple Park® | .27 / .30 | | | .24 / .23 | .22 / .17 | | .18 / .09 | .18 / .09 | .18 / .09 | | |
| | Avonlea® | .27 / .30 | | | .24 / .23 | .22 / .17 | .22 / .17 | | .18 / .09 | | | |
| | Saratoga™ | .27 / .30 | .27 / .30 | | .24 / .23 | .22 / .17 | | .18 / .09 | .18 / .09 | .18 / .09 | | |
| | Arden® | .27 / .30 | | | .24 / .23 | .22 / .17 | .22 / .17 | | .18 / .09 | | | |
| | Texas Star | .27 / .30 | | | .24 / .23 | .22 / .17 | .22 / .17 | | | | | |
| | Wellesley™ | .27 / .30 | .27 / .30 | | .24 / .23 | .22 / .17 | .22 / .17 | | .18 / .09 | .18 / .09 | | |
| | Riserva™ | .34 / .31 | .34 / .31 | | .29 / .23 | .26 / .18 | | | .21 / .09 | | | |
| | Concorde™ | .27 / .30 | .27 / .30 | | .24 / .23 | .22 / .17 | .22 / .17 | | .18 / .09 | .18 / .09 | | |
| | Kensington™ | .27 / .30 | | | .24 / .23 | .22 / .17 | .22 / .17 | | .18 / .09 | | | |
| | Crystal Diamonds™ | .27 / .30 | .27 / .30 | | .24 / .23 | .22 / .17 | .22 / .17 | | .18 / .09 | | | |
| | Axis™ | .27 / .30 | .27 / .30 | .24 / .23 | .24 / .23 | .22 / .17 | | .18 / .09 | | | .18 / .09 | |
| | Frosted Images® | .34 / .34 | .34 / .34 | | .29 / .25 | .26 / .19 | .26 / .19 | | | | | |
| | Privacy with Divided Lites | .27 / .30 | .27 / .30 | .24 / .23 | .24 / .23 | .22 / .17 | | .18 / .09 | | .18 / .09 | | |
| | Chinchilla | .27 / .30 | .27 / .30 | .24 / .23 | .24 / .23 | .22 / .17 | | .18 / .09 | | .18 / .09 | .18 / .09 | |
| | Chord | .27 / .30 | .27 / .30 | .24 / .23 | .24 / .23 | .22 / .17 | | .18 / .09 | | .18 / .09 | .18 / .09 | |
| | Granite | .27 / .30 | .27 / .30 | .24 / .23 | .24 / .23 | .22 / .17 | | .18 / .09 | | .18 / .09 | .18 / .09 | |
| | Rainglass | .27 / .30 | .27 / .30 | .24 / .23 | .24 / .23 | .22 / .17 | | .18 / .09 | | .18 / .09 | .18 / .09 | |
| | Satin Etch | .27 / .30 | .27 / .30 | .24 / .23 | .24 / .23 | .22 / .17 | | .18 / .09 | | .18 / .09 | .18 / .09 | |
| | Clear with Internal Blinds | .37 / .28 | .37 / .28 | .32 / .21 | | .27 / .16 | | | | | | |
| | Clear with Divided Lites | .36 / .34 | | | .29 / .25 | .27 / .19 | | | | .21 / .10 | | |
| | Clear with Grilles Between Glass | .36 / .31 | .36 / .31 | .30 / .23 | .29 / .23 | .26 / .18 | | | | .21 / .09 | | |
| | Clear Glass | .36 / .34 | | | .29 / .25 | .27 / .19 | .26 / .19 | | .21 / .10 | .21 / .10 | .21 / .10 | |
| | Low-E with Internal Blinds | .32 / .23 | .32 / .23 | .28 / .17 | | .25 / .14 | | | | | | |
| | Low-E with Divided Lites | .30 / .16 | .30 / .16 | | .24 / .14 | .23 / .11 | | .19 / .06 | | .19 / .06 | | |
| Low-E with Grilles Between Glass | .30 / .17 | .30 / .17 | .26 / .13 | .24 / .13 | .23 / .10 | | | | .19 / .05 | | | |
| Low-E Glass | .30 / .16 | .30 / .16 | .26 / .14 | .24 / .14 | .23 / .11 | .22 / .10 | .19 / .06 | .19 / .06 | .19 / .06 | .19 / .06 | | |
| Solid Panel | | | | | | | | | | | .14 / .01 | |

| | | |
|-----|---|--|
| Key | Indicates Product is Energy Star Qualified in all 50 States | Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability |
| | Indicates Product is Energy Star Qualified in Northern Zone | |
| | Indicates Product is NOT Energy Star Qualified | |



2016 ENERGY STAR® Qualification Chart











| | | | | | |
|------------|-------------------------------------|-----------|-----------|-----------|-----------|
| Non-Impact | Door Collection / Glass Design | | | | |
| | Fiber-Classic® Mahogany Collection™ | | | | |
| | 6'8" Section | | | | |
| | Glass Size (Inches) | 7x64 | 8x47 | 8x36 | 8x44S |
| | Blackstone® | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Crystalline™ | .18 / .09 | .18 / .09 | .18 / .09 | .18 / .09 |
| | Sedona | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Sedona Art | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Salinas® | .21 / .09 | .21 / .09 | .21 / .09 | |
| | Element | .18 / .09 | | | |
| | Maple Park® | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Avonlea® | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Saratoga™ | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Arden® | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Texas Star | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Wellesley™ | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Riserva™ | .21 / .09 | .21 / .09 | .21 / .09 | |
| | Concorde™ | .18 / .09 | .18 / .09 | .18 / .09 | .18 / .09 |
| | Kensington™ | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Crystal Diamonds™ | .18 / .09 | .18 / .09 | .18 / .09 | .18 / .09 |
| | Axis™ | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Frosted Images® | .21 / .10 | | .21 / .10 | |
| | Privacy with Divided Lites | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Chinchilla | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Chord | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Granite | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Rainglass | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Satin Etch | .18 / .09 | .18 / .09 | .18 / .09 | |
| | Clear with Internal Blinds | .22 / .08 | | .22 / .08 | |
| | Clear with Divided Lites | .21 / .10 | .21 / .10 | .21 / .10 | |
| | Clear with Grilles Between Glass | .21 / .09 | .21 / .09 | .21 / .09 | |
| | Clear Glass | .21 / .10 | .21 / .10 | .21 / .10 | .21 / .10 |
| | Low-E with Internal Blinds | .20 / .07 | | .20 / .07 | |
| | Low-E with Divided Lites | .19 / .06 | .19 / .06 | .19 / .06 | |
| | Low-E with Grilles Between Glass | .19 / .05 | .19 / .05 | .19 / .05 | |
| | Low-E Glass | .19 / .06 | .19 / .06 | .19 / .06 | .19 / .06 |

| | | |
|-----|---|--|
| Key | Indicates Product is Energy Star Qualified in all 50 States | Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability |
| | Indicates Product is Energy Star Qualified in Northern Zone | |
| | Indicates Product is NOT Energy Star Qualified | |



2016 ENERGY STAR® Qualification Chart









| | | | | | | | | | | | |
|----------------------------------|---|-----------|---|---|---|---|---|---|---|---|-----------|
| Impact | Door Collection / Glass Design | |  |  |  |  |  |  |  |  | |
| | Fiber-Classic [®] Mahogany Collection [™] | | | | | | | | | | |
| | 6'8" Section | | | | | | | | | | |
| | Glass Size (Inches) | | 22x64 | 20x64 | 22x47 | 14x64 | 22x36 | 21x15 | 7x64 | 8x47 | 8x36 |
| | Blackstone [®] | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | | .19 / .09 | .19 / .09 | .19 / .09 |
| | Crystalline [™] | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | | .19 / .09 | .19 / .09 | .19 / .09 |
| | Salinas [®] | | .32 / .29 | | .28 / .22 | | .24 / .17 | | .20 / .09 | .20 / .09 | .20 / .09 |
| | Element | | .29 / .29 | | | | | | .19 / .09 | | |
| | Maple Park [®] | | .29 / .29 | | .26 / .22 | | .23 / .16 | .19 / .09 | .19 / .09 | .19 / .09 | .19 / .09 |
| | Avonlea [®] | | .29 / .29 | | .26 / .22 | | .23 / .16 | | .19 / .09 | .19 / .09 | .19 / .09 |
| | Saratoga [™] | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | .19 / .09 | .19 / .09 | .19 / .09 | .19 / .09 |
| | Arden [®] | | .29 / .29 | | .26 / .22 | | .23 / .16 | | .19 / .09 | .19 / .09 | .19 / .09 |
| | Texas Star | | .29 / .29 | | .26 / .22 | | .23 / .16 | | .19 / .09 | .19 / .09 | .19 / .09 |
| | Wellesley [™] | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | | .19 / .09 | .19 / .09 | .19 / .09 |
| | Riserva [™] | | .32 / .29 | | .28 / .22 | | .24 / .17 | .20 / .09 | .20 / .09 | .20 / .09 | .20 / .09 |
| | Concorde [™] | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | | .19 / .09 | .19 / .09 | .19 / .09 |
| | Kensington [™] | | .29 / .29 | | .26 / .22 | | .23 / .16 | | .19 / .09 | .19 / .09 | .19 / .09 |
| | Crystal Diamonds [™] | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | | .19 / .09 | .19 / .09 | .19 / .09 |
| | Axis [™] | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | .19 / .09 | .19 / .09 | .19 / .09 | .19 / .09 |
| | Frosted Images [®] | | .31 / .32 | .31 / .32 | .27 / .24 | | .24 / .18 | | .20 / .09 | | .20 / .09 |
| Chinchilla | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | .19 / .09 | .19 / .09 | .19 / .09 | .19 / .09 | |
| Chord | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | .19 / .09 | .19 / .09 | .19 / .09 | .19 / .09 | |
| Granite | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | .19 / .09 | .19 / .09 | .19 / .09 | .19 / .09 | |
| Rainglass | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | .19 / .09 | .19 / .09 | .19 / .09 | .19 / .09 | |
| Satin Etch | | .29 / .29 | .29 / .29 | .26 / .22 | | .23 / .16 | .19 / .09 | .19 / .09 | .19 / .09 | .19 / .09 | |
| Clear with Grilles Between Glass | | .32 / .29 | .32 / .29 | .28 / .22 | .24 / .17 | .24 / .17 | | .20 / .09 | .20 / .09 | .20 / .09 | |
| Clear Glass | | .31 / .32 | .31 / .32 | .27 / .24 | .24 / .18 | .24 / .18 | | .20 / .09 | .20 / .09 | .20 / .09 | |
| Low-E with Grilles Between Glass | | .26 / .17 | .26 / .17 | .23 / .13 | .21 / .10 | .21 / .10 | | .18 / .05 | .18 / .05 | .18 / .05 | |
| Low-E Glass | | .25 / .18 | .25 / .18 | .22 / .14 | .20 / .10 | .23 / .11 | .18 / .06 | .18 / .06 | .18 / .06 | .18 / .06 | |

| | | |
|-----|---|--|
| Key | Indicates Product is Energy Star Qualified in all 50 States | Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability |
| | Indicates Product is Energy Star Qualified in Northern Zone | |
| | Indicates Product is NOT Energy Star Qualified | |



2016 ENERGY STAR® Qualification Chart



| | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|-----------|
| Impact | Door Collection / Glass Design |  |  |  |  |  |  | |
| | Fiber-Classic [®] Mahogany Collection [™] | | | | | | | |
| | 8'0" Section | | | | | | | |
| | Glass Size (Inches) | 22x80 | 20x80 | 14x80 | 22x47 | 7x80 | 7x64 | 8x47 |
| | Blackstone [®] | .29 / .29 | .29 / .29 | | .26 / .22 | .23 / .16 | .19 / .09 | .19 / .09 |
| | Crystalline [™] | .29 / .29 | .29 / .29 | | .26 / .22 | .23 / .16 | .19 / .09 | .19 / .09 |
| | Salinas [®] | .32 / .29 | | | .28 / .22 | .24 / .17 | .20 / .09 | .20 / .09 |
| | Element | | | | | | .19 / .09 | |
| | Maple Park [®] | | | | .26 / .22 | | .19 / .09 | .19 / .09 |
| | Avonlea [®] | | | | .26 / .22 | | .19 / .09 | .19 / .09 |
| | Saratoga [™] | | | | .26 / .22 | .23 / .16 | .19 / .09 | .19 / .09 |
| | Arden [®] | | | | .26 / .22 | | .19 / .09 | .19 / .09 |
| | Texas Star | | | | .26 / .22 | | .19 / .09 | .19 / .09 |
| | Wellesley [™] | .29 / .29 | .29 / .29 | | .26 / .22 | .23 / .16 | .19 / .09 | .19 / .09 |
| | Riserva [™] | .32 / .29 | | | .28 / .22 | .24 / .17 | .20 / .09 | .20 / .09 |
| | Concorde [™] | .29 / .29 | .29 / .29 | | .26 / .22 | .23 / .16 | .19 / .09 | .19 / .09 |
| | Kensington [™] | | | | .26 / .22 | | .19 / .09 | .19 / .09 |
| | Crystal Diamonds [™] | | | | .26 / .22 | | .19 / .09 | .19 / .09 |
| | Axis [™] | .29 / .29 | .29 / .29 | | .26 / .22 | .23 / .16 | .19 / .09 | .19 / .09 |
| | Frosted Images [®] | .31 / .32 | .31 / .32 | | .27 / .24 | .24 / .18 | .20 / .09 | |
| | Chinchilla | .29 / .29 | .29 / .29 | | .26 / .22 | .23 / .16 | .19 / .09 | .19 / .09 |
| | Chord | .29 / .29 | .29 / .29 | | .26 / .22 | .23 / .16 | .19 / .09 | .19 / .09 |
| | Granite | .29 / .29 | .29 / .29 | | .26 / .22 | .23 / .16 | .19 / .09 | .19 / .09 |
| | Rainglass | .29 / .29 | .29 / .29 | | .26 / .22 | .23 / .16 | .19 / .09 | .19 / .09 |
| | Satin Etch | .29 / .29 | .29 / .29 | | .26 / .22 | .23 / .16 | .19 / .09 | .19 / .09 |
| Clear with Grilles Between Glass | .32 / .29 | .32 / .29 | .28 / .22 | .28 / .22 | .24 / .17 | .20 / .09 | .20 / .09 | |
| Clear Glass | .31 / .32 | .31 / .32 | .27 / .24 | .27 / .24 | .24 / .18 | .20 / .09 | .20 / .09 | |
| Low-E with Grilles Between Glass | .26 / .17 | .26 / .17 | .23 / .13 | .23 / .13 | .21 / .10 | .18 / .05 | .18 / .05 | |
| Low-E Glass | .25 / .18 | .25 / .18 | .22 / .14 | .22 / .14 | .20 / .10 | .18 / .06 | .18 / .06 | |

| | | |
|-----|---|--|
| Key | Indicates Product is Energy Star Qualified in all 50 States | Numbers: U-Factor / Solar Heat Gain Coefficient X: Indicates Product Availability |
| | Indicates Product is Energy Star Qualified in Northern Zone | |
| | Indicates Product is NOT Energy Star Qualified | |