

Impact-Rated Products







Tough when you need it. Beautiful always.


Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

Step 1: Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.*

STRUCTURAL


Step 2: Use the icons to find available
Therma-Tru. product options in this brochure.



Designed to withstand wind forces up to 167 mph (DP-50). (ASTM E 1886 / ASTM E 1996)



Designed to withstand wind forces up to 175 mph (DP-55). (TAS 201 / TAS 203)



Step 3: Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

Step 4: Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of your door system depends on how it is installed. Proper installation is required to comply with building codes.




Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*

Impact Doors

Feature a built-in 24-gauge steel plate lining.



Features special laminated glass construction.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction.

An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.





Blackstone

Clear curved bevels, rainglass and caming.



Caming Options



Black Nickel

Brushed Nickel

Glass Privacy Rating



Glass Sizes Available

22" x 80" 20" x 36" 22" x 64" 8" x 47" 22" x 47" 8" x 36" 22" x 36" 7-13/16" x 80" 20" x 80" 7" x 64"

20" x 64"



FCM108 **M** Also available: FC108 O S6002 S



FCM871 M Also available: 81918P O S85892 S



FCM310 M ■ Also available: FC310 O = S310 S



FCM816 ■ Also available: FC816 O = S816 S =



FCM765 M Also available: FC765 O



S975 S FC770 O Also available: S979 S



81952P O Also available: S894 S



FCM109 **M** Also available: FC109 O S6000 S



FCM863 **™** Also available: 81933P O S81933P S



FCM6032 M Also available: S6032 S



FCM6052 ™ Also available: S6052 S



S972 S 81975P O Also available:



FC80943 O Also available: S9343 S



FC86243 O Also available: S83143 S



FC108SL O Also available: S6002SL S



FCM871SL M Also available: 81918PSL O S85892SL S



FCM808SL M Also available: FC808SL 0 = S4570SL S =



FCM81918SL M = Also available: 81918SL O = S85927SL S



FCM765SL M Also available: FC765SL O S975SL S



S85905 S

FCM882SL M Also available: 81952PSL O S894SL S



FCM109SL M Also available: FC109SL O S6000SL S



FCM863SL™ Also available: 81933PSL O S85912SL S

Available Door Selections & Options


- Fiber-Classic Oak S Smooth-Star
- WBDR Option WBDR / HVHZ Option



Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.

Crystalline_M

Glue chip glass, glue chip bevels, clear bevels and caming.



Caming Options



Black Nickel Brushed Nickel



Brass

Glass Privacy Rating



Glass Sizes Available

22" x 80" 20" x 36" 22" x 64" 8" x 47" 22" x 47" 8" x 36" 22" x 36" 7-13/16" x 80" 20" x 80" 7" x 64" 20" x 64"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM16 ™ Also available: FC16 O S916 S



FCM8114 M Also available: 81800P O S814 S



FCM668 ■ Also available: FC668 🖸 🔳 S668 S



FCM814 M ■ Also available: FC814 O = S815 S



FCM38 M Also available: FC38 O



FC772 O Also available: S981 S



81953P O Also available: S888 S



FCM45 M Also available: FC45 O S926 S



FCM898 M Also available: 81935P O S81935P S



FCM6027 M Also available: S6027 S



FCM6047 M Also available: S6047 S



81977P O Also available: S85907 S



FC80941 O Also available: S9341 S



FC86241 O Also available: S83141 S



FC46SL O Also available: S916SL S



FCM8114SL M Also available: 81800PSL O S814SL S



FCM18101SL M = Also available: 18101SL O = S6130SL S =



FCM81800SL M . Also available: 81800SL O . S84586SL S



S38 S

FCM38SL M Also available: FC38SL O S758SL S



FCM8105SL M Also available: 81953PSL O S888SL S



FCM45SL M Also available: FC43SL O S930SL S




FCM898SL M Also available: 81935PSL O S85914SL S

- Fiber-Classic Oak S Smooth-Star
- WBDR Option




Salinas

Oceana glass and wrought iron.



Caming Option



Wrought Iron

Glass Privacy Rating



Glass Sizes Available

8" x 47" 22" x 80" 22" x 64" 8" x 36" 22" x 47" 7-13/16" x 80" 22" x 36" 7" x 64"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM113 M Also available: FC113 O S6008 S



FCM873 **™** Also available: 81919P O S85893 S



FCM369 M ■ Also available: FC369 🖸 🔳 S369 S



FCM817 M ■ Also available: FC817 O = S817 S



FCM115 M Also available: FC115 O



S6009 S Also available: S6010 S



81955P O Also available: S895 S



FCM114 **™** Also available: FC114 O S6006 S



Also available: 81937P O S81937P S



FCM6031 M Also available: S6031 S



FCM6051 M Also available: S6051 S



S973 S



81980P O Also available: S893 S



FC80953 O Also available: S9353 S



FC86253 O Also available: S83153 S



FC113SL O Also available S6008SL S



FCM873SL M Also available: 81919PSL 0 S85893SL S



FCM814SL M = Also available: FC814SL 0 = S6134SL S ■



FCM81919SL ■ Also available: 81919SL 0 = S85931SL S



FCM115SL M Also available: FC115SL O S6009SL S



FCM884SL M Also available: 81955PSL O S895SL S



FCM114SL M Also available: FC114SL O S6006SL S



FCM865SL M Also available: 81937PSL O S85916SL S


- Fiber-Classic Oak S Smooth-Star





Maple Park

Waterglass, clear bevels, granite glass and caming.



Caming Options



Brushed Nickel

Glass Privacy Rating



Glass Sizes Available

8" x 47" 22" x 64" 22" x 47" 8" x 36" 22" x 36" 7" x 64" 21" x 15"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM900 **M** Also available: FC900 O S6100 S



FCM1006 M ■ FCM902 M Also available: FC1006 0 = S1006 S



Also available: FC902 O



S6102 S



FC777 0 Also available: S6103 S



81957P O Also available: S85898 S



FCM901 **™** Also available: FC901 O S6101 S



FCM886™ Also available: 81939P O S81939P S



FCM6107 M Also available: S6107 S



FCM6108 M Also available: S6108 S



S6106 S 81982P O S85897 S



Also available:



S2630 S S82630 S



FCM609 M Also available: S609 S



S8609 S



FC80955 O Also available: S9355 S



FC86255 O Also available: S83155 S



FC900SL O Also available: S6100SL S



FCM812SL M = Also available: FC812SL 0 = S6131SL S =



FCM902SL M Also available: FC902SL O S6102SL S



FCM887SL M Also available: 81957PSL O S85898SL S



FCM901SL M Also available: FC901SL O S6101SL S



FCM886SL M Also available: 81939PSL O S85918SL S




- Fiber-Classic Oak S Smooth-Star
- WBDR Option
- WBDR / HVHZ Option No Stile Lines

Avonlea

Clear baroque glass, bronze waterglass and black nickel caming.



Caming Option



Black Nickel

Glass Privacy Rating



Glass Sizes Available

8" x 47" 22" x 64" 22" x 47" 8" x 36" 7" x 64" 22" x 36"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM758 **™** Also available: FC758 O S962 S



Also available: FC1027 0 = S1027 S



FCM1027 **■** FCM764 **■** Also available: FC764 O



S976 S



FC769 O Also available: S980 S



81967P O Also available: S85900 S



FCM896 **™** Also available: Also available: FC761 O 81932P O S81932P S S964 S



FCM968 M Also available: S968 S



FCM966 M Also available: S966 S



S970 S



81974P O Also available: S85906 S



FC80956 O Also available: S9356 S



FC86256 O Also available: S83156 S



FC758SL O Also available: S962SL S



FCM807SL M Also available: FC807SL 0 = S6127SL S



FCM764SL M Also available: FC764SL O S976SL S



Also available: 81967PSL O S85900SL S



Also available: FC761SL O S964SL S



FCM8104SL M FCM761SL M FCM896SL M Also available: 81932PSL O S85911SL S

- M Fiber-Classic Mahogany
- Fiber-Classic Oak S Smooth-Star
- WBDR Option WBDR / HVHZ Option
- No Stile Lines



Saratoga_m

Clear bevels, diamond glass, reed glass and caming.



Caming Options



Black Nickel



Brushed Nickel

Glass Privacy Rating



Glass Sizes Available

22" x 64" 20" x 36" 22" x 47" 8" x 47" 8" x 36" 22" x 36" 21" x 15" 7-13/16" x 80" 20" x 64" 7" x 64"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM905 ■ Also available: FC905 O S154 S



Also available: FC6093 O = S6093 S



FCM6093 M ■ FCM907 M Also available: FC907 O



S6092 S



FC776 O Also available: S982 S



81956P O Also available: S891 S



FCM906 **™** Also available: FC906 O S213 S



FCM888 **™** Also available: 81938P O S81938P S



FCM6029 M Also available: S6029 S



FCM6049 M Also available: S6049 S



S41 S

81981P O Also available:

S85908 S



S2660 S



S82660 S



FCM602 M Also available: S602 S



S8602 S



FC80954 O Also available: S9354 S



FC86254 O Also available: S83154 S



FC905SL O Also available: S154SL S



FCM893SL M Also available: 81986PSL O S8602SL S



FCM815SL M ■ Also available: FC815SL 0 = S602SL S



Also available: 81986SL O = S85932SL S



FCM907SL™ Also available: FC907SL O S6092SL S



FCM889SL M Also available: 81956PSI 0 S891SI S



FCM906SL M Also available: FC906SI 0 S291SL S



FCM888SL M Also available: 81938PSL O S85917SL S




- Fiber-Classic Oak
- S Smooth-Star



Texas Star

Clear bevels, curved bevels, waterglass, granite glass, glue chip glass and brushed nickel caming.



Caming Option



Brushed Nickel

Glass Privacy Rating



Glass Sizes Available

8" x 47" 22" x 64" 22" x 47" 8" x 36" 7" x 64" 22" x 36"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM142 M Also available: FC142 O S6070 S



Also available: FC1029 0 = S1029 S



FCM1029 M ■ FCM143 M Also available: FC143 O



S6071 S



FC778 O Also available: S6072 S



81958P O Also available: S85901 S



FCM899 **™** Also available: Also available: 81940P O S81940P S



FCM6074 M Also available: S6074 S



FCM6075 M Also available: S6075 S



S6076 S



FC80957 O Also available: S9357 S



FC86257 O Also available: S83157 S



FC144 O

S6073 S

FC142SL O Also available: S6070SL S



FCM817SL M ■ Also available: FC817SL 0 = S6135SL S



FCM143SL M Also available: FC143SL O S6071SL S



Also available: 81958PSL O 85901SL S



FCM8103SL M FCM144SL M Also available: FC144SL O S6073SL S




81983P O

FCM899SL M Also available: 81940PSL O 85919SL S



Wellesley_m

Clear baroque glass, clear curved bevels, waterglass, granite glass and caming.



Caming Options



Black Nickel



Brushed Nickel



Brass

Glass Privacy Rating

(6) Clear Opaque Glass Sizes Available

22" x 80" 20" x 36"

22" x 64" 8" x 47" 22" x 47" 8" x 36" 22" x 36" 7-13/16" x 80"

20" x 80" 7" x 64"

20" x 64"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM104 **™** Also available: FC104 O S155 S



FCM874 **™** Also available: 81921P O S85896 S



FCM6094 ■ Also available: FC6094 0 = S6094 S



FCM821 ■ Also available: FC821 O = S821 S



FCM147 M Also available: FC147 O



S6091 S FC779 O Also available: S983 S



81959P O Also available: S892 S



FCM105 M Also available: FC105 O S214 S



FCM866 M Also available: 81941P O S81941P S



FCM6030 M Also available: S6030 S



FCM6050 M Also available: S6050 S



81984P O Also available: S85909 S



FC80949 O Also available: S9349 S



FC86249 O Also available: S83149 S



FC104SL O Also available: S155SL S



FCM874SL M Also available: 81921PSL O S85896SL S



FCM818SL **M** ■ Also available: FC818SL 0 = S5870SL S =



FCM81921SL M ■ Also available: 81921SL O . S85934SL S



S42 S

FCM147SL M Also available: S6091SL S



FCM885SL M Also available: 81959PSL O S892SL S




Also available: FC105SL O S292SL S



FCM105SL M FCM866SL M Also available: 81941PSL O S85922SL S


- Fiber-Classic Oak S Smooth-Star





Riserva_m

Oceana glass and wrought iron.



Caming Option



Wrought Iron

Glass Privacy Rating



Glass Sizes Available

22" x 80" 8" x 47" 22" x 64" 8" x 36" 22" x 47" 7-13/16" x 80" 22" x 36" 7" x 64" 21" x 15"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM574 M Also available: FC574 O S574 S



FCM8574 M Also available: FC8574 O S8574 S



FCM571 M = Also available: FC571 0 S571 S



FCM8571 M = Also available: FC8571 0 S8571 S



FCM543 M Also available: FC543 O



S543 S FC529 O Also available: S529 S



FC8529 O Also available: S8529 S



FCM581 **™** Also available: FC581 O S581 S



FCM8581 M Also available: FC8581 O S8581 S



FCM575 M Also available: S575 S



FCM577 M Also available: S577 S



FC8579 O Also available: S8579 S



S2670 S



S82670 S



FCM508 M Also available: S508 S



S8508 S



FC507 O Also available: S507 S



FC549 O Also available: S549 S



FC573SL O Also available: S573SL S



FCM8573SL M Also available: FC8573SL 0 S8573SL S



FCM572SL **™**■ Also available: FC572SL O S572SL S



FCM8572SL M ■ Also available: FC8572SL 0 = S8572SL S =



FCM545SL M Also available: FC545SI O S545SL S



FCM8545SL M Also available: FC8545SI 0 S8545SL S



FCM583SL M Also available: FC583SL O S583SL S



FCM8583SL M Also available: FC8583SL O S8583SI S

Available Door Selections & Options

- Fiber-Classic Oak S Smooth-Star
- WBDR Option
- No Stile Lines

WBDR / HVHZ Option



Concorde

Glue chip glass, clear curved bevels, clear glass and caming.



Caming Options



Black Nickel



Brushed Nickel



Brass

Glass Privacy Rating

Clear Opaque Glass Sizes Available 22" x 80" 20" x 36" 8" x 47" 22" x 64" 22" x 47" 8" x 36" 22" x 36" 7-13/16" x 80" 20" x 80" 7" x 64" 20" x 64"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM910 **M** Also available: FC910 O S6090 S



FCM890 **™** Also available: 81928P O S85895 S



FCM6095 M ■ FCM820 M ■ Also available: FC6095 🖸 🔳 S6095 S



Also available: FC820 0 = S820 S



FCM912 M Also available: FC912 O



FC780 O Also available: S97 S



81960P O Also available: S85902 S



FCM911 M Also available: FC911 O S426 S



FCM891 M Also available: 81942P O S81942P S



FCM6026 M Also available: S6026 S



FCM6046 M Also available: S6046 S



S37 S



81985P O Also available: S837 S



FC80947 O Also available: S9347 S



FC86247 O Also available: S83147 S



FC910SL O Also available: S416SL S



FCM890SL M Also available: 81928PSL O S85895SL S



FCM809SL M ■ Also available: FC809SL 0 = S4070SL S



FCM81928SL M = Also available: 81928SL 0 = S85930SL S



FCM912SL M Also available: FC912SL O S757SLS




FCM892SL M Also available: 81960PSL O S85902SL S



FCM911SL M Also available: FC911SL O S430SL S



FCM891SL M Also available: 81942PSL O S85920SL S



- Fiber-Classic Oak S Smooth-Star
- WBDR Option



Kensington_m

Clear bevels, glue chip glass, granite glass and caming.



Caming Options



Black Nickel



Brushed Nickel

Glass Privacy Rating



Glass Sizes Available

22" x 64" 8" x 47" 22" x 47" 8" x 36" 22" x 36" 7" x 64"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM148 M Also available: FC148 O S160 S



FCM626 M = Also available: FC626 O = S626 S =



FCM156 M Also available: FC156 O



S156 S



FC20042 O Also available: S20042 S



81961P O
Also available:
S902 S



FCM149 M Also available: FC149 O S161 S



FCM8149 M Also available: FC8149 O S8149 S



FCM6036 M Also available: S6036 S



FCM6056 M Also available: S6056 S



S43 S

FC89701 O
Also available:

S89701 S



FC80942 O
Also available:
S9342 S



FC86242 O Also available: S83142 S



FC148SL O
Also available:
S160SL S



FCM813SL M
Also available:
FC813SL O
S6132SL S



FCM1442SL M Also available: FC1442SL S S1442SL S




FCM8107SL M Also available: 81961PSL O S902SL S



M FC149SL O
Also available:
FCM149SL M
S161SL S



FC8867SL Also available:
FCM867SL S867SL S



NEW Pembridge_m

Hammered glass framed by gray baroque glass and multifaceted bevels.



Caming Options



Black Nickel



Brushed Nickel



Brass

Glass Privacy Rating

Clear Opaque

Glass Sizes Available

22" x 80" 8" x 47" 22" x 64" 8" x 36" 22" x 47" 7-13/16" x 80" 22" x 36" 7" x 64" 21" x 15"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM6550 M Also available: FC6550 O S6550 S



FCM86550 M Also available: FC86550 O S86550 S



FCM6500 M Also available: FC6500 0 S6500 S



FCM86500 M = Also available: FC86500 O S86500 S



FCM6582 M Also available: FC6582 O



S6582 S FC6580 O Also available: S6580 S



FC86580 O Also available: S86580 S



FCM6560 M Also available: FC6560 O S6560 S



FCM86560 M Also available: FC86560 O S86560 S



FCM6565 M Also available: S6565 S



FCM6568 M Also available: S6568 S



S6536 S



FC86536 O Also available: S86536 S



S2640 S S82640 S



FCM6520 M Also available: S6520 S



S86520 S



FC86533 O Also available: S86533 S



FC6550SL O Also available: S6550SL S



FCM86550SL M Also available: FC86550SL O S86550SL S



FCM6500SL Me Also available: FC6500SL 0 S6500SL S



FCM86500SL M = Also available: FC86500SL 0 = S86500SL S



FC6580SL O Also available: FCM6580SI M S6580SL S



FC86580SL 0 Also available: FCM86580SL M S86580SL S



S6565SL S Also available: FCM6565SL M FC6565SL 0



S86560SL S Also available: FCM86560SL M FC86560SL 0



- Fiber-Classic Oak S Smooth-Star
- WBDR Option
- WBDR / HVHZ Option No Stile Lines

Axis

Narrow reed glass, clear glass bevels and black nickel caming.



Caming Option



Black Nickel

Glass Privacy Rating



Glass Sizes Available

22" x 80" 8" x 47" 22" x 64" 8" x 36" 22" x 47" 7-13/16" x 80" 22" x 36" 7" x 64" 21" x 15"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM1652 M Also available: FC1652 O S1652 S



FCM81652 M Also available: FC81652 O S81652 S



FCM1651 M Also available: FC1651 0= S1651 S



Also available: FC81651 O S81651 S



FCM81651 M■ FCM1647 M Also available: FC1647 O



S1647 S FC1646 O Also available: S1646 S



FC81646 O Also available: S81646 S



FCM1654 M Also available: FC1654 O S1654 S



FCM81654 M Also available: FC81654P O S81654 S



FCM1656 M Also available: S1656 S



FCM1658 M Also available: S1658 S



S1653 S Also available: S81653 S



S2620 S



S82620 S



FCM1650 M Also available: S1650 S



S81650 S



FC1655 O Also available: S1655 S



FC81649 O Also available: S81649 S



FC1652SL O Also available: S1652SL S



Also available: FC81652SL O S81652SL S



FCM1651SL Me Also available: FC1651SL 0 = S1651SL S =



S81651SL S Also available: FCM81651SL M . FC81651SL 0



FC1646SL O Also available: FCM1646SL M S1646SL S



FC81646SL 0 Also available: FCM81646SL M S81646SL S



S1656SL S Also available: FCM1656SL M FC1656SL 0



S81654SL S Also available: FCM81654SL M FC81654SL 0

Available Door Selections

Fiber-Classic Oak

S Smooth-Star

WBDR Option WBDR / HVHZ Option No Stile Lines



Frosted Images.

White-frosted glass.



Glass Privacy Rating



Glass Sizes Available

22" x 80" 20" x 64" 22" x 64" 8" x 36" 22" x 47" 7-13/16" x 80" 22" x 36" 7" x 64" 20" x 80"



FCM11 M Also available: FC11 O S138 S



FCM8113 M Also available: 81970P O S812 S



FCM669 M
Also available:
FC669 D
S669 S



FCM813 M
Also available:
FC813 O
S813 S



FCM763 M Also available: FC763 O



S84 S FC768 O Also available: S94 S



81963P O
Also available:
S884 S



FCM66 M Also available: FC66 S S206E S



FCM895 M Also available: 81931P O S81931P S



FCM6023 M Also available: S6023 S



FCM6043 M Also available: S6043 S





FC80945 O Also available: S9345 S



FC86245 O Also available: S83145 S



FC11SL O
Also available:
S138SL S



S8113SL S

Also available:
FCM8113SL M
FC8113SL O





S81300SL S Also available:
FCM81300SL M 81300SL O



S34 S

FCM8109SL M Also available: 81963PSL O S884SL S



FC44SL O
Also available:
FCM66SL M
S289ESL S

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.


- Fiber-Classic MahoganyFiber-Classic Oak
- S Smooth-Star
- WBDR Option
 WBDR / HVHZ Option



Privacy & Textured Glass

NEW Geometric (XG)

A sleek cubic texture with a unique multidimensional view and ever-changing



Glass Privacy Rating





Chord (XC) A vertical, flowing pattern reminiscent of waves on



Glass Privacy Rating

Rainglass (XR)

cascading water.



Clear Opaque

Granite (XN)

An elegantly fashioned A coarse grained glass, featuring ripples of arrangement with surface detail over the entirety of glass



Glass Privacy Rating



Clear

Clear

Glass Privacy Rating

(10)

Opaque

Privacy & Texured Glass Options

XG = NEW Geometric XJ = Chinchilla XE = Satin Etch XR = Rainglass XC = ChordXN = Granite

Note: Add the code to the blank in the style number for the desired door and glass combination.

Glass Sizes Available

22" x 80" 20" x 64" 22" x 64" 8" x 47" 22" x 47" 8" x 36" 22" x 36" 7-13/16" x 80" 20" x 80" 7" x 64"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.





FCM10_{_} M Also available: FC10_ O

S118 S



FCM870_ ■ Also available: 81200P_ O S818 S



FCM1283_M ■ Also available: 1283_ 🖸 🔳 S140 S



FCM81200_M Also available: 81200_ 🖸 🔳 S8140 S



FCM32_ M Also available: FC32_ O



FC766_ 0 S80_S Also available: S90_S



81943P_ O Also available: S880_S





Glass Privacy Rating



Glass Privacy Rating



Opaque



FCM62 M Also available: FC62 O S206 S



FCM6021 M Also available: S6021 S



FCM6041 M Also available: S6041 S



FCM104 M Also available: FC104 O S104 S



81971P O Also available: S830 S



S2610 S



S82610_S



Also available:

81929P O

S81929P S

FCM601_ M Also available: S601_S



S8600_S



FC80920_ O Also available: S9320_S



FC86220_ O Also available: S83120_S



FC47_SL O Also available: S100_SL S



FCM870_SL M Also available: 81200P_SL O S8601_SL S



FCM12101_SL M = Also available: 12101 SL O S601 SL S



S81086 SL S Also available: FCM81200_SL **■** 81200 SL 0



S751 SL S Also available: FCM32_SL M FC32 SL O



S880 SL S Also available: FCM881 SL M 81943P SL O



FC48 SL O Also available: FCM62 SI M S210 SL S



81929P SL 0 Also available: FCM862_SL M S85910 SL S



- Fiber-Classic Oak S Smooth-Star
- WBDR Option WBDR / HVHZ Option
- No Stile Lines



Grilles Between Glass (GBGs)

Energy-efficient Low-E glass is available as an option.



Flat Bar Option



Note: Impact option only available in flat white GBG bars.

Glass Privacy Rating




Glass Sizes Available

22" x 80" 14" x 80" 22" x 64" 14" x 64" 22" x 47" 8" x 47" 22" x 36" 8" x 36" 20" x 80" 7-13/16" x 80" 7" x 64" 20" x 64"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.




FCM138 **™** Also available: FC138 O S128 S




FCM1285 M ■ Also available: 1285 🖸 🔳 S141 S




FCM1208 M Also available: FC1208 O S1208 S



FCM1200 M ■ Also available: FC1200 🖸 🔳 S1200 S



FCM18 M Also available: FC18 O S108 S



FCM1284 **■** Also available: Also available: 1284 🖸 🔳 FC198 O S6063 S S198 S



Also available: 1289 🖸 🔳 S6062 S



FCM828 M Also available: FC828 O S828 S



FCM81828 M = Also available: 81828 🖸 🔳 S81828 S



FCM81208P M Also available: 81208P O S808 S



FCM81829 M = Also available: 81208 0 S81208 S



FCM2107 M Also available: FC2107 O



FCM82 M Also available: FC82 0





FC2101 O Also available: S2101 S



81945P O Also available:



FC92 O Also available:



FC8310 O Also available: S8310 S



81946P O Also available: S882 S



81944P O Also available:



FCM65 M Also available: FC65 🖸 S262 S



FCM6022 M Also available: S6022 S



FCM6042 ™ Also available: S6042 S



FC8323 O Also available: FCM8323 M S8323 S



FC8321 O Also available: FCM8321 M S8321 S



FC8319 O Also available: S8319 S



FC832 O Also available: S832 S



FC809203 O Also available: S93203 S



FC862203 O Also available: S831203 S

Available Door Selections & Options

- Fiber-Classic Oak S Smooth-Star
- WBDR Option

S32 S

WBDR / HVHZ Option No Stile Lines

Grilles Between Glass (GBGs) Continued

Energy-efficient Low-E glass is available as an option.



Flat Bar Option



Note: Impact option only available in flat white GBG bars.


Glass Privacy Rating



Glass Sizes Available

22" x 80" 14" x 80" 22" x 64" 14" x 64" 22" x 47" 8" x 47" 22" x 36" 8" x 36" 20" x 80" 7-13/16" x 80" 20" x 64" 7" x 64"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



- M Fiber-Classic Mahogany
- Fiber-Classic OakSmooth-Star
- WBDR Option
 WBDR / HVHZ Option
- No Stile Lines

Clear Glass

Energy-efficient Low-E glass is available as an option.





Clear

22" x 80" 14" x 80" 22" x 64" 14" x 64" 22" x 47" 8" x 47" 22" x 36" 8" x 36" 20" x 80" 7" x 64" 20" x 64" 20" x 36"

FCM10 M FCM870 **™** FCM1283 M ■ FCM81200 M ■ FCM32 M S80 S FC766 O 81943P O Also available: FC10 O 81200P O 1283 🖸 🔳 81200 🖸 🔳 FC32 O S90 S S880 S S118 S S818 S S140 S S8140 S FCM62 M FCM862 M FCM6021 M FCM6041 M FCM670 M S30 S 81971P O S2610 S Also available: Also available: Also available: Also available: Also available: Also available: FC62 O 81929P O S6021 S S6041 S FC670 O S830 S S206 S S81929P S S104 S Glass Privacy Rating Opaque Glass Sizes Available S82610 S S601 S S8601 S FC80920 O FC86220 O FC47SL O FCM870SL M FCM12101SL ■ Also available: Also available: Also available: Also available: Also available: Also available: FCM601 S9320 S S83120 S S100SL S 81200PSL O 12101SL O = S8601SL S S601SL S 7-13/16" x 80"

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 25 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.

Available Door Selections & Options WBDR Option

FCM881SL M

Also available:

81943PSL O

S880SL S

FCM62SL M

Also available:

FC48SL O

S210SL S

- Fiber-Classic Oak S Smooth-Star

FCM32SL M

Also available:

FC32SL O

S751SL S

FCM81200SL ■

Also available:

81200SL O

S81086SL S

WBDR / HVHZ Option

FCM862SL M

Also available:

81929PSL O

S85910SL S

Pulse, Línea





11 Chord

12 Chinchilla

13 Rainglass

14 Granite

15 Low-E

- Blackstone.
- Crystalline_™
- 3 Salinas.
- 4 Avonlea
- 5 Saratoga™
- 6 Riserva_m
- NEW Pembridge...
- 8 Axis...
- **NEW** Geometric
- 10 Satin Etch

Glass Sizes Available

7-13/16" x 80" 7" x 64"

Blackstone_®



FCM1LBS M Also available: FC1LBS O S1LBS S



FCM1BS M Also available: FC1BS O S1BS S



FCM1RBS M Also available: FC1RBS O S1RBS S



FCM81LBS M Also available: FC81LBS O S18LBS S



FCM81BS M Also available: FC81BS O S81BS S



FCM81RBS M Also available: FC1RBS O S1RBS S

Crystalline™



FCM1LBL M Also available: FC1LBL O S1LBL S



FCM1BL M Also available: FC1BL O S1BL S



FCM1RBL M Also available: FC1RBL O S1RBL S



FCM81LBL M Also available: FC81LBL O S81LBL S



FCM81BL M Also available: FC81BL O S81BL S



FCM81RBL M Also available: FC81RBL O S81RBL S

Salinas.



FCM1LSA M Also available: FC1LSA O S1LSA S



FCM1SA M Also available: FC1SA O S1LSA S



FCM1RSA M Also available: FC1RSA O S1LSA S



Also available: FC81LSA O S1LSA S



FCM81LSA M FCM81SA M Also available: FC81SA O S1LSA S



FCM81RSA M Also available: FC81RSA O S1LSA S

- Mahogany-Grained Fiberglass
- - WBDR / HVHZ Option
- Oak-Grained Fiberglass
- Smooth Fiberglass

Pulse Línea Continued

Avonlea_®

Saratoga...



FCM1LAV M Also available: FC1LAV O S1LAV S



FCM1AV M Also available: FC1AV O S1AV S



FCM1RAV M Also available: FC1RAV O S1RAV S



FCM1LSG M Also available: FC1LSG O S1LSG S



FCM1SG M FCM1RSG M Also available: Also available: FC1SG O FC1RSG O S1SG S S1RSG S



FCM81LSG M Also available: FC81LSG O S81LSG S



FCM81SG M Also available: FC81SG O S81SG S



FCM81RSG M Also available: FC81RSG O S81RSG S



Riserva_m

FCM1LRS M FCM1RS M Also available: Also available: FC1LRS O FC1RS O S1LRS S S1RS S



FCM1RRS M Also available: FC1RRS O S1RRS S

Pembridge...



FCM81LRS M FCM81RS M Also available: FC81LRS O S81LRS S




FCM81RRS M Also available: Also available: FC81RS O FC81RRS 0 S81RS S S81RRS S



FCM1LPB M Also available: FC1LPB O S1LPB S



FCM1PB M Also available: FC1PB O S1PM S



FCM1RPB M Also available: FC1RPB O S1RPB S



FCM81LPB M FCM81PB M Also available: FC81LPB O S81LPB S



Also available: Also available: FC81PB O FC81RPB O S81PB S S81RPB S



Axis_™

FCM81RPB M FCM1LAX M Also available: FC1LAX O S1LAX S



Also available:

FC1AX O

S1AX S

FCM1RAX M Also available: FC1RAX O S1RAX S

Privacy & Textured, & Low-E



FCM81LAX ™ Also available: FC81LAX O S81LAX S



FCM81AX M Also available: FC81AX O S81AX S



FCM81RAX M Also available: FC81RAX O S81RAX S



FCM1L_ M Also available: FC1L_ O S1L S



FCM1_ M Also available: FC1_ 0 S1 S



FCM1R_ M Also available: FC1R_ O S1R S



FCM81L_ M Also available: FC81L_ 0 S81L S



FCM81_ M Also available: FC81_ 0 S81_S



FCM81R_ M Also available: FC81R_ 0 S81R S

Privacy & Texured, & Low-E Glass Options

XG = NEW Geometric XR = Rainglass XE = Satin Etch XN = Granite XC = ChordCL = Low-EXJ = Chinchilla

Note: Add the code to the blank in the style number for the desired door and glass combination.

Available Door Selections & Options

Mahogany-Grained Fiberglass WBDR / HVHZ Option

Oak-Grained Fiberglass

Smooth Fiberglass

Classic-Craft

Impact Steel-Plate Reinforced Fiberglass Doors

Classic-Craft_® Mahogany Collection_™



CCM60 **™** 3'0"x 6'8" Also available: CC60 O 2'8"x 6'8" 3'0"x 6'8" CCV060 C 3'0"x 6'8"



CCM701 M 3'0"x 6'8"



CCM890 M 3'0"x 8'0"

Classic-Craft, Rustic Collection,



CCR040 🖪 3'0"x 6'8"



CCR040R 🖪 3'0"x 6'8"



CCR200 🖪 3'0"x 6'8"



CCR200A 🖪 3'0"x 6'8"



CCR8225 🖪 3'0"x 8'0" 3'6"x 8'0"



CCR8225R 🖪 3'0"x 8'0'



CCR8005 🖪 3'0"x 8'0"



CCR8005A 🖸 3'0"x 8'0'



CCR8040 🖪 3'0"x 8'0" 3'6"x 8'0"



CCR8040R 🖪 3'0"x 8'0" 3'6"x 8'0"



CCR8200 🖪 3'0"x 8'0'



CCR8200A 🖪 3'0"x 8'0'

Classic-Craft. Canvas Collection.



CCR8220 🖸 3'0"x 8'0'



CCR8220R 🖸 3'0"x 8'0'

Classic-Craft_® Oak Collection_™



CC91 O 3'6"x 8'0" Also available: CCM890 M 3'0"x 8'0"



CC831 O 3'0"x 8'0" Also available: CCV831 C 3'0"x 8'0"



CC810 O 3'0"x 8'0" 3'6"x 8'0"



CC860 O 3'6" x 8'0" Also available: CCV860 C 3'0"x 8'0"



CCV400 C 3'0"x 6'8"



CCV205 C 3'0"x 6'8" Also available: CCR205 🖪 3'0"x 6'8"



3'0"x 6'8" Also available: CCR205A 🖪 3'0"x 6'8'





CCV455A C 3'0"x 6'8"



CCV220 C 3'0"x 6'8"



CCV200 C 3'0" x 6'8" Also available: CC91 O



CCV8205 C 3'0"x 8'0" Also available: CCR8205 R 3'0"x 8'0" 3'6"x 8'0'



CCV8205A C 3'0"x 8'0" Also available: CCR8205A 🖪 3'0"x 8'0"

3'6" x 8'0'



CCV8220 C 3'0"x 8'0'



- **Classic-Craft Rustic**
- O Classic-Craft Oak **Classic-Craft Canvas**
 - **WBDR / HVHZ Option**

3'0"x 6'8"

Fiber-Classic, & Smooth-Star.

Impact Steel-Plate Reinforced Fiberglass Doors

Fiber-Classic. Mahogany Collection...



FCM31 ™ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" Also available: FC31 O 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM60 ™ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" Also available: FC60 O 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" S210 S 2'6"x 6'8'

2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8'



FCM134 **™** 2'10"x 6'8" 3'0"x 6'8" Also available: FC134 O 2'10"x 6'8" 3'0"x 6'8" S11 S 2'10"x 6'8" 3'0"x 6'8"



FCM755 **™** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" Also available: FC755 O 2'8"x 6'8' 2'10"x 6'8" 3'0"x 6'8" S755 S 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" Also available: FC860 O 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" S810 S 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

Fiber-Classic. Oak Collection.



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" Also available: S93 S 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" Also available: S960 S 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'4"x 6'8" 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" Also available: FCM1000 M ■ 2'4" x 6'8" 2'6" x 6'8" 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8" S100 S 2'4"x 6'8" 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FC862 O 2'8"x 8'0' 2'10"x 8'0" 3'0"x 8'0" Also available: S831 S 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81000 🔼 💻 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0" Also available: FCM81000 M 2'4" x 8'0' 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0" S81000 S 2'4" x 8'0' 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"



Smooth-Star.

S220 S 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" Also available: FCM220 M 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8"



S200 S 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S205 S 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" Also available: FCM205 M 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S31 S 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



S600 S 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" Also available: FCM600 **™** 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8"



S8200 S 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S897 S 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0'



S8201 S 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0'



S8600 S 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0'

Available Door Selections & Options

Fiber-Classic Oak

Smooth-Star 6 WBDR / HVHZ Option No Stile Lines