


6/8 Fiber-Classic/ Smooth-Star/ Steel 4.3
8/0 Fiber-Classic/ Smooth-Star/ Steel 4.47
6/8 Pulse 4.64
8/0 Pulse 4.72

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions



Full Lite w/ Stile Lines

Daylight Opening:

2064	18-29/32" x 62-29/32"	(1189 sq.in.)
2064 Impact	18-13/16" x 62-13/16"	(1181 sq.in.)
2264	20-15/16" x 62-15/16"	(1317 sq.in.)
2264 Impact	20-13/16" x 62-13/16"	(1307 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:


Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C	D	E
2/6	2064	30"	21-29/32"	4-1/16"	21"	4-1/2"
2/8N	2064	32"	21-29/32"	5-1/16"	21"	5-1/2"
2/8	2264	32"	23-7/8"	4-1/16"	23-1/8"	4-7/16"
2/10	2264	34"	23-7/8"	5-1/16"	23-1/8"	5-7/16"
3/0	2264	36"	23-7/8"	6-1/16"	23-1/8"	6-7/16"

Height	F	G	H
6/6	4-5/32"	6-21/32"	76-11/16"
6/8	4-5/32"	9-7/32"	79-1/4"
6/8 Elevated	3-1/32"	10-11/32"	79-1/4"
7/0*	7-1/32"	10-11/32"	83-1/4"

*Only available in Fiber-Classic Oak and Smooth-Star.



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Full Lite Flush-Glazed

Daylight Opening:

1464	14-1/4" x 63-1/8"	(899 sq.in.)
2064	19-31/32" x 63-1/8"	(1261 sq.in.)
2564	24-3/32" x 63-1/8"	(1522 sq.in.)
2765	25-31/32" x 63-3/16"	(1640 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.

Available in:

Fiber-Classic Oak
Smooth-Star


Fiber-Classic Oak				
Width	Glass	A	B	C
2/0	1464	24"	4-1/4"	15-1/2"
2/6	2064	30"	4-3/8"	21-9/32"
2/8	2064	32"	5-3/8"	21-9/32"
2/10*	2564	34"	4-5/16"	25-13/32"
3/0	2764	36"	4-13/32"	27-7/32"

*Only available in 6/6.

Smooth-Star				
Width	Glass	A	B	C
2/0	1464	24"	4-1/4"	15-1/2"
2/6	2064	30"	4-3/8"	21-7/32"
2/8	2064	32"	5-3/8"	21-7/32"
2/10	2564	34"	4-3/32"	25-11/32"
3/0	2564	36"	5-3/32"	25-11/32"

Fiber-Classic Oak				
Height	D	E	F	G
6/6	4-23/32"	64-3/8"	7-19/32"	76-11/16"
6/8	4-23/32"	64-3/8"	10-3/32"	79-1/4"

Smooth-Star				
Height	D	E	F	G
6/6	4-9/16"	64-3/8"	7-25/32"	76-11/16"
6/8	4-9/16"	64-3/8"	10-5/16"	79-1/4"



Full Lite Flush

Daylight Opening:

1464	13" x 63"	(819 sq.in.)
1664	14-31/32" x 62-31/32"	(941 sq.in.)
2064	18-29/32" x 62-29/32"	(1189 sq.in.)
2264	20-15/16" x 62-15/16"	(1317 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.
Noise Reduction Options Available.

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Fiber-Classic and Smooth-Star										
Width	Glass	A	B	C	D	E (6/6)	E (6/8)	E (7/0)	F (6/6, 6/8)	F (7/0)
2/0Δ	1464	24"	4-1/8"	15-3/4"	65-3/4"	6-23/32"	9-9/32"	-	4-7/32"	-
2/4φ	1664	28"	5-1/32"	17-31/32"	65-31/32"	6-5/8"	9-3/16"	-	4-1/8"	-
2/6∇	2064	30"	4-1/16"	21-29/32"	65-29/32"	6-21/32"	9-7/32"	-	4-5/32"	-
2/8N	2064	32"	5-1/16"	21-29/32"	65-29/32"	6-21/32"	9-7/32"	-	4-5/32"	-
2/8	2264	32"	4-1/16"	23-7/8"	65-7/8"	6-21/32"	9-7/32"	10-11/32"	4-5/32"	7-1/32"
2/10	2264	34"	5-1/16"	23-7/8"	65-7/8"	6-21/32"	9-7/32"	10-11/32"	4-5/32"	7-1/32"
3/0	2264	36"	6-1/16"	23-7/8"	65-7/8"	6-21/32"	9-7/32"	10-11/32"	4-5/32"	7-1/32"
3/6ℓ	2264	42"	9-1/16"	23-7/8"	65-7/8"	6-21/32"	9-7/32"	10-11/32"	4-5/32"	7-1/32"

ℓOnly available in 6/8 Smooth-Star.

∇Not available in 7/0 Smooth-Star.

φOnly available in 6/6 and 6/8.

ΔOnly available in 6/8.

Profiles and Traditions										
Width	Glass	A	B	C	D	E (6/6)	E (6/8)	E (7/0)	F (6/6 & 6/8)	F (7/0)
2/0φ	1464	23-31/32"	4-1/8"	15-3/4"	65-3/4"	6-13/16"	9-3/8"	-	4-1/8"	-
2/0φ	1464 Impact	23-31/32"	4-1/16"	15-7/8"	65-7/8"	6-3/4"	9-5/16"	-	4-3/32"	-
2/4φ	1664	27-31/32"	5"	17-31/32"	65-31/32"	6-5/8"	9-3/16"	-	4-1/8"	-
2/6N	1664	29-31/32"	6"	17-31/32"	65-31/32"	6-5/8"	9-3/16"	-	4-1/8"	-
2/6	2064	29-31/32"	4-1/32"	21-29/32"	65-29/32"	6-21/32"	9-7/32"	10-11/32"	4-5/32"	7"
2/8N	2064	31-31/32"	5-1/32"	21-29/32"	65-29/32"	6-21/32"	9-7/32"	10-11/32"	4-5/32"	7"
2/8	2264	31-31/32"	4-1/16"	23-7/8"	65-7/8"	6-21/32"	9-7/32"	10-11/32"	4-5/32"	7-1/32"
2/10	2264	33-31/32"	5-1/16"	23-7/8"	65-7/8"	6-21/32"	9-7/32"	10-11/32"	4-5/32"	7-1/32"
3/0	2264	35-31/32"	6-1/16"	23-7/8"	65-7/8"	6-21/32"	9-7/32"	10-11/32"	4-5/32"	7-1/32"
3/6*	2264	41-31/32"	9-1/16"	23-7/8"	65-7/8"	6-21/32"	9-7/32"	10-11/32"	4-5/32"	7-1/32"

*Only available in Profiles.

φOnly available in 6/6 and 6/8.


Fiber-Classic and Smooth-Star	
Height	G
6/6	76-11/16"
6/8	79-1/4"
7/0	83-1/4"

Profiles and Traditions	
Height	G
6/6□	76-11/16"
6/8	79-1/4"
7/0*	83-1/4"

□Only available in Traditions.

*Only available in Profiles.

□Only available in 2/4 and 2/10.



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Full Lite Sidelite w/ Stile Lines

Daylight Opening:

0764	5-15/16" x 62-15/16"	(373 sq.in.)
0764 Impact	5-13/16" x 62-13/16"	(365 sq.in.)

Note:


For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Smooth-Star

Width	Glass	A	B	C
10**	0764	9-15/16"	9/16"	29/32"
12"	0764	11-15/16"	1-9/16"	1-29/32"
14"	0764	13-15/16"	2-9/16"	2-29/32"

*Only available in Fiber-Classic Oak.



Full Lite Sidelite Flush-Glazed

Daylight Opening:

0764	6-1/32" x 63-1/32"	(379 sq.in.)
0864	7-1/8" x 63-1/8"	(450 sq.in.)

Note:

For Optional Grille Locations,
See Arch 1.

Available in:


Fiber-Classic Oak
Smooth-Star

Fiber-Classic Oak				
Width	Glass	A	B	C
12"	0864	11-15/16"	1-25/32"	8-3/8"
14"	0864	13-15/16"	2-25/32"	8-3/8"

Fiber-Classic Oak				
Height	D	E	F	G
6/8	5-11/32"	64-3/8"	9-17/32"	79-1/4"

Smooth-Star				
Width	Glass	A	B	C
10"	0764	9-15/16"	1-11/32"	7-1/4"
12"	0764	11-15/16"	2-11/32"	7-1/4"
14"	0764	13-15/16"	3-11/32"	7-1/4"

Smooth-Star				
Height	D	E	F	G
6/6	4-19/32"	64-1/4"	7-27/32"	76-11/16"
6/8	4-19/32"	64-1/4"	10-13/32"	79-1/4"



Full Lite Sidelite Flush

Daylight Opening:

0764	5-15/16" x 62-15/16"	(373 sq.in.)
0764 Impact	5-13/16" x 62-13/16"	(365 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions


Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
10"*◇	0764	9-15/16"	9/16"
12"	0764	11-15/16"	1-9/16"
14"	0764	13-15/16"	2-9/16"

Height	C	D	E
6/6	76-11/16"	4-5/32"	6-23/32"
6/8	79-1/4"	4-5/32"	9-9/32"
7/0	83-1/4"	7-1/16"	10-3/8"

*Only available in 6/8.

◇Not available in Fiber-Classic Oak.



Full Oval Lite Flush

Daylight Opening:

2056V	19-7/32" x 55-11/32"	(846 sq.in.)
-------	----------------------	--------------

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles
Traditions

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6◇	2056V	30"	4-1/32"
2/8	2056V	32"	5-1/32"
2/10	2056V	34"	6-1/32"
3/0	2056V	36"	7-1/32"
3/6*	2056V	42"	10-1/32"

Profiles and Traditions			
Width	Glass	A	B
2/6	2056V	29-21/32"	4"
2/8	2056V	31-31/32"	5"
2/10	2056V	33-31/32"	6"
3/0	2056V	35-31/32"	7"
3/6△	2056V	41-31/32"	10"

*Only available in 6/8 Smooth-Star.


◇Not available in 7/0 Smooth-Star.

△Only available in Profiles.

All Collections			
Height	D	E	F
6/6□	76-11/16"	6-17/32"	12-1/16"
6/8	79-1/4"	6-17/32"	14-5/8"
7/0◇	83-1/4"	9-3/8"	15-25/32"

□Traditions only available in 2/10.

◇Not available in Traditions.



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

3/4 Lite 1 Panel


Daylight Opening:
 2247 21-1/8" x 46-1/8" (974 sq.in.)
 2247 Impact 20-13/16' x 45-13/16" (954 sq.in.)

Notes:
 For Optional Grille Locations, See Arch 1.
 Impact Options Available.

Available in:
 Fiber-Classic Oak
 Smooth-Star

Width	Glass	A	B	C
2/8	2247	32"	4-1/16"	4-7/16"
2/10	2247	34"	5-1/16"	5-7/16"
3/0	2247	36"	6-1/16"	6-7/16"

Door Collection	D
Fiber-Classic Oak	8-3/8"
Smooth-Star	9-9/16"




3/4 Lite 2 Panel

Daylight Opening:
 2247 21-1/8" x 46-1/8" (974 sq.in.)
 2247 Impact 20-13/16' x 45-13/16" (954 sq.in.)

Notes:
 For Optional Grille Locations, See Arch 1.
 Impact Options Available.

Available in:
 Fiber-Classic Oak
 Fiber-Classic Mahogany
 Smooth-Star

Width	Glass	A	B	C
2/8	2247	32"	4-1/16"	4-7/16"
2/10	2247	34"	5-1/16"	5-7/16"
3/0	2247	36"	6-1/16"	6-7/16"



3/4 Lite 2 Panel Flush

Daylight Opening:

2247	21-1/8" x 46-1/8"	(974 sq.in.)
2247 Impact	20-13/16" x 45-13/16"	(954 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Available in:
Profiles

Width	Glass	A	B	C
2/8	2247	31-31/32"	4-1/16"	4-3/32"
2/10	2247	33-31/32"	5-1/16"	5-3/32"
3/0	2247	35-31/32"	6-1/16"	6-3/32"



3/4 Lite Sidelite 1 Panel

Daylight Opening:


0847	6-15/16" x 45-15/16"	(318 sq.in.)
0847 Impact	6-13/16" x 45-11/16"	(312 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
12"	0847	11-15/16"	1-1/32"	1-15/32"
14"	0847	13-15/16"	2-1/32"	2-15/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

3/4 Lite Sidelite 1 Panel Flush

Daylight Opening:


0847	6-15/16" x 45-15/16"	(318 sq.in.)
0847 Impact	6-13/16" x 45-11/16"	(312 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Profiles

Width	Glass	A	B	C
12"	0847	11-15/16"	1-1/32"	1"
14"	0847	13-15/16"	2-1/32"	2"



3/4 Scroll Lite Sidelite 1 Panel

Daylight Opening:

0844S	7-1/8" x 43-3/8"	(289 sq.in.)
-------	------------------	--------------


Note:

For Optional Grille Locations,
See Arch 1.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
12"	0844S	11-15/16"	1-1/32"	1-15/32"
14"	0844S	13-15/16"	2-1/32"	2-15/32"

3/4 Scroll Sidelite 1 Panel Flush



Daylight Opening:
0844S 7-1/8" x 43-3/8" (289 sq.in.)


Note:
For Optional Grille Locations,
See Arch 1.

Available in:
Profiles

Width	Glass	A	B	C
12"	0844S	11-15/16"	1-1/32"	1"
14"	0844S	13-15/16"	2-1/32"	2"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


3/4 Deluxe Oval Lite 2 Panel



Daylight Opening:
1640V 14-23/32" x 38-25/32" (442 sq.in.)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B
2/8	1640V	32"	3-15/16"
2/10	1640V	34"	4-15/16"
3/0	1640V	36"	5-15/16"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


3/4 Captured Oval Lite 1 Panel

Daylight Opening:
1640V 14-23/32" x 38-25/32" (442 sq.in.)

Available in:
Fiber-Classic Oak
Smooth-Star

Fiber-Classic Oak					
Width	Glass	A	B	C	D
2/8	1640V	32"	4-7/16"	4-17/32"	8-3/8"
2/10	1640V	34"	5-7/16"	4-17/32"	8-3/8"
3/0	1640V	36"	6-7/16"	4-17/32"	8-3/8"

Smooth-Star					
Width	Glass	A	B	C	D
2/8	1640V	32"	4-7/16"	4-9/16"	9-9/16"
2/10	1640V	34"	5-7/16"	4-9/16"	9-9/16"
3/0	1640V	36"	6-7/16"	4-9/16"	9-9/16"




3/4 Captured Oval Lite 2 Panel

Daylight Opening:
1640V 14-23/32" x 38-25/32" (442 sq.in.)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B
2/8	1640V	32"	4-7/16"
2/10	1640V	34"	5-7/16"
3/0	1640V	36"	6-7/16"




3/4 Scroll Top Oval 2 Panel Flush

Daylight Opening:
1640V 14-23/32" x 38-25/32" (442 sq.in.)

Available in:
Profiles

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
2/8	1640V	31-31/32"	4-1/16"
2/10	1640V	33-31/32"	5-1/16"
3/0	1640V	35-31/32"	6-1/16"




3/4 Lite 1 Panel Flush-Glazed

Daylight Opening:
2148 20-3/32" x 46-7/8" (943 sq.in.)
2548 24-3/32" x 46-7/8" (1130 sq.in.)

Note:
For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Width	Glass	A	B	C
2/6	2148	30"	21-11/32"	4-5/16"
2/8	2148	32"	21-11/32"	5-5/16"
2/10	2548	34"	25-11/32"	4-5/16"
3/0	2548	36"	25-11/32"	5-5/16"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


3/4 Lite Sidelite 1 Panel Flush-Glazed

Daylight Opening:
0847 7-1/32" x 45-27/32" (323 sq.in.)

Note:
For Optional Grille Locations,
See Arch 1.

Available in:
Smooth-Star

Width	Glass	A	B
12"	0847	11-15/16"	1-5/16"
14"	0847	13-15/16"	2-5/16"



Half Lite 2 Panel

Daylight Opening:
2036 19-1/8" x 35-1/8" (672 sq.in.)
2036 Impact 18-13/16" x 34-13/16" (655 sq.in.)
2236 20-29/32" x 34-29/32" (729 sq.in.)
2236 Impact 20-13/16" x 34-13/16" (725 sq.in.)

Notes:
For Optional Grille Locations,
See Arch 1.
Impact Options Available.


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

All Door Collections							
Width	Glass	A	B	C	D	E	F
2/6◇△	2236	30"	3-1/16"	23-7/8"	3-7/16"	9-1/8"	23-1/8"
2/6N◇□	2036	30"	4-1/16"	21-7/8"	4-1/2"	8-13/16"	21"
2/8	2236	32"	4-1/16"	23-7/8"	4-7/16"	9-1/8"	23-1/8"
2/8N◇□	2036	32"	5-1/16"	21-7/8"	5-1/2"	8-13/16"	21"
2/10	2236	34"	5-1/16"	23-7/8"	5-7/16"	9-1/8"	23-1/8"
3/0	2236	36"	6-1/16"	23-7/8"	6-7/16"	9-1/8"	23-1/8"

◇Only available in 6/8.
□Only available in Fiber-Classic Oak.
△Only available in Fiber-Classic Oak and Smooth-Star.

Smooth-Star				
Height	G	H	J	K
6/8	79-1/4"	4-5/32"	21-13/16"	9-9/16"
6/8 Elevated	79-1/4"	4-5/32"	20-21/32"	10-23/32"
7/0	83-1/4"	7"	21-13/16"	10-23/32"

Fiber-Classic Oak				
Height	G	H	J	K
6/8	79-1/4"	4-5/32"	21-13/16"	9-9/16"
6/8 Elevated	79-1/4"	3"	21-13/16"	10-23/32"
7/0	83-1/4"	7"	21-13/16"	10-23/32"



Half Lite 2 Panel Flush-Glazed

Daylight Opening:
2236 21-1/8" x 35-1/8" (741 sq.in.)

Note:
For Optional Grille Locations, See Arch 1.

Available in:
Fiber-Classic Oak
Smooth-Star


Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Fiber-Classic Oak				
Width	Glass	A	B	C
2/6	2236	30"	3-13/16"	8-3/8"
2/8	2236	32"	4-13/16"	8-3/8"
3/0	2236	36"	6-13/16"	8-3/8"

Smooth-Star				
Width	Glass	A	B	C
2/6	2236	30"	3-13/16"	9-1/8"
2/8	2236	32"	4-13/16"	9-1/8"
3/0	2236	36"	6-13/16"	9-1/8"

Fiber-Classic Oak			
Height	D	E	F
6/8	4-23/32"	22-3/8"	10-5/32"

Smooth-Star			
Height	D	E	F
6/8	4-1/2"	21-13/16"	9-9/16"



Half Lite 1 Panel

Daylight Opening:
2236 20-29/32" x 34-29/32" (729 sq.in.)
2236 Impact 20-13/16" x 34-13/16" (725 sq.in.)


Notes:
For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C	D	E
2/8	2236	32"	4-7/16"	4-1/16"	23-7/8"	23-1/8"
2/10	2236	34"	5-7/16"	5-1/16"	23-7/8"	23-1/8"
3/0	2236	36"	6-7/16"	6-1/16"	23-7/8"	23-1/8"

Height	F	G	H	J	K
6/8	79-1/4"	4-5/32"	37-7/8"	21-13/16"	9-9/16"
6/8 Elevated*	79-1/4"	4-5/32"	37-1/8"	20-21/32"	10-23/32"
7/0*	83-1/4"	7"	37-1/8"	21-13/16"	10-23/32"

*Only available in Smooth-Star.



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Half Lite 1 Panel Plank

Daylight Opening:

2236	20-29/32" x 34-29/32"	(729 sq.in.)
2236 Impact	20-13/16" x 34-13/16"	(725 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/8	2236	32"	4-1/16"	4-7/16"
2/10	2236	34"	5-1/16"	5-7/16"
3/0	2236	36"	6-1/16"	6-7/16"



Half Lite 1 Panel Top and Bottom

Daylight Opening:

2236	20-29/32" x 34-29/32"	(729 sq.in.)
2236 Impact	20-13/16" x 34-13/16"	(725 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Smooth-Star

Width	Glass	A	B	C
2/8	2236	32"	4-15/32"	4-1/16"
2/10	2236	34"	5-15/32"	5-1/16"
3/0	2236	36"	6-15/32"	6-1/16"



Half Lite 2 Panel Flush

Daylight Opening:

2036	19-1/8" x 35-1/8"	(672 sq.in.)
2036 Impact	18-13/16" x 34-13/16"	(655 sq.in.)
2236	20-29/32" x 34-29/32"	(729 sq.in.)
2236 Impact	20-13/16" x 34-13/16"	(725 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.


Available in:
Profiles
Traditions

Width	Glass	A	B	C	D	E	F
2/6N	2036	29-31/32"	4-1/16"	21-7/8"	4-17/32"	8-7/32"	20-7/8"
2/8	2236	31-31/32"	4-1/16"	23-7/8"	4-1/4"	9-1/2"	23-1/2"
2/10	2236	33-31/32"	5-1/16"	23-7/8"	5-1/4"	9-1/2"	23-1/2"
3/0	2236	35-31/32"	6-1/16"	23-7/8"	6-1/4"	9-1/2"	23-1/2"

Height	G	H	H (2/6)	J
6/8	79-1/4"	4-5/32"	4-5/32"	9-5/16"
7/0*	83-1/4"	7"	4-5/32"	13-5/16"

*Only available in Profiles.

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions



Half Lite 1 Panel Flush

Daylight Opening:


2236	20-29/32" x 34-29/32"	(729 sq.in.)
2236 Impact	20-13/16" x 34-13/16"	(725 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Profiles

Width	Glass	A	B	C
2/8	2236	31-31/32"	4-1/2"	4-1/32"
2/10	2236	33-31/32"	5-1/2"	5-1/32"
3/0	2236	35-31/32"	6-1/2"	6-1/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Half Lite Flush

Daylight Opening:

2036	19-1/8" x 35-1/8"	(672 sq.in.)
2036 Impact	18-13/16" x 34-13/16"	(655 sq.in.)
2236	20-29/32" x 34-29/32"	(729 sq.in.)
2236 Impact	20-13/16" x 34-13/16"	(725 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.

Impact Options Available.

Available in:

Fiber-Classic Mahogany

Fiber-Classic Oak

Smooth-Star

Profiles

Traditions

Fiber-Classic Mahogany, Fiber-Classic Oak, and Smooth-Star				
Width	Glass	A	B	C
2/4 ϕ	2036	28"	3-1/16"	21-7/8"
2/6 ν	2036	30"	4-1/16"	21-7/8"
2/8N	2036	32"	5-1/16"	21-7/8"
2/8 \square	2236	32"	4-1/16"	23-7/8"
2/10 \square	2236	34"	5-1/16"	23-7/8"
3/0	2236	36"	6-1/16"	23-7/8"

\square Not available in 6/8 Fiber-Classic Mahogany.

ϕ Only available in 6/8.

ν Not available in 7/0 Smooth-Star.


Profiles and Traditions				
Width	Glass	A	B	C
2/6	2036	29-31/32"	4-1/16"	21-7/8"
2/8N	2036	31-31/32"	5-1/16"	21-7/8"
2/8 Δ	2236	31-31/32"	4-1/32"	23-7/8"
2/10	2236	33-31/32"	5-1/32"	23-7/8"
3/0	2236	35-31/32"	6-1/32"	23-7/8"
3/6	2236	41-31/32"	9-1/32"	23-7/8"

Δ Not available in 7/0 Profiles.

All Door Collections			
Height	D	E	F
6/6 \diamond	34-21/32"	4-5/32"	76-11/16"
6/8	37-3/16"	4-5/32"	79-1/4"
7/0*	38-11/32"	7"	83-1/4"

*Not available in Traditions.

\diamond Only available in 2/10 Traditions.



Half Lite 1 Panel Plank Flush

Daylight Opening:

2236	20-29/32" x 34-29/32"	(729 sq.in.)
2236 Impact	20-13/16" x 34-13/16"	(725 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Available in:
Profiles

Width	Glass	A	B	C
2/8	2236	31-31/32"	4-1/2"	4-1/32"
2/10	2236	33-31/32"	5-1/2"	5-1/32"
3/0	2236	35-31/32"	6-1/2"	6-1/32"



Half Lite RT 2 Panel

Daylight Opening:


2236R	21-1/8" x 35-1/8"	(694 sq.in.)
-------	-------------------	--------------

Note:

For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Width	Glass	A	B	C
2/8	2236R	32"	4-1/16"	4-7/16"
2/10	2236R	34"	5-1/16"	5-7/16"
3/0	2236R	36"	6-1/16"	6-7/16"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Half Lite RT 2 Panel Flush

Daylight Opening:

2236R 21-1/8" x 35-1/8" (694 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.


Available in:

Profiles

Traditions

Width	Glass	A	B	C
2/8	2236R	31-31/32"	4-1/16"	4-1/4"
2/10	2236R	33-31/32"	5-1/16"	5-1/4"
3/0	2236R	35-31/32"	6-1/16"	6-1/4"

Height	D	E
6/8	79-1/4"	9-5/16"
7/0	83-1/4"	13-5/16"



Twin Half Lite 2 Panel

Daylight Opening:

0836 6-29/32" x 34-29/32" (241 sq.in. per lite)
(482 sq. in. total)

Note:


For Optional Grille Locations, See Arch 1.

Available in:

Fiber-Classic Oak

Smooth-Star

Width	Glass	A	B	C
2/8	0836	32"	4-1/16"	4-7/16"
2/10	0836	34"	5-1/16"	5-7/16"
3/0	0836	36"	6-1/16"	6-7/16"



Twin Half Lite 2 Panel Flush

Daylight Opening:

0836 6-29/32" x 34-29/32" (241 sq.in. per lite)
(482 sq.in. total)

Notes:

For Optional Grille Locations, See Arch 1.

Available in:


Profiles
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C	D
2/6N	0836	29-31/32"	3-11/16"	4-1/2"	2-25/32"
2/8	0836	31-31/32"	4-1/16"	4-1/4"	4-3/32"
2/10	0836	33-31/32"	5-1/16"	5-1/4"	4-3/32"
3/0	0836	35-31/32"	6-1/16"	6-1/4"	4-3/32"

Height	E	F
6/8	79-1/4"	9-5/16"
7/0*	83-1/4"	13-5/16"

*Only available in Profiles.



Half Lite Sidelite 1 Panel

Daylight Opening:

0836 6-29/32" x 34-29/32" (241 sq.in.)
0836 Impact 6-13/16" x 34-13/16" (237 sq.in.)


Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Note:

For Optional Grille Locations,
See Arch 1.

Width	Glass	A	B	C
12"	0836	11-15/16"	1-1/32"	1-15/32"
14"	0836	13-15/16"	2-1/32"	2-15/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


Half Lite Sidelite 1 Panel Flush-Glazed

Daylight Opening:
0836 7-1/8" x 35-1/8" (250 sq.in.)

Note:
For Optional Grille Locations,
See Arch 1.

Available in:
Fiber-Classic Oak

Width	Glass	A	B
12"	0836	11-15/16"	1-25/32"
14"	0836	13-15/16"	2-25/32"



Half Lite Sidelite 1 Panel Flush


Daylight Opening:
0636 5" x 35" (175 sq.in.)
0836 6-29/32" x 34-29/32" (241 sq.in.)
0836 Impact 6-13/16" x 34-13/16" (237 sq.in.)

Note:
For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Profiles
Traditions

Width	Glass	A	B	C	D	E	F
10"*	0636	9-15/16"	1-3/32"	1-15/32"	7-3/4"	7"	37-3/4"
12"	0836	11-15/16"	1-1/32"	1-7/32"	9-29/32"	9-1/2"	37-7/8"
14"	0836	13-15/16"	2-1/32"	2-7/32"	9-29/32"	9-1/2"	37-7/8"

*Only available in Traditions.



Twin Half Lite RT 2 Panel Flush

Daylight Opening:
0836R 7-1/8" x 35-1/8" (245 sq.in. per lite)
(490 sq.in. total)

Note:
For Optional Grille Locations, See Arch 1.

Available in:
Profiles
Traditions


Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C
2/8	0836R	31-31/32"	4-1/16"	4-1/4"
2/10 \diamond	0836R	33-31/32"	5-1/16"	5-1/4"
3/0	0836R	35-31/32"	6-1/16"	6-1/4"

\diamond Only available in 6/8.

Height	D	E
6/8	79-1/4"	9-5/16"
7/0*	83-1/4"	13-5/16"

*Only available in Profiles.




Half Lite RT Sidelite 1 Panel

Daylight Opening:
0836R 7-1/8" x 35-1/8" (245 sq.in.)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
12"	0836R	11-15/16"	1-1/32"	1-15/32"
14"	0836R	13-15/16"	2-1/32"	2-15/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Half Lite RT Sidelite 1 Panel Flush


Daylight Opening:
0836R 7-1/8" x 35-1/8" (245 sq.in.)

Available in:
Profiles
Traditions

Width	Glass	A	B	C
12"	0836R	11-15/16"	1-1/32"	1-7/32"
14"	0836R	13-15/16"	2-1/32"	2-7/32"

Height	D	E
6/8	79-1/4"	9-5/16"
7/0*	83-1/4"	13-5/16"

*Not Available in Traditions.




Center Arch Lite 7 Panel

Daylight Opening:
0842R 6-15/16" x 40-15/16" (279 sq.in.)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B
2/8	0842R	32"	3-15/16"
2/10	0842R	34"	4-15/16"
3/0	0842R	36"	5-15/16"



Center Lite 2 Panel 3/4 Top

Daylight Opening:

0836	6-29/32" x 34-29/32"	(241 sq.in.)
0836 Impact	6-13/16" x 34-13/16"	(237 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.


Available in:

Fiber-Classic Oak
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
2/8	0836	32"	4-7/16"
2/10	0836	34"	5-7/16"
3/0	0836	36"	6-7/16"

Door Collection	C	D
Fiber-Classic Oak	4-17/32"	8-7/16"
Smooth-Star	4-9/16"	9-9/16"



1/3 Lite Flush

Daylight Opening:

2227	21-1/8" x 26-1/8"	(552 sq.in.)
------	-------------------	--------------

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles
Traditions

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6□	2227	32"	3-1/16"
2/8	2227	32"	4-1/16"
2/10	2227	34"	5-1/16"
3/0	2227	36"	6-1/16"


Profiles and Traditions			
Width	Glass	A	B
2/6	2227	29-31/32"	3-1/16"
2/8	2227	31-31/32"	4-1/16"
2/10	2227	33-31/32"	5-1/16"
3/0	2227	35-31/32"	6-1/16"

□ Not available in 7/0 Smooth-Star.

All Door Collections			
Height	C	D	E
6/6◇	76-23/32"	4-5/32"	43-11/16"
6/8	79-1/4"	4-5/32"	46-7/32"
7/0*	83-1/4"	7-1/32"	47-11/32"

*Not available in Traditions

◇ Only available in 2/10 Traditions.




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

1 Lite 8 Panel Flush

Daylight Opening:
0718 6-5/8" x 17-5/8" (117 sq.in.)

Available in:
Traditions

Width	Glass	A	B
2/8	0718	31-31/32"	4-9/16"
2/10	0718	33-31/32"	5-9/16"
3/0	0718	35-31/32"	6-9/16"




Craftsman Lite 2 Panel

Daylight Opening:
2115 20-3/32" x 13-27/32" (278 sq.in.)

Notes:
For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/8	2115	32"	4-27/32"	4-15/32"
2/10	2115	34"	5-27/32"	5-15/32"
3/0	2115	36"	6-27/32"	6-15/32"



Craftsman Lite 2 Panel Shaker Flush-Glazed


Daylight Opening:
2216 21 11/16" x 15 7/16" (335 sq.in.)

Notes:
For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	A	B
2/8	32"	4-31/32"
2/10	34"	5-31/32"
3/0	36"	6-31/32"




Craftsman Lite Shaker Sidelite Flush-Glazed

Daylight Opening:
0816 6 15/16" x 15 7/16" 107 sq.in.

Notes:
For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Width	Glass	A	B
12"	0816	12"	2-11/32"
14"	0816	14"	3-11/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Camber Top Lite 4 Panel

Daylight Opening:
2210A 20-29/32" x 8-29/32" (170 sq.in.)


Note:
For Optional Grille Locations, See Arch 1.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/8	2210A	32"	4-1/16"	4-7/16"
2/10	2210A	34"	5-1/16"	5-7/16"
3/0	2210A	36"	6-1/16"	6-7/16"

Height	D	E	F
6/8	79-1/4"	1-1/2"	9-9/16"
6/8 Elevated◇	79-1/4"	1-1/2"	10-23/32"
7/0*	83-1/4"	4-3/8"	10-23/32"

*Only available in Fiber-Classic Oak and Smooth-Star.
◇Only available in Smooth-Star.



Camber Top Lite 4 Panel Flush

Daylight Opening:
2210A 20-29/32" x 8-29/32" (170 sq.in.)


Note:
For Optional Grille Locations, See Arch 1.

Available in:
Profiles
Traditions

Width	Glass	A	B	C
2/8	2210A	31-31/32"	4-1/16"	4-1/4"
2/10	2210A	33-31/32"	5-1/16"	5-1/4"
3/0	2210A	35-31/32"	6-1/16"	6-1/4"

Height	D	E
6/8	79-1/4"	9-5/16"
7/0*	83-1/4"	13-5/16"

*Only available in Profiles.



Fan Lite 4 Panel

Daylight Opening:
2210R 8-29/32" x 20-3/4" (140 sq.in.)

Note:
For Optional Grille Locations, See Arch 1.


Available in:
Fiber-Classic Oak
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Fiber-Classic Oak and Smooth-Star (Cutout)								
Width	Glass	A	B	C	D	E	F	G
2/6*	2210R	30"	3"	3-7/16"	2-7/16"	2-11/32"	25"	9-1/8"
2/8	2210R	32"	4"	4-7/16"	2-7/16"	2-11/32"	25"	9-1/8"
2/10	2210R	34"	5"	5-7/16"	2-7/16"	2-11/32"	25"	9-1/8"
3/0	2210R	36"	6"	6-7/16"	2-7/16"	2-11/32"	25"	9-1/8"

*Only available in Fiber-Classic Oak.

Smooth-Star (Molded Open)								
Width	Glass	A	B	C	D	E	F	G
2/8	2210R	32"	4"	4-7/16"	4-7/32"	4-1/4"	21-5/16"	9-1/2"
2/10	2210R	34"	5"	5-7/16"	4-7/32"	4-1/4"	21-5/16"	9-1/2"
3/0	2210R	36"	6"	6-7/16"	4-7/32"	4-1/4"	21-5/16"	9-1/2"



Fan Lite 4 Panel Flush

Daylight Opening:
2210R 8-29/32" x 20-3/4" (140 sq.in.)

Note:
For Optional Grille Locations, See Arch 1.


Available in:
Profiles
Traditions
Steel Edge

Profiles and Traditions				
Width	Glass	A	B	C
2/8	2210R	31-31/32"	4"	4-1/4"
2/10	2210R	33-31/32"	5"	5-1/4"
3/0	2210R	35-31/32"	6"	6-1/4"

All Door Collections		
Height	D	E
6/8	79-1/4"	9-5/16"
7/0*	83-1/4"	13-5/16"

Steel Edge				
Width	Glass	A	B	C
2/8	2210R	31-13/16"	3-29/32"	4-5/32"
2/10	2210R	33-13/16"	4-29/32"	5-5/32"
3/0	2210R	35-13/16"	5-29/32"	6-5/32"

*Only available in Profiles.




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

4 Lite 4 Panel

Daylight Opening:
2206 21-1/8" x 5" (93 sq.in.)

Available in:
Smooth-Star

Width	Glass	A	B	C
2/8	2206	32"	4-1/16"	4-7/16"
2/10	2206	34"	5-1/16"	5-7/16"
3/0	2206	36"	6-1/16"	6-7/16"



4 Lite 4 Panel Flush

Daylight Opening:
2206 21-1/8" x 5" (93 sq.in.)


Available in:
Profiles
Traditions

Width	Glass	A	B	C
2/8	2206	31-31/32"	4-1/16"	4-1/4"
2/10	2206	33-31/32"	5-1/16"	5-1/4"
3/0	2206	35-31/32"	6-1/16"	6-1/4"

Height	D	E
6/8	79-1/4"	9-5/16"
7/0*	83-1/4"	13-5/16"

*Only available in Profiles.

4 Lite Scallop 4 Panel




Daylight Opening:
2206 21-1/8" x 5" (93 sq.in.)

Available in:
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C
2/6*	2206	30"	3-1/16"	3-7/16"
2/8	2206	32"	4-1/16"	4-7/16"
2/10	2206	34"	5-1/16"	5-7/16"
3/0	2206	36"	6-1/16"	6-7/16"

*Only available in Fiber-Classic Oak.



4 Lite Scallop 4 Panel Flush


Daylight Opening:
2206 21-1/8" x 5" (93 sq.in.)

Available in:
Profiles
Traditions

Width	Glass	A	B	C
2/8	2206	31-31/32"	4-1/16"	4-1/4"
2/10	2206	33-31/32"	5-1/16"	5-1/4"
3/0	2206	35-31/32"	6-1/16"	6-1/4"

Height	D	E
6/8	79-1/4"	9-5/16"
7/0*	83-1/4"	13-5/16"

*Only available in Profiles.



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

2 Lite 4 Panel

Daylight Opening:

0806	6-15/16" x 4-15/16"	(34 sq.in. per lite) (68 sq.in. total)
0806 Impact	4-13/16" x 6-13/16"	(33 sq.in. per lite) (66 sq.in. total)

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C	D	E	F
2/6N□◇	0806	30"	3-31/32"	4-1/2"	3-11/32"	8-13/16"	21"
2/6◇△	0806	30"	3-1/16"	3-13/32"	4-1/8"	9-1/8"	23-5/32"
2/8N□△	0806	32"	4-31/32"	5-1/2"	3-11/32"	8-13/16"	21"
2/8	0806	32"	4-1/16"	4-13/32"	4-1/8"	9-1/8"	23-5/32"
2/10	0806	34"	5-1/16"	5-13/32"	4-1/8"	9-1/8"	23-5/32"
3/0	0806	36"	6-1/16"	6-13/32"	4-1/8"	9-1/8"	23-5/32"

◇Only available in 7/0.

□Only available in 6/8.


△Only available in Fiber-Classic Oak.

○Only available in Fiber-Classic Oak and Smooth-Star.

Smooth-Star				
Height	G	H	J	K
6/8	79-1/4"	4-5/32"	21-13/16"	9-9/16"
6/8 Elevated	79-1/4"	3-1/32"	20-21/32"	10-29/32"
7/0	83-1/4"	7-1/32"	21-13/16"	10-29/32"

Fiber-Classic Oak and Fiber-Classic Mahogany				
Height	G	H	J	K
6/8	79-1/4"	4-5/32"	21-13/16"	9-9/16"
6/8 Elevated*	79-1/4"	3-1/32"	21-13/16"	10-29/32"
7/0*	83-1/4"	7-1/32"	21-13/16"	10-29/32"

*Only available in Fiber-Classic Oak.



2 Lite 4 Panel Flush

Daylight Opening:

0806	6-15/16" x 4-15/16"	(34 sq.in. per lite) (68 sq.in. total)
------	---------------------	---

Note:
Impact Options Available.


Available in:
Profiles
Traditions

Width	Glass	A	B	C	D	E	F
2/6N*	0806	29-31/32"	3-21/32"	4-17/32"	8-7/32"	20-7/8"	4-1/32"
2/8	0806	31-31/32"	4"	4-1/4"	9-1/2"	23-1/2"	4-1/16"
2/10	0806	33-31/32"	5"	5-1/4"	9-1/2"	23-1/2"	4-1/16"
3/0	0806	35-31/32"	6"	6-1/4"	9-1/2"	23-1/2"	4-1/16"

*Only available in Traditions.

Height	G	H	J
6/8	79-1/4"	4-5/32"	9-5/16"
7/0◇	83-1/4"	7"	13-5/16"

◇Only available in Profiles.



1 Lite Sidelite 2 Panel Flush

Daylight Opening:

0806	6-15/16" x 4-15/16"	(34 sq.in.)
0806 Impact	4-13/16" x 6-13/16"	(33 sq.in.)

Note:
Impact Options Available.


Available in:
Profiles
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C
12"	0806	11-15/16"	1-1/32"	1-7/32"
14"	0806	13-15/16"	2-1/32"	2-7/32"

Height	D	E
6/8	79-1/4"	9-3/32"
7/0*	83-1/4"	13-3/32"

*Only available in Profiles.




2 Panel 3/4 Top

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Smooth-Star

Width	A	B
2/8	32"	4-7/16"
2/10	34"	5-7/16"
3/0	36"	6-7/16"

Door Collection	C	D
Fiber-Classic Oak	4-7/16"	8-9/16"
Smooth-Star	4-9/16"	9-9/16"




2 Panel Craftsman

Note:
Impact Options Available.

Available in:
Fiber-Classic Mahogany
Smooth-Star

Width	A	B
2/8	32"	4-27/32"
2/10	34"	5-27/32"
3/0	36"	6-27/32"




2 Panel Craftsman Flush

Available in:
Profiles

Width	A	B
2/8	31-31/32"	4-9/16"
2/10	33-31/32"	5-9/16"
3/0	35-31/32"	6-9/16"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions




2 Panel Craftsman Shaker

Available in:
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	A	B
2/8	32"	4-31/32"
2/10	34"	5-31/32"
3/0	36"	6-31/32"




2 Panel Plank Soft Arch

Note:
Impact Options Available.

Available in:
Fiber-Classic Mahogany
Smooth-Star

Width	A	B
2/8	32"	4-7/16"
2/10	34"	5-7/16"
3/0	36"	6-7/16"




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

2 Panel Plank Soft Arch Flush

Available in:
Profiles
Steel Edge

Width	A	B
2/8	31-31/32"	4-1/2"
2/10	33-31/32"	5-1/2"
3/0	35-31/32"	6-1/2"




2 Panel Soft Arch

Note:
Impact Options Available.

Available in:
Smooth-Star

Width	A	B	C
2/6N	30"	4-1/2"	21"
2/8	32"	4-7/16"	23-1/8"
2/10	34"	5-7/16"	23-1/8"
3/0	36"	6-7/16"	23-1/8"

2 Panel Soft Arch Flush



Available in:
Profiles
Steel Edge

Profiles		
Width	A	B
2/8	31-31/32"	4-1/2"
2/10	33-31/32"	5-1/2"
3/0	35-31/32"	6-1/2"


Profiles			
Height	C	D	E
6/8	79-1/4"	4-13/16"	9-7/16"

Steel Edge		
Width	A	B
2/8	31-13/16"	4-13/32"
2/10	33-13/16"	5-13/32"
3/0	35-13/16"	6-13/32"

Steel Edge			
Height	C	D	E
6/8	79-1/4"	5-1/2"	8-11/16"
7/0	83-1/4"	7-1/2"	10-11/16"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

2 Panel Square Top




Note:
Impact Options Available.

Available in:
Fiber-Classic Mahogany
Smooth-Star

Width	A	B
2/8	32"	4-7/16"
2/10	34"	5-7/16"
3/0	36"	6-7/16"

Height	C	D	E	F
6/8	4-9/16"	21-13/16"	9-9/16"	79-1/4"
6/8 Elevated*	4-9/16"	20-21/32"	10-23/32"	79-1/4"
7/0*	7-13/32"	21-13/16"	10-23/32"	83-1/4"

*Only available in Smooth-Star.



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


2 Panel Square Top Flush

Available in:
Profiles
Steel Edge

Width	A	B
2/8	31-31/32"	4-1/2"
2/10	33-31/32"	5-1/2"
3/0	35-31/32"	6-1/2"

Profiles			
Height	C	D	E
6/8	79-1/4"	4-13/16"	9-7/16"

Steel Edge			
Height	C	D	E
6/8	79-1/4"	5-1/2"	8-11/16"
7/0	83-1/4"	7-1/2"	10-11/16"




3 Panel

Note:
Impact Options Available.

Available in:
Smooth-Star

Width	A	B
2/6	32"	4-15/32"
2/8	34"	5-15/32"
3/0	36"	6-15/32"

3 Panel Scroll




Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	A	B
2/8	32"	3-15/16"
2/10	34"	4-15/16"
3/0	36"	5-15/16"



3 Panel Scroll Top Flush


Available in:
Profiles
Steel Edge

Profiles				
Width	A	B	C	D
2/8	31-31/32"	4-3/32"	23-13/16"	9-29/32"
2/10	33-31/32"	5-3/32"	23-13/16"	9-29/32"
3/0	35-31/32"	6-3/32"	23-13/16"	9-29/32"

Profiles					
Height	E	F	G	H	J
6/8	79-1/4"	5-9/32"	50"	12"	7-31/32"

Steel Edge				
Width	A	B	C	D
2/8	31-13/16"	4-11/32"	23-1/8"	9-1/8"
2/10	33-13/16"	5-11/32"	23-1/8"	9-1/8"
3/0	35-13/16"	6-11/32"	23-1/8"	9-1/8"

Steel Edge					
Height	E	F	G	H	J
6/8	79-1/4"	5-1/4"	48"	13"	8-7/16"
7/0	83-1/4"	7-1/4"	48"	13"	10-7/16"




3 Panel Square Top

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany

Width	A	B
2/8	32"	4-7/16"
2/10	34"	5-7/16"
3/0	36"	6-7/16"




4 Panel Square Top

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Smooth-Star

Width	A	B
2/8	32"	4-7/16"
2/10	34"	5-7/16"
3/0	36"	6-7/16"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions



4 Panel Square Top Flush

Available in:
Traditions
Steel Edge

Traditions				
Width	A	B	C	D
2/8	31-31/32"	4-3/8"	9-11/16"	23-1/4"
2/10	33-31/32"	5-3/8"	9-11/16"	23-1/4"
3/0	35-31/32"	6-3/8"	9-11/16"	23-1/4"


Traditions					
Height	E	F	G	H	J
6/8	79-1/4"	4-31/32"	36-3/4"	23-1/16"	7-3/32"

Steel Edge				
Width	A	B	C	D
2/8	31-13/16"	4-13/32"	9"	23"
2/10	33-13/16"	5-13/32"	9"	23"
3/0	35-13/16"	6-13/32"	9"	23"

Steel Edge					
Height	E	F	G	H	J
6/8	79-1/4"	5-3/8"	37-1/8"	21-1/2"	8-11/16"
7/0*	83-1/4"	7-3/8"	37-1/8"	21-1/2"	10-11/16"

*Not available in 2/10.

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions



6 Panel

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

All Door Collections				
Width	A	B	C	D
2/6N*	30"	4-1/2"	8-13/16"	21"
2/6◇	30"	3-7/16"	9-1/8"	23-1/8"
2/8N□	32"	5-1/2"	8-13/16"	21"
2/8	32"	4-7/16"	9-1/8"	23-1/8"
2/10	34"	5-7/16"	9-1/8"	23-1/8"
3/0	36"	6-7/16"	9-1/8"	23-1/8"

*Only available in 6/8 Fiber-Classic Oak and 6/8 Smooth-Star.

◇Only available in 7/0 Fiber-Classic Oak.

□Only available in 6/8 Fiber-Classic Oak.


Smooth-Star				
Height	E	F	G	H
6/8	79-1/4"	4-9/16"	21-13/16"	9-9/16"
6/8 Elevated	79-1/4"	4-9/16"	20-21/32"	10-23/32"
7/0	83-1/4"	7-13/32"	21-13/16"	10-23/32"

Fiber-Classic Oak & Fiber-Classic Mahogany				
Height	E	F	G	H
6/8	79-1/4"	4-9/16"	21-13/16"	9-9/16"
6/8 Elevated△	79-1/4"	3-13/32"	21-13/16"	10-23/32"
7/0∅	83-1/4"	7-13/32"	21-13/16"	10-23/32"

△Only available in 3/0 Fiber-Classic Oak.

∅Only available in Fiber-Classic Oak.

6 Panel Flush



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Available in:
Profiles
Traditions
Steel Edge

Profiles and Traditions					
Width	Glass	A	B	C	D
2/6N	2036	29-31/32"	4-17/32"	8-7/32"	20-7/8"
2/8	2236	31-31/32"	4-1/4"	9-1/2"	23-1/2"
2/10	2236	33-31/32"	5-1/4"	9-1/2"	23-1/2"
3/0	2236	35-31/32"	6-1/4"	9-1/2"	23-1/2"


Profiles and Traditions							
Height	E	F	G	H	J	K	L
6/8	79-1/4"	4-15/32"	7-1/2"	4-1/2"	25-1/2"	21-1/2"	9-5/16"
7/0	83-1/4"	4-15/32"	7-1/2"	4-1/2"	25-1/2"	21-1/2"	9-5/16"

Steel Edge				
Width	A	B	C	D
2/6N	29-13/16"	4-13/32"	9"	21"
2/8	31-13/16"	4-3/8"	9-1/16"	23-1/16"
2/10	33-13/16"	5-3/8"	9-1/16"	23-1/16"
3/0	35-13/16"	6-3/8"	9-1/16"	23-1/16"

Steel Edge											
Height	E	F	F (2/6)	G	G (2/6)	H	H (2/6)	J	J (2/6)	K	L
6/8	79-1/4"	5-3/8"	5-7/16"	7-1/16"	7"	4-9/16"	4-5/8"	25-7/16"	25-3/8"	21-9/16"	8-11/16"
7/0*	83-1/4"	7-3/8"	7-7/16"	7-1/16"	7"	4-9/16"	4-5/8"	25-7/16"	25-3/8"	21-9/16"	10-11/16"

*Not available in 2/10 or 2/6N.


8 Panel



Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth Star

Width	A	B
2/8	32"	3-15/16"
2/10	34"	4-15/16"
3/0	36"	5-15/16"




9 Panel Flush

Available in:
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	A	B
2/8	32"	4-9/16"
2/10	34"	5-9/16"
3/0	36"	6-9/16"



Flush Panel

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth Star
Profiles
Traditions
Steel Edge

Steel Edge	
Width	A
2/0 ϕ ^a	23-13/16"
2/4 ϕ	27-13/16"
2/6 \ddagger ^a	29-13/16"
2/8	31-13/16"
2/10 \ddagger	33-13/16"
3/0 ^a	35-13/16"

\ddagger Not available in 7/0 Steel Edge.
 ϕ Only available in 6/8.
^aNot available in 6/6.

Fiber-Classic Mahogany, Fiber-Classic Oak, and Smooth-Star	
Width	A
2/0 \diamond	24"
2/4 \square	28"
2/6	30"
2/8	32"
2/10	34"
3/0	36"
3/6 [*]	42"


^{*}Only available in 6/8 Smooth-Star.
 \diamond Only available in 6/8.
 \square Only available in 6/6 and 6/8.
 Δ Not available in 7/0 Smooth-Star.

Profiles and Traditions	
Width	A
2/0 ϕ ^a	23-31/32"
2/4 ϕ	27-31/32"
2/6 ^a	29-31/32"
2/8 ℓ	31-31/32"
2/10	33-31/32"
3/0 ^a	35-31/32"
3/6 ϕ ^a	41-31/32"

ϕ Only available in Profiles.
 ϕ Only available in 6/8.
^aNot available in 6/6.
 ℓ Not available in 6/6 Traditions.

All Collections	
Height	B
6/6 ℓ	76-23/32"
6/8	79-1/4"
7/0 ∇	83-1/4"

∇ Not available in Traditions.
 ℓ Not available in Profiles or Steel Edge.




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Raised 5 Panel Flush

Available in:
Smooth Star

Width	A	B
2/8	32"	4-1/16"
2/10	34"	5-1/16"
3/0	36"	6-1/16"




Raised 8 Panel Flush

Available in:
Smooth Star

Width	A	B	C
2/6	30"	3-31/32"	2-5/16"
2/8	32"	4-1/16"	4-1/8"
2/10	34"	5-1/16"	4-1/8"
3/0	36"	6-1/16"	4-1/8"

Raised 10 Panel Flush




Available in:
Smooth Star

Width	A	B	C
2/6	30"	3-31/32"	2-5/16"
2/8	32"	4-1/16"	4-1/8"
2/10	34"	5-1/16"	4-1/8"
3/0	36"	6-1/16"	4-1/8"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


Designline 5 Panel Flush



Available in:
Fiber-Classic Oak

Width	A	B
2/8	32"	4-1/16"
2/10	34"	5-1/16"
3/0	36"	6-1/16"

Designline 8 Panel Flush




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Available in:
Fiber-Classic Oak

Width	A	B	C
2/6	30"	4-3/16"	21-21/32"
2/8	32"	5-3/16"	21-21/32"
2/10	34"	4-3/8"	25-9/32"
3/0	36"	5-3/8"	25-9/32"

This section intentionally left blank.

8' Full Lite w/ Stile Lines



Daylight Opening:

2080 (1/2" glass)	19-1/8" x 79-1/8"	(1513 sq.in.)
2080 (1" glass)	18-15/16" x 78-15/16"	(1495 sq.in.)
2080 Impact (1" glass)	18-13/16" x 78-13/16"	(1483 sq.in.)
2280 (1/2" glass)	21-1/8" x 79-1/8"	(1672 sq.in.)
2280 (1" glass)	20-15/16" x 78-15/16"	(1653 sq.in.)
2280 Impact (1" glass)	20-13/16" x 78-13/16"	(1640 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:


Fiber-Classic Mahogany
Fiber-Classic Oak
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C	D	E	F	G	H
2/6N*	2080	30"	3-15/16"	22-1/8"	82-1/8"	5-1/8"	21"	4-1/2"	8"
2/6N Impact	2080	30"	4-1/16"	21-7/8"	81-7/8"	5-1/4"	21"	4-1/2"	8-1/8"
2/8	2280	32"	3-15/16"	24-1/8"	82-1/8"	5-1/8"	23-1/8"	4-7/16"	8"
2/8 Impact	2280	32"	4-1/16"	23-7/8"	81-7/8"	5-1/4"	23-1/8"	4-7/16"	8-1/8"
2/10	2280	34"	4-15/16"	24-1/8"	82-1/8"	5-1/8"	23-1/8"	5-7/16"	8"
2/10 Impact	2280	34"	5-1/16"	23-7/8"	81-7/8"	5-1/4"	23-1/8"	5-7/16"	8-1/8"
3/0	2280	36"	5-15/16"	24-1/8"	82-1/8"	5-1/8"	23-1/8"	6-7/16"	8"
3/0 Impact	2280	36"	6-1/16"	23-7/8"	81-7/8"	5-1/4"	23-1/8"	6-7/16"	8-1/8"

*Only available in Smooth-Star.

8' Full Lite Flush-Glazed



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Daylight Opening:

1480	14-1/4" x 78-13/16"	(1123 sq.in.)
2180	19-13/16" x 78-13/16"	(1561 sq.in.)
2580	23-13/16" x 78-13/16"	(1877 sq.in.)


Note:

For Optional Grille Locations, See Arch 1.

Available in:

Fiber-Classic Oak
Smooth-Star

Width	Glass	A	B	C
2/0	1480	24"	15-1/2"	4-1/4"
2/6	2180	30"	21-1/16"	4-15/32"
2/8	2180	32"	21-1/16"	5-15/32"
2/10	2580	34"	25-1/16"	4-15/32"
3/0	2580	36"	25-1/16"	5-15/32"



8' Full Lite Flush

Daylight Opening:

1480	13" x 79"	(1027 sq.in.)
1480 Impact	12-13/16" x 78-13/16"	(1010 sq.in.)
2080 (1/2" glass)	19-1/8" x 79-1/8"	(1513 sq.in.)
2080 (1" glass)	18-15/16" x 78-15/16"	(1495 sq.in.)
2080 Impact (1" glass)	18-13/16" x 78-13/16"	(1483 sq.in.)
2280 (1/2" glass)	21-1/8" x 79-1/8"	(1672 sq.in.)
2280 (1" glass)	20-15/16" x 78-15/16"	(1653 sq.in.)
2280 Impact (1" glass)	20-13/16" x 78-13/16"	(1640 sq.in.)

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Notes:

For Optional Grille Locations, See Arch 1.

Impact Options Available.

Noise Reduction Options Available.


Available in:

- Fiber-Classic Oak
- Fiber-Classic Mahogany
- Smooth-Star
- Traditions

Fiber-Classic Mahogany, Fiber-Classic Oak, Smooth-Star							
Width	Glass	A	B	C	D	E	F
2/0 (FCO)	1480	24"	4"	16"	5-1/4"	82"	8"
2/0 (SS)	1480	24"	4-1/8"	15-3/4"	5-3/8"	81-3/4"	8-1/8"
2/0 Impact	1480	24"	4-1/16"	15-7/8"	5-5/16"	81-7/8"	8-1/16"
2/4 (FCO)	1480	28"	6"	16"	5-1/4"	82"	8"
2/4 (SS)	1480	28"	6-1/8"	15-3/4"	5-3/8"	81-3/4"	8-1/8"
2/4 Impact	1480	28"	6-1/16"	15-7/8"	5-5/16"	81-7/8"	8-1/16"
2/6	2080	30"	3-15/16"	22-1/8"	5-1/8"	82-1/8"	8"
2/6 Impact	2080	30"	4-1/16"	21-7/8"	5-1/4"	81-7/8"	8-1/8"
2/8N	2080	32"	4-15/16"	22-1/8"	5-1/8"	82-1/8"	8"
2/8	2280	32"	3-15/16"	24-1/8"	5-1/8"	82-1/8"	8"
2/8 Impact	2280	32"	3-15/16"	23-7/8"	5-1/4"	81-7/8"	8-1/8"
2/10	2280	34"	4-15/16"	24-1/8"	5-1/8"	82-1/8"	8"
2/10 Impact	2280	34"	4-15/16"	23-7/8"	5-1/4"	81-7/8"	8-1/8"
3/0	2280	36"	5-15/16"	24-1/8"	5-1/8"	82-1/8"	8"
3/0 Impact	2280	36"	5-15/16"	23-7/8"	5-1/4"	81-7/8"	8-1/8"
3/6*	2280	42"	9-15/16"	24-1/8"	5-1/8"	82-1/8"	8"

*Only available in Smooth-Star.

Traditions							
Width	Glass	A	B	C	D	E	F
2/0	1480	23-31/32"	4-1/8"	15-3/4"	5-3/8"	81-3/4"	8-1/8"
2/0 Impact	1480	23-31/32"	4-1/16"	15-7/8"	5-5/16"	81-7/8"	8-1/16"
2/6	2080	29-31/32"	7-27/32"	22-1/8"	5-1/8"	82-1/8"	8"
2/6 Impact	2080	29-31/32"	4-1/16"	21-7/8"	5-1/4"	81-7/8"	8-1/8"
2/8N	2080	31-31/32"	4-15/16"	22-1/8"	5-1/8"	82-1/8"	8"
2/8	2280	31-31/32"	3-15/16"	24-1/8"	5-1/8"	82-1/8"	8"
2/8 Impact	2280	31-31/32"	3-15/16"	23-7/8"	5-1/4"	81-7/8"	8-1/8"
2/10	2280	33-31/32"	4-15/16"	24-1/8"	5-1/8"	82-1/8"	8"
2/10 Impact	2280	33-31/32"	4-15/16"	23-7/8"	5-1/4"	81-7/8"	8-1/8"
3/0	2280	35-31/32"	5-15/16"	24-1/8"	5-1/8"	82-1/8"	8"
3/0 Impact	2280	41-31/32"	5-15/16"	23-7/8"	5-1/4"	81-7/8"	8-1/8"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' Full Lite Sidelite w/ Stile Lines

Daylight Opening:

0780	6-7/8" x 79-1/16"	(545 sq.in.)
0780 Impact	6-5/8" x 78-13/16"	(523 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

- Fiber-Classic Oak
- Fiber-Classic Mahogany
- Smooth-Star

Width	Glass	A	B	C	D	E	F
12"	0780	11-15/16"	1-1/16"	9-27/32"	5-5/16"	82-1/32"	7-29/32"
12" Impact	0780	11-15/16"	1-1/8"	9-11/16"	5-3/8"	81-7/8"	8"
14"	0780	13-15/16"	2-1/16"	9-27/32"	5-5/16"	82-1/32"	7-29/32"
14" Impact	0780	13-15/16"	2-1/8"	9-11/16"	5-3/8"	81-7/8"	8"



8' Full Lite Sidelite Flush

Daylight Opening:

0780	6-7/8" x 79-1/16"	(545 sq.in.)
0780 Impact	6-5/8" x 78-13/16"	(523 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

- Fiber-Classic Oak
- Fiber-Classic Mahogany
- Smooth-Star
- Traditions

Width	Glass	A	B	C	D	E	F
12"	0780	11-15/16"	1-1/16"	9-27/32"	5-5/16"	82-1/32"	7-29/32"
12" Impact	0780	11-15/16"	1-1/8"	9-11/16"	5-3/8"	81-7/8"	8"
14"	0780	13-15/16"	2-1/16"	9-27/32"	5-5/16"	82-1/32"	7-29/32"
14" Impact	0780	13-15/16"	2-1/8"	9-11/16"	5-3/8"	81-7/8"	8"



8' 3/4 Lite 1 Panel


Daylight Opening:
 2264 20-15/16" x 62-15/16" (1317 sq.in.)
 2264 Impact 20-13/16" x 62-13/16" (1307 sq.in.)

Notes:
 For Optional Grille Locations, See Arch 1.
 Impact Options Available.

Available in:
 Fiber-Classic Oak
 Smooth-Star

Fiber-Classic/
 Smooth-Star/
 Steel Panel
 Dimensions

Width	Glass	A	B
2/8	2264	32"	4-1/16"
2/10	2264	34"	5-1/16"
3/0	2264	36"	6-1/16"




8' 3/4 Lite Sidelite 1 Panel

Daylight Opening:
 0764 5-15/16" x 62-15/16" (373 sq.in.)
 0764 Impact 5-13/16" x 62-13/16" (365 sq.in.)

Notes:
 For Optional Grille Locations, See Arch 1.
 Impact Options Available.

Available in:
 Fiber-Classic Oak
 Fiber-Classic Mahogany
 Smooth-Star

Width	Glass	A	B	C
12"	0764	11-15/16"	1-9/16"	1-29/32"
14"	0764	13-15/16"	2-9/16"	2-29/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' 3/4 Lite 1 Panel Flush-Glazed

Daylight Opening:


2064	20-1/32" x 63-1/8"	(1264 sq.in.)
2564	24-5/32" x 63-1/8"	(1524 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Width	Glass	A	B	C
2/6	2064	30"	21-7/32"	4-3/8"
2/8	2064	32"	21-7/32"	5-3/8"
2/10	2564	34"	25-11/32"	4-5/16"
3/0	2564	36"	25-11/32"	5-5/16"



8' Half Lite 2 Panel

Daylight Opening:

2247	21-1/8" x 46-1/8"	(975 sq.in.)
2247 Impact	20-13/16" x 45-13/16"	(954 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/8	2247	32"	4-1/16"	4-7/16"
2/10	2247	34"	5-1/16"	5-7/16"
3/0	2247	36"	6-1/16"	6-7/16"

8' Half Lite 2 Panel Flush



Daylight Opening:

2247	21-1/8" x 46-1/8"	(975 sq.in.)
2247 Impact	20-13/16" x 45-13/16"	(954 sq.in.)

Notes:


For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C	D	E	F
2/8	2247	31-31/32"	4-1/16"	23-1/8"	4-13/32"	26-5/32"	8-3/8"
2/10	2247	33-31/32"	5-1/16"	23-1/8"	5-13/32"	26-5/32"	8-3/8"
3/0	2247	35-31/32"	6-1/16"	23-1/8"	6-13/32"	26-5/32"	8-3/8"

8' Half Lite 1 Panel Top and Bottom



Daylight Opening:


2247	21-1/8" x 46-1/8"	(975 sq.in.)
2247 Impact	20-13/16" x 45-13/16"	(954 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Fiber-Classic Oak
Smooth-Star

Width	Glass	A	B	C
2/8	2247	32"	4-1/16"	4-7/16"
2/10	2247	34"	5-1/16"	5-7/16"
3/0	2247	36"	6-1/16"	6-7/16"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' Center Lite 3 Panel

Daylight Opening:

0836	6-29/32" x 34-29/32"	(241 sq.in.)
0836 Impact	6-13/16" x 34-13/16"	(237 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Smooth-Star

Width	Glass	A	B
2/8	0836	32"	4-7/16"
2/10	0836	34"	5-7/16"
3/0	0836	36"	6-7/16"



8' Half Lite Sidelite 1 Panel

Daylight Opening:

0847	6-15/16" x 45-15/16"	(318 sq.in.)
0847 Impact	6-13/16" x 45-11/16"	(365 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
12"	0847	11-15/16"	1-1/32"	1-29/32"
14"	0847	13-15/16"	2-1/32"	2-29/32"



8' Craftsman Lite 2 Panel


Daylight Opening:
2115 20-3/32" x 13-27/32" (278 sq.in.)

Notes:
For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C
2/8	2115	32"	4-27/32"	4-15/32"
2/10	2115	34"	5-27/32"	5-15/32"
3/0	2115	36"	6-27/32"	6-15/32"




8' Camber Top Lite 4 Panel

Daylight Opening:
2210A 20-29/32" x 8-29/32" (170 sq.in.)

Notes:
For Optional Grille Locations, See Arch 1.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/8	2210A	32"	4-1/16"	4-7/16"
2/10	2210A	34"	5-1/16"	5-7/16"
3/0	2210A	36"	6-1/16"	6-7/16"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


8' Craftsman Lite 2 Panel Shaker Flush-Glazed

Daylight Opening:
2216 21 11/16" x 15 7/16" (335 sq.in.)

Notes:
For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Width	A	B
2/8	32"	4-31/32"
2/10	34"	5-31/32"
3/0	36"	6-31/32"



8' Craftsman Lite Shaker Sidelite Flush-Glazed


Daylight Opening:
0816 6 15/16" x 15 7/16" 107 sq.in.

Notes:
For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Width	Glass	A	B
12"	0816	12"	2-11/32"
14"	0816	14"	3-11/32"

8' Camber Top Lite 4 Panel Flush



Daylight Opening:
2210A 20-29/32" x 8-29/32" (170 sq.in.)


Notes:
For Optional Grille Locations, See Arch 1.

Available in:
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C
2/8	2210A	31-31/32"	4-11/32"	4-13/32"
2/10	2210A	33-31/32"	5-11/32"	5-13/32"
3/0	2210A	35-31/32"	6-11/32"	6-13/32"


8' 4 Lite 4 Panel



Daylight Opening:
2206 21-1/8" x 5" (93 sq.in.)

Available in:
Smooth-Star

Width	Glass	A	B	C
2/8	2206	32"	4-1/16"	4-7/16"
2/10	2206	34"	5-1/16"	5-7/16"
3/0	2206	36"	6-1/16"	6-7/16"




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' 4 Lite 4 Panel Flush

Daylight Opening:
2206 21-1/8" x 5" (93 sq.in.)

Available in:
Traditions

Width	Glass	A	B	C
2/8	2206	31-31/32"	4-1/16"	4-13/32"
2/10	2206	33-31/32"	5-1/16"	5-13/32"
3/0	2206	35-31/32"	6-1/16"	6-13/32"



8' 2 Lite 4 Panel

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(68 sq.in. total)


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C	D
2/6N*	0806	30"	4-1/2"	21"	8-13/16"
2/8	0806	32"	4-7/16"	23-1/16"	9-1/8"
2/10	0806	34"	5-7/16"	23-1/16"	9-1/8"
3/0	0806	36"	6-7/16"	23-1/16"	9-1/8"

*Only available in Smooth-Star.

Width	E	F	G
2/6N*	22-1/8"	39-1/2"	23-3/4"
2/8	23-15/16"	35-15/16"	26-5/32"
2/10	23-15/16"	35-15/16"	26-5/32"
3/0	23-15/16"	35-15/16"	26-5/32"

8' 2 Lite 4 Panel Flush



Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(68 sq.in. total)


Available in:
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C	D	E	F
2/8	0806	31-31/32"	23-1/8"	4-13/32"	9-1/8"	23-15/16"	9-15/16"
2/10	0806	33-31/32"	23-1/8"	5-13/32"	9-1/8"	23-15/16"	9-15/16"
3/0	0806	35-31/32"	23-1/8"	6-13/32"	9-1/8"	23-15/16"	9-15/16"

Width	G	H	J	K	L
2/8	5-1/32"	7-15/16"	4-21/32"	35-15/16"	26-5/32"
2/10	5-1/32"	7-15/16"	4-21/32"	35-15/16"	26-5/32"
3/0	5-1/32"	7-15/16"	4-21/32"	35-15/16"	26-5/32"


8' 2 Panel Craftsman



Note:
Impact Options Available.

Available in:
Smooth-Star

Width	A	B
2/8	32"	4-27/32"
2/10	34"	5-27/32"
3/0	36"	6-27/32"




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' 2 Panel Craftsman Shaker

Available in:
Smooth-Star

Width	A	B
2/8	32"	4-31/32"
2/10	34"	5-31/32"
3/0	36"	6-31/32"




8' 2 Panel Plank Soft Arch

Note:
Impact Options Available.

Available in:
Smooth-Star

Width	A	B
2/8	32"	4-7/16"
2/10	34"	5-7/16"
3/0	36"	6-7/16"




8' 2 Panel Soft Arch

Note:
Impact Options Available.

Available in:
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	A	B
2/8	32"	4-7/16"
2/10	34"	5-7/16"
3/0	36"	6-7/16"




8' 2 Panel Square Top

Note:
Impact Options Available.

Available in:
Smooth-Star

Width	A	B
2/8	32"	4-7/16"
2/10	34"	5-7/16"
3/0	36"	6-7/16"




8' 3 Panel

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Smooth-Star

Width	A	B
2/8	32"	4-7/16"
2/10	34"	5-7/16"
3/0	36"	6-7/16"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions



8' 6 Panel


Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	A	B	C	D	E	F
2/6N*	30"	4-1/2"	8-13/16"	21"	39-1/2"	23-3/4"
2/8	32"	4-7/16"	9-1/8"	23-1/8"	35-15/16"	26-5/32"
2/10	34"	5-7/16"	9-1/8"	23-1/8"	35-15/16"	26-5/32"
3/0	36"	6-7/16"	9-1/8"	23-1/8"	35-15/16"	26-5/32"

*Only available in Smooth-Star.

8' 6 Panel Flush




Available in:
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	A	B	C	D	E
2/6N	29-31/32"	4-13/32"	8-7/8"	21-5/32"	5-17/32"
2/8	31-31/32"	4-13/32"	9-1/8"	23-1/8"	5-7/16"
2/10	33-31/32"	5-13/32"	9-1/8"	23-1/8"	5-7/16"
3/0	35-31/32"	6-13/32"	9-1/8"	23-1/8"	5-7/16"

Width	F	G	H	J	K
2/6N	9-15/16"	4-5/16"	36-3/4"	23-1/16"	8-9/32"
2/8	7-3/16"	5"	35-15/16"	26-5/32"	8-3/8"
2/10	7-3/16"	5"	35-15/16"	26-5/32"	8-3/8"
3/0	7-3/16"	5"	35-15/16"	26-5/32"	8-3/8"

8' Flush Panel



Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions


Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star	
Width	A
2/0	24"
2/4	28"
2/6	30"
2/8	32"
2/10	34"
3/0	36"
3/6*	42"

Traditions	
Width	A
2/0	23-31/32"
2/4	27-31/32"
2/6	29-31/32"
2/8	31-31/32"
2/10	33-31/32"
3/0	35-31/32"

*Only available in Smooth-Star.

6/8 Pulse

Ari 3-Lite



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Daylight Opening:
2115 20-3/32" x 13-27/32" (278 sq.in. per lite)
(834 sq.in. total)


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6	2115	30"	3-31/32"*
2/8	2115	32"	4-15/32"
2/10	2115	34"	5-15/32"
3/0	2115	36"	6-15/32"
3/6◇	2115	42"	9-15/32"

Profiles			
Width	Glass	A	B
2/6	2115	29-31/32"	3-15/16"*
2/8	2115	31-31/32"	4-7/16"
2/10	2115	33-31/32"	5-7/16"
3/0	2115	35-31/32"	6-7/16"
3/6	2115	41-31/32"	9-7/16"

◇Only available in Smooth-Star.

*Reflects lockside dimension with cutout shifted 1/2" toward hinge side to allow standard bore with 2-3/8" backset.



Echo 3-Lite Top Center Cluster


Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(102 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6	0806	30"	10-1/32"
2/8	0806	32"	11-1/32"
2/10	0806	34"	12-1/32"
3/0	0806	36"	13-1/32"
3/6◇	0806	42"	16-1/32"

Profiles			
Width	Glass	A	B
2/6	0806	29-31/32"	10-1/32"
2/8	0806	31-31/32"	11-1/32"
2/10	0806	33-31/32"	12-1/32"
3/0	0806	35-31/32"	13-1/32"
3/6	0806	41-31/32"	16-1/32"

◇Only available in Smooth-Star.




Echo 3-Lite Top Offset Cluster

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(102 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Also available
offset right.




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star		
Width	Glass	A
2/6	0806	30"
2/8	0806	32"
2/10	0806	34"
3/0	0806	36"
3/6◇	0806	42"

Profiles		
Width	Glass	A
2/6	0806	29-31/32"
2/8	0806	31-31/32"
2/10	0806	33-31/32"
3/0	0806	35-31/32"
3/6	0806	41-31/32"

◇Only available in Smooth-Star.




Echo 3-Lite Sidelite Top Cluster

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(102 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	11-15/16"	1"
14"	0806	13-15/16"	2"

6/8 Pulse



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Echo 3-Lite Middle Center Cluster


Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(102 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6	0806	30"	10-1/32"
2/8	0806	32"	11-1/32"
2/10	0806	34"	12-1/32"
3/0	0806	36"	13-1/32"
3/6◇	0806	42"	16-1/32"

Profiles			
Width	Glass	A	B
2/6	0806	29-31/32"	10-1/32"
2/8	0806	31-31/32"	11-1/32"
2/10	0806	33-31/32"	12-1/32"
3/0	0806	35-31/32"	13-1/32"
3/6	0806	41-31/32"	16-1/32"

◇Only available in Smooth-Star.



Echo 3-Lite Middle Offset Cluster

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(102 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles


Also available
off set right.



Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star		
Width	Glass	A
2/6	0806	30"
2/8	0806	32"
2/10	0806	34"
3/0	0806	36"
3/6◇	0806	42"

Profiles		
Width	Glass	A
2/6	0806	29-31/32"
2/8	0806	31-31/32"
2/10	0806	33-31/32"
3/0	0806	35-31/32"
3/6	0806	41-31/32"

◇Only available in Smooth-Star.




Echo 3-Lite Sidelite Middle Cluster

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(102 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
12"	0806	11-15/16"	1"
14"	0806	13-15/16"	2"



Echo 4-Lite Centered

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(136 sq.in. total)


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6	0806	30"	10-1/32"
2/8	0806	32"	11-1/32"
2/10	0806	34"	12-1/32"
3/0	0806	36"	13-1/32"
3/6◇	0806	42"	16-1/32"

Profiles			
Width	Glass	A	B
2/6	0806	29-31/32"	10-1/32"
2/8	0806	31-31/32"	11-1/32"
2/10	0806	33-31/32"	12-1/32"
3/0	0806	35-31/32"	13-1/32"
3/6	0806	41-31/32"	16-1/32"

◇Only available in Smooth-Star.

6/8 Pulse



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Echo 4-Lite Offset

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(136 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles


Also available
offset right.



Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star		
Width	Glass	A
2/6	0806	30"
2/8	0806	32"
2/10	0806	34"
3/0	0806	36"
3/6◇	0806	42"

Profiles		
Width	Glass	A
2/6	0806	29-31/32"
2/8	0806	31-31/32"
2/10	0806	33-31/32"
3/0	0806	35-31/32"
3/6	0806	41-31/32"

◇Only available in Smooth-Star.




Echo 4-Lite Sidelite

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(136 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	11-15/16"	1"
14"	0806	13-15/16"	2"

Echo 5-Lite Centered



Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(170 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles


Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6	0806	30"	10-1/32"
2/8	0806	32"	11-1/32"
2/10	0806	34"	12-1/32"
3/0	0806	36"	13-1/32"
3/6◇	0806	42"	16-1/32"

Profiles			
Width	Glass	A	B
2/6	0806	29-31/32"	10-1/32"
2/8	0806	31-31/32"	11-1/32"
2/10	0806	33-31/32"	12-1/32"
3/0	0806	35-31/32"	13-1/32"
3/6	0806	41-31/32"	16-1/32"

◇Only available in Smooth-Star.

Echo 5-Lite Offset



Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(170 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Also available
offset right.




Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star		
Width	Glass	A
2/6	0806	30"
2/8	0806	32"
2/10	0806	34"
3/0	0806	36"
3/6◇	0806	42"

Profiles		
Width	Glass	A
2/6	0806	29-31/32"
2/8	0806	31-31/32"
2/10	0806	33-31/32"
3/0	0806	35-31/32"
3/6	0806	41-31/32"

◇Only available in Smooth-Star.

6/8 Pulse




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Echo 5-Lite Sidelite

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(170 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	11-15/16"	1"
14"	0806	13-15/16"	2"



Linea Centered

Daylight Opening:
0764 5-15/16" x 62-15/16" (373 sq.in.)
0764 Impact 5-13/16" x 62-13/16" (365 sq.in.)


Notes:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6	0764	30"	10-19/32"
2/8	0764	32"	11-19/32"
2/10	0764	34"	12-19/32"
3/0	0764	36"	13-19/32"
3/6◇	0764	42"	16-19/32"

Profiles			
Width	Glass	A	B
2/6	0764	29-31/32"	10-9/16"
2/8	0764	31-31/32"	11-9/16"
2/10	0764	33-31/32"	12-9/16"
3/0	0764	35-31/32"	13-9/16"
3/6	0764	41-31/32"	16-9/16"

◇Only available in Smooth-Star.




Linea Offset

Daylight Opening:
 0764 5-15/16" x 62-15/16" (373 sq.in.)
 0764 Impact 5-13/16" x 62-13/16" (365 sq.in.)

Notes:
 Impact Options Available.

Available in:
 Fiber-Classic Oak
 Fiber-Classic Mahogany
 Smooth-Star
 Profiles

Also available
 offset right.




Fiber-Classic/
 Smooth-Star/
 Steel Panel
 Dimensions

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star		
Width	Glass	A
2/6	0764	30"
2/8	0764	32"
2/10	0764	34"
3/0	0764	36"
3/6◇	0764	42"

Profiles		
Width	Glass	A
2/6	0764	29-31/32"
2/8	0764	31-31/32"
2/10	0764	33-31/32"
3/0	0764	35-31/32"
3/6	0764	41-31/32"

◇Only available in Smooth-Star.



8' Ari 4-Lite

Daylight Opening:
 2115 20-3/32" x 13-27/32" (278 sq.in. per lite)
 (1108 sq.in. total)

Available in:
 Fiber-Classic Oak
 Fiber-Classic Mahogany
 Smooth-Star
 Traditions


Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/8	2115	32"	4-15/32"
2/10	2115	34"	5-15/32"
3/0	2115	36"	6-15/32"
3/6◇	2115	42"	9-15/32"

Traditions			
Width	Glass	A	B
2/8	2115	31-31/32"	4-7/16"
2/10	2115	33-31/32"	5-7/16"
3/0	2115	35-31/32"	6-7/16"

◇Only available in Smooth-Star.

8/0 Pulse

8' Echo 4-Lite Centered



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Daylight Opening:

0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(136 sq.in. total)


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6	0806	30"	10-1/32"
2/8	0806	32"	11-1/32"
2/10	0806	34"	12-1/32"
3/0	0806	36"	13-1/32"
3/6◇	0806	42"	16-1/32"

Traditions			
Width	Glass	A	B
2/6	0806	29-31/32"	10-1/32"
2/8	0806	31-31/32"	11-1/32"
2/10	0806	33-31/32"	12-1/32"
3/0	0806	35-31/32"	13-1/32"

◇Only available in Smooth-Star.

8' Echo 4-Lite Offset



Daylight Opening:


0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(136 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star		
Width	Glass	A
2/6	0806	30"
2/8	0806	32"
2/10	0806	34"
3/0	0806	36"
3/6◇	0806	42"

Traditions		
Width	Glass	A
2/6	0806	29-31/32"
2/8	0806	31-31/32"
2/10	0806	33-31/32"
3/0	0806	35-31/32"

◇Only available in Smooth-Star.




8' Echo 4-Lite Sidelite

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(136 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
12"	0806	11-15/16"	1"
14"	0806	13-15/16"	2"



8' Echo 4-Lite Top Center Cluster

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(136 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions


Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6	0806	30"	10-1/32"
2/8	0806	32"	11-1/32"
2/10	0806	34"	12-1/32"
3/0	0806	36"	13-1/32"
3/6◇	0806	42"	16-1/32"

Traditions			
Width	Glass	A	B
2/6	0806	29-31/32"	10-1/32"
2/8	0806	31-31/32"	11-1/32"
2/10	0806	33-31/32"	12-1/32"
3/0	0806	35-31/32"	13-1/32"

◇Only available in Smooth-Star.

8/0 Pulse

8' Echo 4-Lite Top Offset Cluster



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(136 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions


Also available
offset right.



Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star		
Width	Glass	A
2/6	0806	30"
2/8	0806	32"
2/10	0806	34"
3/0	0806	36"
3/6◇	0806	42"

◇Only available in Smooth-Star.

Traditions		
Width	Glass	A
2/6	0806	29-31/32"
2/8	0806	31-31/32"
2/10	0806	33-31/32"
3/0	0806	35-31/32"




8' Echo 4-Lite Sidelite Top Cluster

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(136 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	11-15/16"	1"
14"	0806	13-15/16"	2"



8' Echo 4-Lite Middle Center Cluster

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(136 sq.in. total)


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6	0806	30"	10-1/32"
2/8	0806	32"	11-1/32"
2/10	0806	34"	12-1/32"
3/0	0806	36"	13-1/32"
3/6◇	0806	42"	16-1/32"

Traditions			
Width	Glass	A	B
2/6	0806	29-31/32"	10"
2/8	0806	31-31/32"	11"
2/10	0806	33-31/32"	12"
3/0	0806	35-31/32"	13"

◇Only available in Smooth-Star.




8' Echo 4-Lite Middle Offset Cluster

Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(136 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Also available
offset right.




Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star		
Width	Glass	A
2/6	0806	30"
2/8	0806	32"
2/10	0806	34"
3/0	0806	36"
3/6◇	0806	42"

Traditions		
Width	Glass	A
2/6	0806	29-31/32"
2/8	0806	31-31/32"
2/10	0806	33-31/32"
3/0	0806	35-31/32"

◇Only available in Smooth-Star.

8' Echo 5-Lite Offset



Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(170 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Also available
offset right.




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star		
Width	Glass	A
2/6	0806	30"
2/8	0806	32"
2/10	0806	34"
3/0	0806	36"
3/6◇	0806	42"

◇Only available in Smooth-Star.

Traditions		
Width	Glass	A
2/6	0806	29-31/32"
2/8	0806	31-31/32"
2/10	0806	33-31/32"
3/0	0806	35-31/32"



8' Echo 5-Lite Sidelite


Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(170 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	11-15/16"	1"
14"	0806	13-15/16"	2"

8/0 Pulse

8' Echo 6-Lite Centered



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Daylight Opening:

0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(204 sq.in. total)


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6	0806	30"	10-1/32"
2/8	0806	32"	11-1/32"
2/10	0806	34"	12-1/32"
3/0	0806	36"	13-1/32"
3/6◇	0806	42"	16-1/32"

◇Only available in Smooth-Star.

Traditions			
Width	Glass	A	B
2/6	0806	29-31/32"	10-1/32"
2/8	0806	31-31/32"	11-1/32"
2/10	0806	33-31/32"	12-1/32"
3/0	0806	35-31/32"	13-1/32"

8' Echo 6-Lite Offset



Daylight Opening:

0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(204 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Also available
offset right.




Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star		
Width	Glass	A
2/6	0806	30"
2/8	0806	32"
2/10	0806	34"
3/0	0806	36"
3/6◇	0806	42"

◇Only available in Smooth-Star.

Traditions		
Width	Glass	A
2/6	0806	29-31/32"
2/8	0806	31-31/32"
2/10	0806	33-31/32"
3/0	0806	35-31/32"

8' Echo 6-Lite Sidelite




Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(204 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
12"	0806	11-15/16"	1"
14"	0806	13-15/16"	2"



8' Linea Centered

Daylight Opening:
0780 6-7/8" x 79-1/16" (545 sq.in.)
0780 Impact 6-5/8" x 78-13/16" (523 sq.in.)

Notes:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions


Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star			
Width	Glass	A	B
2/6	0780	30"	10-3/32"
2/8	0780	32"	11-3/32"
2/10	0780	34"	12-3/32"
3/0	0780	36"	13-3/32"
3/6◇	0780	42"	16-3/32"

Traditions			
Width	Glass	A	B
2/6	0780	29-31/32"	10-1/16"
2/8	0780	31-31/32"	11-1/16"
2/10	0780	33-31/32"	12-1/16"
3/0	0780	35-31/32"	13-1/16"

◇Only available in Smooth-Star.

8/0 Pulse

8' Linea Offset



Daylight Opening:

0780	6-7/8" x 79-1/16"	(545 sq.in.)
0780 Impact	6-5/8" x 78-13/16"	(523 sq.in.)

Notes:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Also available
offset right.



Fiber-Classic Oak, Fiber-Classic Mahogany, and Smooth-Star		
Width	Glass	A
2/6	0780	30"
2/8	0780	32"
2/10	0780	34"
3/0	0780	36"
3/6◇	0780	42"

Traditions		
Width	Glass	A
2/6	0780	29-31/32"
2/8	0780	31-31/32"
2/10	0780	33-31/32"
3/0	0780	35-31/32"

◇Only available in Smooth-Star.

This section intentionally left blank.