
Unit and Rough Opening Sizing.....	1.3
Grille Profiles	1.40
6/8 Lip Lite Grille Locations.....	1.41
8/0 Lip Lite Grille Locations.....	1.49
6/8 Flush-Glazed Grille Locations.....	1.59
8/0 Flush-Glazed Grille Locations.....	1.69
Transom Grille Locations	1.77

Single or M.E.U. - 6/6, 6/8, 7/0, 8/0

Single or M.E.U. - Inswing

Brickmould Dim.	28"	32"	34"	36"	38"	40"	46"	
Rough Opening	26 1/4"	30 1/4"	32 1/4"	34 1/4"	36 1/4"	38 1/4"	44 1/4"	
Unit Dimension	25 1/2"	29 1/2"	31 1/2"	33 1/2"	35 1/2"	37 1/2"	43 1/2"	
	80 1/2"	83 1/16"	87 1/16"	99 1/16"				
	79 3/4"	82 5/16"	86 5/16"	98 5/16"				
	79 1/4"	81 13/16"	85 13/16"	97 13/16"				
	6/6	6/8	7/0	8/0				
	2/0	2/4	2/6	2/8	2/10	3/0	3/6	
	2/0	2/4	2/6	2/8	2/10	3/0	3/6	
	2/0	2/4	2/6	2/8	2/10	3/0	3/6	
	2/0	2/4	2/6	2/8	2/10	3/0	3/6	
	25 1/2"	29 1/2"	31 1/2"	33 1/2"	35 1/2"	37 1/2"	43 1/2"	Unit Dim.
	26 1/4"	30 1/4"	32 1/4"	34 1/4"	36 1/4"	38 1/4"	44 1/4"	Rough Opening
	28 1/2"	32 1/2"	34 1/2"	36 1/2"	38 1/2"	40 1/2"	46 1/2"	Brickmould Dim.
								78 5/8"
								78 1/16"
								80 1/8"
								82 1/16"
								81 1/8"
								81 1/16"
								80 5/8"
								81 3/16"
								86 1/8"
								86 11/16"
								85 1/8"
								85 11/16"
								84 5/8"
								85 3/16"
								98 1/8"
								98 11/16"
								97 1/8"
								97 11/16"
								96 5/8"
								97 3/16"
								Aluminum Composite
								Aluminum
								Composite
								Aluminum
								Composite


For M.E.U., add actual unit dimension to door rough opening width for total rough opening width.

For units with public access sills, subtract 13/16" from inswing height. Unit widths will be the same as in the table above.


Single or M.E.U. - Outswing

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

French - 7/8" Astragal, 6/6, 6/8, 7/0, 8/0

French - Inswing - Astragal

Brickmould Dim.	52 11/16"	60 11/16"	64 11/16"	68 11/16"	72 11/16"	76 11/16"		
Rough Opening	50 15/16"	58 15/16"	62 15/16"	66 15/16"	70 15/16"	74 15/16"		
Unit Dimension	50 3/16"	58 3/16"	62 3/16"	66 3/16"	70 3/16"	74 3/16"		

80 1/2" 79 3/4" 79 1/4"	6/6							78 5/8" 78 1/16"	79 9/16" 80 1/8"	82 1/8"	Aluminum Composite
	6/8							81 3/16"	80 5/8" 81 1/16"	82 11/16" 81 1/8"	Aluminum Composite
	7/0							85 3/16"	84 5/8" 85 11/16"	86 1/8" 86 11/16"	Aluminum Composite
	8/0							97 3/16"	96 5/8" 97 11/16"	98 1/8" 98 11/16"	Aluminum Composite

50 3/16"	58 3/16"	62 3/16"	66 3/16"	70 3/16"	74 3/16"	Unit Dim.
50 15/16"	58 15/16"	62 15/16"	66 15/16"	70 15/16"	74 15/16"	Rough Opening
53 3/16"	61 3/16"	65 3/16"	69 3/16"	73 3/16"	77 3/16"	Brickmould Dim.

French - Outswing - Astragal

For units with public access sills, subtract 13/16" from inswing height. Unit widths will be the same as in the table above.

Hand Designations	
(Viewed from the exterior)	
A	Astragal (Passive)
L	Left Hand
R	Right Hand

Inswing



LA



AR

Outswing



AL



RA

Double - Standard Mullion, 6/6, 6/8, 7/0, 8/0

Double - Inswing - Standard Mullion


Brickmould Dim.	57"	61"	65"	69"	73"	77"	
Rough Opening	55 1/4"	59 1/4"	63 1/4"	67 1/4"	71 1/4"	75 1/4"	
Unit Dimension	54 1/2"	58 1/2"	62 1/2"	66 1/2"	70 1/2"	74 1/2"	

80 1/2"	79 3/4"	79 1/4"	6/6						78 5/8"	80 1/8"
				4/0	4/8	5/0	5/4	5/8	6/0	
83 1/16"	82 5/16"	81 13/16"	6/8						81 3/16"	82 11/16"
				4/0	4/8	5/0	5/4	5/8	6/0	
87 1/16"	86 5/16"	85 13/16"	7/0						85 3/16"	86 11/16"
				4/0	4/8	5/0	5/4	5/8	6/0	
99 1/16"	98 5/16"	97 13/16"	8/0						97 3/16"	98 11/16"
				4/0	4/8	5/0	5/4	5/8	6/0	
				54 1/2"	58 1/2"	62 1/2"	66 1/2"	70 1/2"	74 1/2"	Unit Dim.
				55 1/4"	59 1/4"	63 1/4"	67 1/4"	71 1/4"	75 1/4"	Rough Opening
				57 1/2"	61 1/2"	65 1/2"	69 1/2"	73 1/2"	77 1/2"	Brickmould Dim.


Double - Outswing - Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Double - Wide Mullion, 6/6, 6/8, 7/0, 8/0


Double - Inswing - Wide Mullion

Brickmould Dim.		57 1/2"	61 1/2"	65 1/2"	69 1/2"	73 1/2"	77 1/2"	
Rough Opening		55 3/4"	59 3/4"	63 3/4"	67 3/4"	71 3/4"	75 3/4"	
Unit Dimension		55"	59"	63"	67"	71"	75"	
80 3/4" 80" 79 1/2"	6/6							80 1/8"
		4/0	4/8	5/0	5/4	5/8	6/0	78 5/8"
	6/8							82 11/16"
		4/0	4/8	5/0	5/4	5/8	6/0	81 11/16"
83 1/16" 82 5/16" 81 13/16"	7/0							86 11/16"
		4/0	4/8	5/0	5/4	5/8	6/0	85 3/16"
	8/0							98 11/16"
		4/0	4/8	5/0	5/4	5/8	6/0	97 3/16"
87 1/16" 86 5/16" 85 13/16"								Composite
		4/0	4/8	5/0	5/4	5/8	6/0	Composite
								Composite
		4/0	4/8	5/0	5/4	5/8	6/0	Composite
99 1/16" 98 5/16" 97 13/16"								Composite
		4/0	4/8	5/0	5/4	5/8	6/0	Composite
								Composite
		4/0	4/8	5/0	5/4	5/8	6/0	Composite
		55"	59"	63"	67"	71"	75"	Unit Dim.
		55 3/4"	59 3/4"	63 3/4"	67 3/4"	71 3/4"	75 3/4"	Rough Opening
		58"	62"	66"	70"	74"	78"	Brickmould Dim.


Double - Outswing - Wide Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Triple - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Triple - Inswing - Standard Mullion


Brickmould Dim.	78"	90"	96"	102"	108"	114"	
Rough Opening	76 1/4"	88 1/4"	94 1/4"	100 1/4"	106 1/4"	112 1/4"	
Unit Dimension	75 1/2"	87 1/2"	93 1/2"	99 1/2"	105 1/2"	111 1/2"	

80 1/2" 79 3/4" 79 1/4"	6/6							78 5/8"	80 1/8"	Composite
	6/8							81 3/16"	82 11/16"	Composite
	7/0							85 3/16"	86 11/16"	Composite
	8/0							97 3/16"	98 11/16"	Composite
		75 1/2"	87 1/2"	93 1/2"	99 1/2"	105 1/2"	111 1/2"	Unit Dim.		
		76 1/4"	88 1/4"	94 1/4"	100 1/4"	106 1/4"	112 1/4"	Rough Opening		
		78 1/2"	90 1/2"	96 1/2"	102 1/2"	108 1/2"	114 1/2"	Brickmould Dim.		


Triple - Outswing - Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Triple - Wide Mullion - 6/6, 6/8, 7/0, 8/0

Triple - Inswing - Wide Mullion

	Brickmould Dim.						
	79"	91"	97"	103"	109"	115"	
Rough Opening	77 1/4"	89 1/4"	95 1/4"	101 1/4"	107 1/4"	113 1/4"	
Unit Dimension	76 1/2"	88 1/2"	94 1/2"	100 1/2"	106 1/2"	112 1/2"	
80 1/2" 79 3/4" 79 1/4"							
83 1/16" 82 5/16" 81 13/16"							
87 1/16" 86 5/16" 85 13/16"							
99 1/16" 98 5/16" 97 13/16"							
	76 1/2"	88 1/2"	94 1/2"	100 1/2"	106 1/2"	112 1/2"	Unit Dim.
	77 1/4"	89 1/4"	95 1/4"	101 1/4"	107 1/4"	113 1/4"	Rough Opening
	79 1/2"	91 1/2"	97 1/2"	103 1/2"	109 1/2"	115 1/2"	Brickmould Dim.


Triple - Outswing - Wide Mullion

Hand Designations


(Viewed from the exterior)

- | | |
|---|-------------|
| F | Fixed Panel |
| L | Left Hand |
| R | Right Hand |

Inswing



Outswing



Single - Continuous with 10" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0


Single with 1 Sidelite - Inswing - Continuous Standard Mullion

Brickmould Dim.	43"	45"	47"	49"	51"	57"	
Rough Opening	41 1/4"	43 1/4"	45 1/4"	47 1/4"	49 1/4"	55 1/4"	
Unit Dimension	40 1/2"	42 1/2"	44 1/2"	46 1/2"	48 1/2"	54 1/2"	
80 1/2" 79 3/4" 79 1/4"	6/6 2/4	2/6	2/8	2/10	3/0	3/6	79 5/8" 78 1/16"
83 1/16" 82 5/16" 81 13/16"	6/8 2/4	2/6	2/8	2/10	3/0	3/6	81 3/16" 80 5/8"
87 1/16" 86 5/16" 85 13/16"	7/0 2/4	2/6	2/8	2/10	3/0	3/6	85 3/16" 84 5/8"
99 1/16" 98 5/16" 97 13/16"	8/0 2/4	2/6	2/8	2/10	3/0	3/6	97 3/16" 96 5/8"
							Unit Dim.
							Rough Opening
							Brickmould Dim.
							79 9/16" 80 1/8" 82 11/16" 81 1/8" 86 11/16" 85 1/8" 98 11/16" 97 1/8" Aluminum Composite Aluminum Composite Aluminum Composite


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Single - Continuous with 12" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0


Single with 1 Sidelite - Inswing - Continuous Standard Mullion

Brickmould Dim.	45"	47"	49"	51"	53"	59"													
Rough Opening	43 1/4"	45 1/4"	47 1/4"	49 1/4"	51 1/4"	57 1/4"													
Unit Dimension	42 1/2"	44 1/2"	46 1/2"	48 1/2"	50 1/2"	56 1/2"													
80 1/2" 79 3/4" 79 1/4"	6/6						2/4	2/6	2/8	2/10	3/0	3/6	78 5/8"	78 1/16"	79 1/8"	78 9/16"	80 1/8"	79 9/16"	Aluminum Composite
	6/8						2/4	2/6	2/8	2/10	3/0	3/6	81 3/16"	80 5/8"	81 1/16"	81 1/8"	82 1/16"	82 1/8"	Aluminum Composite
	7/0						2/4	2/6	2/8	2/10	3/0	3/6	85 3/16"	84 5/8"	85 1/16"	85 1/8"	86 1/16"	86 1/8"	Aluminum Composite
	8/0						2/4	2/6	2/8	2/10	3/0	3/6	97 3/16"	96 5/8"	97 1/16"	97 1/8"	98 1/16"	98 1/8"	Aluminum Composite
		42 1/2"	44 1/2"	46 1/2"	48 1/2"	50 1/2"	56 1/2"	Unit Dim.											
		43 1/4"	45 1/4"	47 1/4"	49 1/4"	51 1/4"	57 1/4"	Rough Opening											
		45 1/2"	47 1/2"	49 1/2"	51 1/2"	53 1/2"	59 1/2"	Brickmould Dim.											


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing




Single - Continuous with 14" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0
Single with 1 Sidelite - Inswing - Continuous Standard Mullion

Brickmould Dim.	47"	49"	51"	53"	55"	61"			
Rough Opening	45 1/4"	47 1/4"	49 1/4"	51 1/4"	53 1/4"	59 1/4"			
Unit Dimension	44 1/2"	46 1/2"	48 1/2"	50 1/2"	52 1/2"	58 1/2"			
80 1/2"	79 3/4"	79 1/4"					78 5/8"	78 1/16"	79 9/16"
83 1/16"	82 5/16"	81 13/16"					81 3/16"	80 5/8"	82 1/8"
87 1/16"	86 5/16"	85 13/16"					85 3/16"	84 5/8"	86 1/8"
89 1/16"	88 5/16"	87 13/16"					97 3/16"	96 5/8"	98 1/8"
							Unit Dim.		Aluminum
							Rough Opening		Composite
							Brickmould Dim.		Aluminum
									Composite
									Aluminum
									Composite
									Aluminum
									Composite
									Aluminum
									Composite


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Single - Continuous with 2-10" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0


Single with 2 Sidelites - Inswing - Continuous Standard Mullion

Brickmould Dim.	54"	56"	58"	60"	62"	68"						
Rough Opening	52 1/4"	54 1/4"	56 1/4"	58 1/4"	60 1/4"	66 1/4"						
Unit Dimension	51 1/2"	53 1/2"	55 1/2"	57 1/2"	59 1/2"	65 1/2"						
80 1/2" 79 3/4" 79 1/4"	6/6							79 9/16"	80 1/8"	82 1/8"	82 1/8"	Aluminum
		2/4	2/6	2/8	2/10	3/0	3/6	78 5/8"	78 1/16"	81 1/8"	81 1/8"	Aluminum
		2/4	2/6	2/8	2/10	3/0	3/6	81 3/16"	80 5/8"	81 11/16"	85 1/8"	Composite
		2/4	2/6	2/8	2/10	3/0	3/6	85 3/16"	84 5/8"	85 11/16"	97 1/8"	Aluminum
83 1/16" 82 5/16" 81 13/16"	6/8							98 1/8"	98 1/8"	98 1/8"	98 1/8"	Aluminum
		2/4	2/6	2/8	2/10	3/0	3/6	97 3/16"	96 5/8"	97 11/16"	97 1/8"	Aluminum
		2/4	2/6	2/8	2/10	3/0	3/6	97 3/16"	96 5/8"	97 11/16"	97 1/8"	Composite
		2/4	2/6	2/8	2/10	3/0	3/6	97 3/16"	96 5/8"	97 11/16"	97 1/8"	Aluminum
87 1/16" 86 5/16" 85 13/16"	7/0							98 1/8"	98 1/8"	98 1/8"	98 1/8"	Aluminum
		2/4	2/6	2/8	2/10	3/0	3/6	97 3/16"	96 5/8"	97 11/16"	97 1/8"	Aluminum
		2/4	2/6	2/8	2/10	3/0	3/6	97 3/16"	96 5/8"	97 11/16"	97 1/8"	Composite
		2/4	2/6	2/8	2/10	3/0	3/6	97 3/16"	96 5/8"	97 11/16"	97 1/8"	Aluminum
99 1/16" 98 5/16" 97 13/16"	8/0							98 1/8"	98 1/8"	98 1/8"	98 1/8"	Aluminum
		2/4	2/6	2/8	2/10	3/0	3/6	97 3/16"	96 5/8"	97 11/16"	97 1/8"	Aluminum
		2/4	2/6	2/8	2/10	3/0	3/6	97 3/16"	96 5/8"	97 11/16"	97 1/8"	Composite
		2/4	2/6	2/8	2/10	3/0	3/6	97 3/16"	96 5/8"	97 11/16"	97 1/8"	Aluminum
		51 1/2"	53 1/2"	55 1/2"	57 1/2"	59 1/2"	65 1/2"	Unit Dim.				
		52 1/4"	54 1/4"	56 1/4"	58 1/4"	60 1/4"	66 1/4"	Rough Opening				
		54 1/2"	56 1/2"	58 1/2"	60 1/2"	62 1/2"	68 1/2"	Brickmould Dim.				


Single with 2 Sidelites - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing




Single - Continuous with 2-12" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0
Single with 2 Sidelites - Inswing - Continuous Standard Mullion

Brickmould Dim.	58"	60"	62"	64"	66"	72"				
Rough Opening	56 1/4"	58 1/4"	60 1/4"	62 1/4"	64 1/4"	70 1/4"				
Unit Dimension	55 1/2"	57 1/2"	59 1/2"	61 1/2"	63 1/2"	69 1/2"				
80 1/2"							78 5/8"	78 1/16"	79 9/16"	
83 1/16"							81 1/16"	82 1/8"		
87 1/16"							85 13/16"	86 1/8"		
99 1/16"							97 13/16"	98 5/8"		
	55 1/2"	57 1/2"	59 1/2"	61 1/2"	63 1/2"	69 1/2"	Unit Dim.			
	56 1/4"	58 1/4"	60 1/4"	62 1/4"	64 1/4"	70 1/4"	Rough Opening			
	58 1/2"	60 1/2"	62 1/2"	64 1/2"	66 1/2"	72 1/2"	Brickmould Dim.	Composite	Aluminum	
								81 3/16"	80 5/8"	82 1/8"
								85 3/16"	84 5/8"	86 1/8"
									96 5/8"	97 1/8"
									97 3/16"	98 1/8"
										98 1/8"


Single with 2 Sidelites - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing


Single - Continuous with 2-14" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0 Single with 2 Sidelites - Inswing - Continuous Standard Mullion

Brickmould Dim.	62"	64"	66"	68"	70"	76"			
Rough Opening	60 1/4"	62 1/4"	64 1/4"	66 1/4"	68 1/4"	74 1/4"			
Unit Dimension	59 1/2"	61 1/2"	63 1/2"	65 1/2"	67 1/2"	73 1/2"			
80 1/2" 79 3/4" 79 1/4"	6/6							78 5/8"	79 9/16"
	6/8							81 3/16"	82 1/8"
	7/0							85 3/16"	86 1/8"
	8/0							97 3/16"	98 1/8"
83 1/16" 82 5/16" 81 13/16"									
87 1/16" 86 5/16" 85 13/16"									
99 1/16" 98 5/16" 97 13/16"									
	59 1/2"	61 1/2"	63 1/2"	65 1/2"	67 1/2"	73 1/2"	Unit Dim.		
	60 1/4"	62 1/4"	64 1/4"	66 1/4"	68 1/4"	74 1/4"	Rough Opening		
	62 1/2"	64 1/2"	66 1/2"	68 1/2"	70 1/2"	76 1/2"	Brickmould Dim.		
								78 5/8"	79 9/16"
								81 3/16"	82 1/8"
								85 3/16"	86 1/8"
								97 3/16"	98 1/8"
								Aluminum Composite	Aluminum Composite
								Aluminum Composite	Aluminum Composite
								Aluminum Composite	Aluminum Composite


Single with 2 Sidelites - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Single with 10" Sidelite - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 1 Sidelite - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.		43 1/2"	45 1/2"	47 1/2"	49 1/2"	51 1/2"	57 1/2"	
Rough Opening		41 3/4"	43 3/4"	45 3/4"	47 3/4"	49 3/4"	55 3/4"	
Unit Dimension		41"	43"	45"	47"	49"	55"	
80 1/2" 79 3/4" 79 1/4"	6/6							79 9/16" 80 1/8" 78 9/16" 79 1/8"
	6/8							81 3/16" 80 5/8" 81 1/16"
	7/0							85 3/16" 84 5/8"
	8/0							97 3/16" 96 5/8"
83 1/16" 82 5/16" 81 13/16"								82 1/8" 82 1/16" 81 1/8"
87 1/16" 86 5/16" 85 13/16"								86 1/8" 86 1/16" 85 1/8"
99 1/16" 98 5/16" 97 13/16"								98 1/8" 98 1/16" 97 1/8"
								96 5/8" 97 11/16"
								Composite Aluminum Composite Aluminum Composite Aluminum Composite
								Unit Dim. Rough Opening Brickmould Dim.
		41"	43"	45"	47"	49"	55"	
		41 3/4"	43 3/4"	45 3/4"	47 3/4"	49 3/4"	55 3/4"	
		44"	46"	48"	50"	52"	58"	

Single with 1 Sidelite - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with one 10" sidelite and one mullion spread 3/4" would be:


49" unit size + 3/4" spread = 49 3/4"

Units can be spread 0" to 3" in 1/4" increments.


Spread mullion only available in 3/0 inswing.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



























Outswing



Unit and Rough Opening Sizing

Single with 12" Sidelite - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 1 Sidelite - Inswing - Continuous Wide Mullion or Boxed

		45 1/2"	47 1/2"	49 1/2"	51 1/2"	53 1/2"	59 1/2"		
Brickmould Dim.		45 1/2"	47 1/2"	49 1/2"	51 1/2"	53 1/2"	59 1/2"		
Rough Opening		43 3/4"	45 3/4"	47 3/4"	49 3/4"	51 3/4"	57 3/4"		
Unit Dimension		43"	45"	47"	49"	51"	57"		
80 1/2" 79 3/4" 79 1/4"	6/6							79 9/16"	80 1/8"
	6/8							81 1/16"	82 1/8"
	7/0							85 3/16"	86 1/8"
	8/0							97 3/16"	98 1/8"
		43"	45"	47"	49"	51"	57"	Unit Dim.	
		43 3/4"	45 3/4"	47 3/4"	49 3/4"	51 3/4"	57 3/4"	Rough Opening	
		46"	48"	50"	52"	54"	60"	Brickmould Dim.	
									Aluminum Composite Aluminum Composite Aluminum Composite Aluminum Composite

Single with 1 Sidelite - Outswing - Continuous Wide Mullion - Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with one 10" sidelite and one mullion spread 3/4" would be:

51" unit size + 3/4" spread = 51 3/4"

Units can be spread 0" to 3" in 1/4" increments.

Spread mullion only available in 3/0 inswing.

Hand Designations (Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing




LF



RF




FL




FR


Outswing




LF



RF



























FL



FR

Single with 14" Sidelite - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 1 Sidelite - Inswing - Continuous Wide Mullion or Boxed

		47 1/2"	49 1/2"	51 1/2"	53 1/2"	55 1/2"	61 1/2"		
Brickmould Dim.		47 1/2"	49 1/2"	51 1/2"	53 1/2"	55 1/2"	61 1/2"		
Rough Opening		45 3/4"	47 3/4"	49 3/4"	51 3/4"	53 3/4"	59 3/4"		
Unit Dimension		45"	47"	49"	51"	53"	59"		
80 1/2" 79 3/4" 79 1/4"	6/6							79 9/16"	80 1/8"
		2/4	2/6	2/8	2/10	3/0	3/6	78 1/16"	79 1/8"
								81 3/16"	82 1/8"
								82 11/16"	85 1/8"
83 1/16" 82 5/16" 81 13/16"	6/8							81 3/16"	80 5/8"
		2/4	2/6	2/8	2/10	3/0	3/6	81 11/16"	85 1/8"
								85 11/16"	86 1/8"
								86 11/16"	97 1/8"
87 1/16" 86 5/16" 85 13/16"	7/0							85 3/16"	84 5/8"
		2/4	2/6	2/8	2/10	3/0	3/6	85 11/16"	96 5/8"
								97 3/16"	98 1/8"
								98 11/16"	99 1/8"
99 1/16" 98 5/16" 97 13/16"	8/0							97 3/16"	96 5/8"
		2/4	2/6	2/8	2/10	3/0	3/6	97 11/16"	99 1/8"
								99 11/16"	100 1/8"
								100 11/16"	101 1/8"
		45"	47"	49"	51"	53"	59"	Unit Dim.	
		45 3/4"	47 3/4"	49 3/4"	51 3/4"	53 3/4"	59 3/4"	Rough Opening	
		48"	50"	52"	54"	56"	62"	Brickmould Dim.	
								Composite	Aluminum
								Aluminum	Composite
								Aluminum	Composite
								Aluminum	Composite

Single with 1 Sidelite - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with one 10" sidelite and one mullion spread 3/4" would be:


$$53" \text{ unit size} + 3/4" \text{ spread} = 53 3/4"$$

Units can be spread 0" to 3" in 1/4" increments.


Spread mullion only available in 3/0 inswing.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Single with 2-10" Sidelites - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	55"	57"	59"	61"	63"	69"			
Rough Opening	53 1/4"	55 1/4"	57 1/4"	59 1/4"	61 1/4"	67 1/4"			
Unit Dimension	52 1/2"	54 1/2"	56 1/2"	58 1/2"	60 1/2"	66 1/2"			
80 1/2"							78 5/8"	79 1/16"	79 9/16"
								80 1/8"	80 1/8"
83 1/16"							81 3/16"	81 1/16"	82 1/8"
								80 5/8"	81 1/8"
87 1/16"							85 3/16"	84 5/8"	86 1/8"
								85 11/16"	85 1/8"
99 1/16"							97 3/16"	96 5/8"	98 1/8"
								97 11/16"	97 1/8"
								Unit Dim.	Aluminum
								Rough Opening	Composite
								Brickmould Dim.	Aluminum
									Composite
									Aluminum
									Composite

Single with 2 Sidelites - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with two 10" sidelites and two mullions spread 3/4" would be:


$60\ 1/2''\ \text{unit size} + 3/4''\ \text{spread} + 3/4''\ \text{spread} = 62''$

Units can be spread 0" to 3" per mullion in 1/4" increments (0" to 6" per unit in 1/2" increments).


Spread mullion only available in 3/0 inswing.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Single with 2-12" Sidelites - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	59"	61"	60"	65"	67"	73"			
Rough Opening	57 1/4"	59 1/4"	58 1/4"	63 1/4"	65 1/4"	71 1/4"			
Unit Dimension	56 1/2"	58 1/2"	57 1/2"	62 1/2"	64 1/2"	70 1/2"			
	80 1/2"	79 3/4"	79 1/4"						
	6/6	2/4	2/6	2/8	2/10	3/0	3/6		
	6/8	2/4	2/6	2/8	2/10	3/0	3/6		
	7/0	2/4	2/6	2/8	2/10	3/0	3/6		
	8/0	2/4	2/6	2/8	2/10	3/0	3/6		
	83 1/16"	82 5/16"	81 13/16"						
	87 1/16"	86 5/16"	85 13/16"						
	99 1/16"	98 5/16"	97 13/16"						
	78 5/8"	78 1/16"	79 1/8"	78 9/16"	80 1/8"	82 1/16"	80 1/8"		
	81 3/16"	80 5/8"	81 1/16"	82 1/16"	81 1/8"	82 1/16"	82 1/8"		
	85 3/16"	84 5/8"	85 1/16"	86 1/16"	85 1/8"	86 1/16"	86 1/8"		
	97 3/16"	96 5/8"	97 1/16"	98 1/16"	97 1/8"	98 1/16"	98 1/8"		
	Unit Dim.								
	Rough Opening								
	Brickmould Dim.								
	56 1/2"	58 1/2"	57 1/2"	62 1/2"	64 1/2"	70 1/2"			
	57 1/4"	59 1/4"	58 1/4"	63 1/4"	65 1/4"	71 1/4"			
	59 1/2"	61 1/2"	60 1/2"	65 1/2"	67 1/2"	73 1/2"			
							Composite	Aluminum	Aluminum

Single with 2 Sidelites - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with two 10" sidelites and two mullions spread 3/4" would be:


64 1/2" unit size + 3/4" spread + 3/4" spread = 66"

Units can be spread 0" to 3" per mullion in 1/4" increments (0" to 6" per unit in 1/2" increments).


Spread mullion only available in 3/0 inswing.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Single with 2-14" Sidelites - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	63"	65"	67"	69"	71"	77"	
Rough Opening	61 1/4"	63 1/4"	65 1/4"	67 1/4"	69 1/4"	75 1/4"	
Unit Dimension	60 1/2"	62 1/2"	64 1/2"	66 1/2"	68 1/2"	74 1/2"	
80 1/2" 79 3/4" 79 1/4"	6/6 2/4	6/6 2/6	6/6 2/8	6/6 2/10	6/6 3/0	6/6 3/6	78 5/8" 78 1/16" 79 1/8"
83 1/16" 82 5/16" 81 13/16"	6/8 2/4	6/8 2/6	6/8 2/8	6/8 2/10	6/8 3/0	6/8 3/6	81 3/16" 80 5/8" 81 11/16"
87 1/16" 86 5/16" 85 13/16"	7/0 2/4	7/0 2/6	7/0 2/8	7/0 2/10	7/0 3/0	7/0 3/6	85 3/16" 84 5/8" 85 11/16"
99 1/16" 98 5/16" 97 13/16"	8/0 2/4	8/0 2/6	8/0 2/8	8/0 2/10	8/0 3/0	8/0 3/6	97 3/16" 96 5/8" 97 11/16"
	60 1/2"	62 1/2"	64 1/2"	66 1/2"	68 1/2"	74 1/2"	Unit Dim.
	61 1/4"	63 1/4"	65 1/4"	67 1/4"	69 1/4"	75 1/4"	Rough Opening
	63 1/2"	65 1/2"	67 1/2"	69 1/2"	71 1/2"	77 1/2"	Brickmould Dim.
							Aluminum Composite Aluminum Composite Aluminum Composite Aluminum Composite

Single with 2 Sidelites - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with two 10" sidelites and two mullions spread 3/4" would be:

$$68 \frac{1}{2}'' \text{ unit size} + \frac{3}{4}'' \text{ spread} + \frac{3}{4}'' \text{ spread} = 70''$$

Units can be spread 0" to 3" per mullion in 1/4" increments (0" to 6" per unit in 1/2" increments).


Spread mullion only available in 3/0 inswing.

Hand Designations


(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing







Outswing



French - Continuous with 2-10" Sidelites - Wide Mullion - 6/6, 6/8, 7/0, 8/0

French with Continuous Sidelites - Inswing - Wide Mullion


Brickmould Dim.	99 11/16"
Rough Opening	97 15/16"
Unit Dimension	97 3/16"

80 1/2"	79 3/4"	79 1/4"	6/6		6/0
83 1/16"	82 5/16"	81 13/16"	6/8		6/0
87 1/16"	86 5/16"	85 13/16"	7/0		6/0
99 1/16"	98 5/16"	97 13/16"	8/0		6/0


*Outswing not available.

Hand Designations	
<i>(Viewed from the exterior)</i>	
L	Left Hand
R	Right Hand
A	Astragal
F	Fixed Sidelite

Inswing



FLAF







FARF

Unit and Rough Opening Sizing

French - Continuous with 2-12" Sidelites - Wide Mullion - 6/6, 6/8, 7/0, 8/0

French with Continuous Sidelites - Inswing - Wide Mullion


Brickmould Dim.	103 11/16"
Rough Opening	101 15/16"
Unit Dimension	101 3/16"

80 1/2"	79 3/4"	79 1/4"	6/6		6/0
83 1/16"	82 5/16"	81 13/16"	6/8		6/0
87 1/16"	86 5/16"	85 13/16"	7/0		6/0
99 1/16"	98 5/16"	97 13/16"	8/0		6/0


*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
A	Astragal
F	Fixed Sidelite

Inswing



FLAF







FARF

French - Continuous with 2-14" Sidelites - Wide Mullion - 6/6, 6/8, 7/0, 8/0

French with Continuous Sidelites - Inswing - Wide Mullion



Brickmould Dim.	107 11/16"
Rough Opening	105 15/16"
Unit Dimension	105 3/16"

80 1/2"	79 3/4"	79 1/4"	6/6		6/0
83 1/16"	82 5/16"	81 13/16"	6/8		6/0
87 1/16"	86 5/16"	85 13/16"	7/0		6/0
99 1/16"	98 5/16"	97 13/16"	8/0		6/0

*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
A	Astragal
F	Fixed Sidelite

Inswing



Sidelite

Sidelite - Inswing

Rough Opening		Unit Dimension			Rough Opening		
		11 1/2"	13 1/2"	15 1/2"			
80"	79 1/2"	6/6	10"	12"	14"	78 5/8"	78 9/16"
	82 5/16"	6/8	10"	12"	14"	81 3/16"	81 1/8"
	86 5/16"	7/0	10"	12"	14"	85 3/16"	85 1/8"
	98 5/16"	8/0	10"	12"	14"	97 3/16"	97 1/8"
		0' - 11 1/2"	1' - 1 1/2"	1' - 3 1/2"	Unit Dim.	Rough Opening	
		*	*	*	Composite	Aluminum	Aluminum

Sidelite - Outswing

*Add actual unit dimension to door rough opening width for total rough opening width.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel

Inswing



F

Outswing


















F

Single with 12" Venting Sidelite - Wide Mullion - 6/6, 6/8, 8/0

Single with Venting Sidelite - Wide Mullion

Brickmould Dim.	45 3/4"	47 3/4"	49 3/4"	51 3/4"	53 3/4"
Rough Opening	44"	46"	48"	50"	52"
Unit Dimension	43 1/4"	45 1/4"	47 1/4"	49 1/4"	51 1/4"

80 1/2" 79 3/4" 79 1/4"	6/6					
		2/4	2/6	2/8	2/10	3/0
	6/8					
		2/4	2/6	2/8	2/10	3/0
8/0						
		2/4	2/6	2/8	2/10	3/0

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
S	Vented Sidelite (hinged off jamb)

Inswing



SL



SR



LS



RS

Unit and Rough Opening Sizing

Single with 14" Venting Sidelite - Wide Mullion - 6/6, 6/8, 8/0

Single with Venting Sidelite - Wide Mullion

Brickmould Dim.	47 3/4"	49 3/4"	51 3/4"	53 3/4"	55 3/4"
Rough Opening	46"	48"	50"	52"	54"
Unit Dimension	45 1/4"	47 1/4"	49 1/4"	51 1/4"	53 1/4"
80 1/2"					
79 3/4"					
79 1/4"					
83 1/16"					
82 5/16"					
81 13/16"					
99 1/16"					
98 5/16"					
97 13/16"					

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
S	Vented Sidelite (hinged off jamb)


Inswing



Single with 2-12" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0


Single with Venting Sidelites - Wide Mullion

Brickmould Dim.	59 7/16"	61 7/16"	63 7/16"	65 7/16"	67 7/16"
Rough Opening	57 11/16"	59 11/16"	61 11/16"	63 11/16"	65 11/16"
Unit Dimension	56 15/16"	58 15/16"	60 15/16"	62 15/16"	64 15/16"



Hand Designations	
<i>(Viewed from the exterior)</i>	
L	Left Hand
R	Right Hand
S	Sidelite

Inswing



Unit and Rough Opening Sizing

Single with 2-14" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0


Single with Venting Sidelites - Wide Mullion

Brickmould Dim.	63 7/16"	65 7/16"	67 7/16"	69 7/16"	71 7/16"
Rough Opening	61 11/16"	63 11/16"	65 11/16"	67 11/16"	69 11/16"
Unit Dimension	60 15/16"	62 15/16"	64 15/16"	66 15/16"	68 15/16"

80 1/2"	79 3/4"	79 1/4"	6/6					
			2/4	2/6	2/8	2/10	3/0	
			6/8					
2/4	2/6	2/8	2/10	3/0				
8/0								
2/4	2/6	2/8	2/10	3/0				

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
S	Sidelite

Inswing



French with 2-12" Venting Sidelites 6/6, 6/8, 8/0

French with Venting Sidelites


Brickmould Dim.	88 1/8"	92 1/8"	96 1/8"	100 1/8"	104 1/8"
Rough Opening	86 3/8"	90 3/8"	94 3/8"	98 3/8"	102 3/8"
Unit Dimension	85 5/8"	89 5/8"	93 5/8"	97 5/8"	101 5/8"




*Outswing not available.

Hand Designations	
<i>(Viewed from the exterior)</i>	
L	Left Hand
R	Right Hand
A	Astragal
S	Sidelite

Inswing



SLAS



SARS

Unit and Rough Opening Sizing

French with 2-14" Venting Sidelites 6/6, 6/8, 8/0

French with Venting Sidelites

Brickmould Dim.	92 1/8"	96 1/8"	100 1/8"	104 1/8"	108 1/8"
Rough Opening	90 3/8"	94 3/8"	98 3/8"	102 3/8"	106 3/8"
Unit Dimension	89 5/8"	93 5/8"	97 5/8"	101 5/8"	105 5/8"




*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
A	Astragal
S	Sidelite

Inswing




SLAS











SARS

Single Transoms

Unit Dimension	37 5/8"	13 1/2"	15 1/2"
13 7/16"	 3/0	 12"	 14"







*Add actual unit dimension to door rough opening height for total rough opening height.

Double - Standard Continuous Mullion Transoms

Unit Dimension	62 13/16"	66 13/16"	70 13/16"	74 13/16"
13 7/16"	 5/0	 5/4	 5/8	 6/0
13 5/8"	 5/0	 5/4	 5/8	 6/0







*Add actual unit dimension to door rough opening height for total rough opening height.

Single with 2 Sidelites - Boxed Transoms

Unit Dimension	64 21/32"	68 21/32"
13 15/32"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
13 5/8"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
33 5/16"	 3/0 w/ 2-12" SL	
35 5/16"		 3/0 w/ 2-14" SL

*Add actual unit dimension to door rough opening height for total rough opening height.

Single with 2 Sidelites - Continuous Transoms


Unit Dimension	63 21/32"	67 21/32"
13 15/32"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
13 5/8"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
32 13/16"	 3/0 w/ 2-12" SL	
34 13/16"		 3/0 w/ 2-14" SL

*Add actual unit dimension to door rough opening height for total rough opening height.


Unit and Rough Opening Sizing

Hinged Clear Opening Heights

Door Panel Height	Composite Clear Opening Height Inswing	Basic Fixed Clear Opening Height Inswing	Aluminum Clear Opening Height Outswing	Composite Clear Opening Height Outswing	Coastal Clear Opening Height Outswing
6/6	76-3/4"	76-9/16"	75-13/16"	75-7/8"	74-15/16"
6/8	79-1/4"	79-1/8"	78-1/8"	78-1/4"	77-1/4"
7/0	83-1/4"	83-1/8"	82-1/8"	82-1/4"	81-1/4"
8/0	95-1/4"	95-1/8"	N/A	94-1/4"	N/A



VERTICAL SECTION
Inswing




VERTICAL SECTION
Outswing


Hinged Clear Opening Widths

Door Panel Width	Clear Opening Width		Clear Opening French w/ 7/8" Astragal	
	90°	Full	90°	Full
12" Venting Sidelite	9"	11-3/16"	n/a	n/a
14" Venting Sidelite	11"	13-3/16"	n/a	n/a
2/4	25-1/8"	26-15/16"	51"	55-11/16"
2/6	27-1/8"	28-15/16"	53"	57-11/16"
2/8	29-1/8"	30-15/16"	55"	59-11/16"
2/10	31-1/8"	32-15/16"	57"	61-11/16"
3/0	33-1/8"	34-15/16"	59"	63-11/16"
3/6	39-1/8"	40-15/16"	65"	69-11/16"


NOTE: To find the square footage of a clear opening, multiply the appropriate system height by the appropriate system width.




HORIZONTAL SECTION
(Single)




HORIZONTAL SECTION
(Double/Triple - Operable panel
hinged off jamb or mullion)




HORIZONTAL SECTION
(French)
(Hinged off jamb or mullion)



**VERTICAL SECTION
INSWING - FIXED**




**VERTICAL SECTION
INSWING - SINGLE**




**VERTICAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN**


Unit and Rough Opening Sizing




**VERTICAL SECTION
INSWING - FIXED**
(shown with Stucco Brickmould option)




**VERTICAL SECTION
INSWING - SINGLE**




**VERTICAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN**




**VERTICAL SECTION
INSWING - DOUBLE/TRIPLE
w/TOP HUNG SCREEN**




**VERTICAL SECTION
INSWING - 6-9/16"
w/STANDARD SCREEN**




**VERTICAL SECTION
INSWING - VENTED SIDELITE
w/FIXED SCREEN**




**HORIZONTAL SECTION
INSWING - SINGLE
(L shown)**



**HORIZONTAL SECTION
INSWING - DOUBLE w/MULLION
(LF shown)**




**HORIZONTAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN
(AR shown)**




**HORIZONTAL SECTION
INSWING - SINGLE WITH VENTED SIDELITE
AND FIXED SCREEN
(LRR shown)**


Unit and Rough Opening Sizing




**HORIZONTAL SECTION
INSWING - TRIPLE
(RFF shown)**




**HORIZONTAL SECTION
INSWING - TRIPLE
(FLF shown)**




**HORIZONTAL SECTION
INSWING - TRIPLE
(FFL shown)**



**VERTICAL SECTION
OUTSWING
THERMAL BREAK**




**VERTICAL SECTION
OUTSWING
COASTAL**



**HORIZONTAL SECTION
OUTSWING - DOUBLE w/ASTRAGAL
(RA shown)**


Unit and Rough Opening Sizing




**VERTICAL SECTION
OUTSWING - FIXED**

**VERTICAL SECTION
OUTSWING**


**VERTICAL SECTION
OUTSWING - 6-9/16"**




**HORIZONTAL SECTION
OUTSWING - FIXED**




**HORIZONTAL SECTION
OUTSWING - FIXED/FIXED**




HORIZONTAL SECTION






**HORIZONTAL SECTION
OUTSWING - SINGLE
(R shown)**


**HORIZONTAL SECTION
OUTSWING - DOUBLE w/MULLION
(LF shown)**














**HORIZONTAL SECTION
OUTSWING - TRIPLE
(LFF shown)**




**HORIZONTAL SECTION
OUTSWING - TRIPLE
(FRF shown)**



**HORIZONTAL SECTION
OUTSWING - TRIPLE
(FFR shown)**





GBG/SDL - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
*2/4	16 x 64	13-7/8"	11-1/4"	16-9/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
2/6	20 x 64	14-7/8"	11-9/16"	18-1/4"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"


*SDL not available.

Wood Grilles - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/4"	18-1/16"	18-3/16"	30-13/16"	43-3/8"	56"
2/8	22 x 64	15-7/8"	12-3/8"	19-7/16"	18-3/16"	30-13/16"	43-3/8"	56"
2/10	22 x 64	16-7/8"	13-3/8"	20-7/16"	18-3/16"	30-13/16"	43-3/8"	56"
3/0	22 x 64	17-7/8"	14-3/8"	21-7/16"	18-3/16"	30-13/16"	43-3/8"	56"


Fixed Grilles - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-5/8"	18-3/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"



GBG - Lip Lite - 6'8" Full Lite - 3W4H and 2W4H


Panel	Glass	A	B	C	D	E	F
2/4	16 x 64	13-7/8"	11-1/4"	16-9/16"	21-3/16"	37-3/16"	53-3/16"
2/6	20 x 64	14-7/8"	11-9/16"	18-1/4"	21-1/8"	37-1/8"	53-1/8"
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	21-1/8"	37-1/8"	53-1/8"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	21-1/8"	37-1/8"	53-1/8"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	21-1/8"	37-1/8"	53-1/8"



GBG - Lip Lite - 6'8" Full Lite - 2W3H


Panel	Glass	A	B	C	D	E
2/4	16 x 64	13-7/8"	-	-	26-1/2"	47-7/8"
2/6	20 x 64	14-7/8"	-	-	26-7/16"	47-3/4"
2/8	22 x 64	15-7/8"	-	-	26-7/16"	47-3/4"
2/10	22 x 64	16-7/8"	-	-	26-7/16"	47-3/4"
3/0	22 x 64	17-7/8"	-	-	26-7/16"	47-3/4"

All dimensions shown are to the center of the muntin.



GBG - Lip Lite - 6'8" Full Lite - 2W2H


Panel	Glass	A	B	C	D
2/4	16 x 64	13-7/8"	-	-	37-3/16"
2/6	20 x 64	14-7/8"	-	-	37-1/8"
2/8	22 x 64	15-7/8"	-	-	37-1/8"
2/10	22 x 64	16-7/8"	-	-	37-1/8"
3/0	22 x 64	17-7/8"	-	-	37-1/8"



GBG - Lip Lite - 6'8" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/4	16 x 64	10-3/8"	17-7/16"	9-9/16"	64-5/8"
2/6	20 x 64	9-3/8"	20-7/16"	9-9/16"	64-5/8"
2/8	22 x 64	9-3/8"	22-7/16"	9-9/16"	64-5/8"
2/10	22 x 64	10-3/8"	23-7/16"	9-9/16"	64-5/8"
3/0	22 x 64	11-3/8"	24-7/16"	9-9/16"	64-5/8"


All dimensions shown are to the center of the muntin.



GBG/SDL - Lip Lite - 6'8" 3/4 Lite - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	15-7/8"	12-1/4"	19-9/16"	16-7/8"	28-5/8"	40-3/8"
2/10	22 x 47	16-7/8"	13-1/4"	20-9/16"	16-7/8"	28-5/8"	40-3/8"
3/0	22 x 47	17-7/8"	14-1/4"	21-9/16"	16-7/8"	28-5/8"	40-3/8"

*SDL not available in 2W4H configuration.




GBG - Lip Lite - 6'8" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	15-7/8"	-	-	20-3/4"	36-7/16"
2/10	22 x 47	16-7/8"	-	-	20-3/4"	36-7/16"
3/0	22 x 47	17-7/8"	-	-	20-3/4"	36-7/16"

GBG - Lip Lite - 6'8" 3/4 Lite - 2W2H

Panel	Glass	A	B	C	D
2/8	22 x 47	15-7/8"	-	-	28-5/8"
2/10	22 x 47	16-7/8"	-	-	28-5/8"
3/0	22 x 47	17-7/8"	-	-	28-5/8"




GBG - Lip Lite - 6'8" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-3/8"	22-7/16"	9-9/16"	47-5/8"
2/10	22 x 47	10-3/8"	23-7/16"	9-9/16"	47-5/8"
3/0	22 x 47	11-3/8"	24-7/16"	9-9/16"	47-5/8"

All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
*2/6	20 x 36	-	11-9/16"	18-1/4"	17-1/8"	29-1/8"
2/8	22 x 36	-	12-1/4"	19-9/16"	17-1/8"	29-1/8"
2/10	22 x 36	-	13-1/4"	20-9/16"	17-1/8"	29-1/8"
3/0	22 x 36	-	14-1/4"	21-9/16"	17-1/8"	29-1/8"


*SDL not available.

Wood Grilles - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-7/16"	19-3/8"	17-1/4"	28-15/16"
2/10	22 x 36	-	13-7/16"	20-3/8"	17-1/4"	28-15/16"
3/0	22 x 36	-	14-7/16"	21-3/8"	17-1/4"	28-15/16"


Fixed Grilles - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 36	-	11-9/16"	18-1/4"	17-3/16"	29-1/8"
2/8	22 x 36	-	12-11/16"	19-9/16"	17-1/8"	29-1/16"
2/10	22 x 36	-	13-11/16"	20-9/16"	17-1/8"	29-1/16"
3/0	22 x 36	-	14-11/16"	21-9/16"	17-1/8"	29-1/16"



GBG - Lip Lite - 6'8" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 36	9-3/8"	20-7/16"	9-9/16"	36-11/16"
2/8	22 x 36	9-3/8"	22-7/16"	9-9/16"	36-5/8"
2/10	22 x 36	10-3/8"	23-7/16"	9-9/16"	36-5/8"
3/0	22 x 36	11-3/8"	24-7/16"	9-9/16"	36-5/8"



GBG/SDL - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H


Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-1/4"	19-9/16"	28-1/8"	40-1/8"
2/10	22 x 36	-	13-1/4"	20-9/16"	28-1/8"	40-1/8"
3/0	22 x 36	-	14-1/4"	21-9/16"	28-1/8"	40-1/8"

Wood Grilles - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-7/16"	19-3/8"	28-1/4"	39-15/16"
2/10	22 x 36	-	13-7/16"	20-3/8"	28-1/4"	39-15/16"
3/0	22 x 36	-	14-7/16"	21-3/8"	28-1/4"	39-15/16"

Fixed Grilles - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H


Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-11/16"	19-9/16"	28-1/8"	40-1/16"
2/10	22 x 36	-	13-11/16"	20-9/16"	28-1/8"	40-1/16"
3/0	22 x 36	-	14-11/16"	21-9/16"	28-1/8"	40-1/16"



GBG - Lip Lite - 6'8" Half Lite Top and Bottom - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 36	9-3/8"	22-7/16"	20-9/16"	47-11/16"
2/10	22 x 36	10-3/8"	23-7/16"	20-9/16"	47-11/16"
3/0	22 x 36	11-3/8"	24-7/16"	20-9/16"	47-11/16"

All dimensions shown are to the center of the muntin.




GBG/SDL - Lip Lite - 6'8" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	22-7/8"	34-7/8"
2/10	8 x 36	-	-	-	22-7/8"	34-7/8"
3/0	8 x 36	-	-	-	22-7/8"	34-7/8"


Wood Grilles - Lip Lite - 6'8" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	23-1/16"	34-11/16"
2/10	8 x 36	-	-	-	23-1/16"	34-11/16"
3/0	8 x 36	-	-	-	23-1/16"	34-11/16"



GBG - Lip Lite - 6'8" Center Lite - 6 Lite Pairie

Panel	Glass	A	B	C	D
2/8	8 x 36	15-7/8"	-	15-5/16"	42-7/16"
2/10	8 x 36	16-7/8"	-	15-5/16"	42-7/16"
3/0	8 x 36	17-7/8"	-	15-5/16"	42-7/16"



GBG - Lip Lite - 6'8" Camber Top Lite - 3W2H


Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-1/4"	18-9/16"	7-1/2"
2/8	22 x 10	-	12-1/4"	19-9/16"	7-1/2"
2/10	22 x 10	-	13-1/4"	20-9/16"	7-1/2"
3/0	22 x 10	-	14-1/4"	21-9/16"	7-1/2"

Fixed Grilles - Lip Lite - 6'8" Camber Top Lite - 3W2H

Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-3/4"	18-9/16"	7-1/2"
2/8	22 x 10	-	12-3/4"	19-9/16"	7-1/2"
2/10	22 x 10	-	13-3/4"	20-9/16"	7-1/2"
3/0	22 x 10	-	14-3/4"	21-9/16"	7-1/2"


All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations




GBG/SDL - Lip Lite - 6'8" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/4	16 x 64	13-7/8"	19-15/16"
2/6	20 x 64	14-7/8"	19-15/16"
2/8	22 x 64	15-7/8"	19-15/16"
2/10	22 x 64	16-7/8"	19-15/16"
3/0	22 x 64	17-7/8"	19-15/16"




GBG/SDL - Lip Lite - 6'8" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/4	16 x 64	11-3/16"	16-5/8"	19-15/16"
2/6	20 x 64	11-1/2"	18-5/16"	19-15/16"
2/8	22 x 64	12-3/16"	19-5/8"	19-15/16"
2/10	22 x 64	13-3/16"	20-5/8"	19-15/16"
3/0	22 x 64	14-3/16"	21-5/8"	19-15/16"



GBG/SDL - Lip Lite - 6'8" Full Lite Craftsman - 2W2H


Panel	Glass	A	B	C
2/4	16 x 64	13-7/8"	12-7/16"	19-15/16"
2/6	20 x 64	14-7/8"	12-7/16"	19-15/16"
2/8	22 x 64	15-7/8"	12-7/16"	19-15/16"
2/10	22 x 64	16-7/8"	12-7/16"	19-15/16"
3/0	22 x 64	17-7/8"	12-7/16"	19-15/16"



GBG/SDL - Lip Lite - 6'8" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/4	16 x 64	11-3/16"	16-5/8"	12-7/16"	19-15/16"
2/6	20 x 64	11-1/2"	18-5/16"	12-7/16"	19-15/16"
2/8	22 x 64	12-3/16"	19-5/8"	12-7/16"	19-15/16"
2/10	22 x 64	13-3/16"	20-5/8"	12-7/16"	19-15/16"
3/0	22 x 64	14-3/16"	21-5/8"	12-7/16"	19-15/16"

All dimensions shown are to the center of the muntin.



GBG/SDL - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	17-15/16"	30-3/4"	43-1/2"	56-5/16"
14"	7 x 64	-	-	-	17-15/16"	30-3/4"	43-1/2"	56-5/16"

Wood Grilles - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel Size	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	18-1/4"	30-13/16"	43-7/16"	56"
14"	7 x 64	-	-	-	18-1/4"	30-13/16"	43-7/16"	56"

Fixed Grilles - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	18"	30-3/4"	43-1/2"	56-1/4"
14"	7 x 64	-	-	-	18"	30-3/4"	43-1/2"	56-1/4"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	7 x 64	-	-	-	21-1/8"	37-1/8"	53-1/8"
14"	7 x 64	-	-	-	21-1/8"	37-1/8"	53-1/8"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	7 x 64	-	-	-	26-7/16"	47-13/16"
14"	7 x 64	-	-	-	26-7/16"	47-13/16"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12"	7 x 64	-	-	-	37-1/8"
14"	7 x 64	-	-	-	37-1/8"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	7 x 64	6"	-	9-9/16"	64-11/16"
14"	7 x 64	7"	-	9-9/16"	64-11/16"

All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/8"	29-1/8"
14"	8 x 36	-	-	-	17-1/8"	29-1/8"

Wood Grilles - Lip Lite - 6'8" Half Lite Sidelite - 1W3H


Panel Size	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/4"	28-15/16"
14"	8 x 36	-	-	-	17-1/4"	28-15/16"

Fixed Grilles - Lip Lite - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/8"	29-1/16"
14"	8 x 36	-	-	-	17-1/8"	29-1/16"

GBG - Lip Lite - 6'8" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 36	6"	-	9-9/16"	36-11/16"
14"	8 x 36	7"	-	9-9/16"	36-11/16"




GBG/SDL - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	16-13/16"	28-9/16"	40-1/4"
14"	8 x 47	-	-	-	16-13/16"	28-9/16"	40-1/4"

GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 47	-	-	-	20-3/4"	36-3/8"
14"	8 x 47	-	-	-	20-3/4"	36-3/8"




GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12"	8 x 47	-	-	-	28-9/16"
14"	8 x 47	-	-	-	28-9/16"

GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 47	6"	-	9-9/16"	47-11/16"
14"	8 x 47	7"	-	9-9/16"	47-11/16"

All dimensions shown are to the center of the muntin.




GBG - Lip Lite - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	20 x 80	14-7/8"	11-9/16"	18-1/4"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
2/8	22 x 80	15-7/8"	12-1/4"	19-9/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
2/10	22 x 80	16-7/8"	13-1/4"	20-9/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
3/0	22 x 80	17-7/8"	14-1/4"	21-9/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"

Fixed Grilles - Lip Lite - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	20 x 80	14-7/8"	11-5/8"	18-3/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
2/8	22 x 80	15-7/8"	12-1/4"	19-9/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
2/10	22 x 80	16-7/8"	13-1/4"	20-9/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
3/0	22 x 80	17-7/8"	14-1/4"	21-9/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"



GBG/SDL - Lip Lite - 8'0" 3/4 Lite - 3w5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/6	22 x 64	15-7/8"	12-1/4"	19-9/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"

Wood Grilles - Lip Lite - 8'0" 3/4 Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/8	22 x 64	15-7/8"	12-3/8"	19-7/16"	19-1/4"	31-7/8"	44-7/16"	57-1/16"
2/10	22 x 64	16-7/8"	13-3/8"	20-7/16"	19-1/4"	31-7/8"	44-7/16"	57-1/16"
3/0	22 x 64	17-7/8"	14-3/8"	21-7/16"	19-1/4"	31-7/8"	44-7/16"	57-1/16"

Fixed Grilles - Lip Lite - 8'0" 3/4 Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	19"	31-3/4"	44-9/16"	57-5/16"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	19"	31-3/4"	44-9/16"	57-5/16"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	19"	31-3/4"	44-9/16"	57-5/16"




GBG - Lip Lite - 8'0" 3/4 Lite - 3W4H and 2W4H

Panel	Glass	A	B	C	D	E	F
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	22-3/16"	38-3/16"	54-3/16"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	22-3/16"	38-3/16"	54-3/16"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	22-3/16"	38-3/16"	54-3/16"


All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations




GBG - Lip Lite - 8'0" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 64	15-7/8"	-	-	27-1/2"	48-13/16"
2/10	22 x 64	16-7/8"	-	-	27-1/2"	48-13/16"
3/0	22 x 64	17-7/8"	-	-	27-1/2"	48-13/16"



GBG - Lip Lite - 8'0" 3/4 Lite - 2W2H

Panel	Glass	A	B	C	D
2/8	22 x 64	15-7/8"	-	-	38-3/16"
2/10	22 x 64	16-7/8"	-	-	38-3/16"
3/0	22 x 64	17-7/8"	-	-	38-3/16"




GBG - Lip Lite - 8'0" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 64	9-3/8"	22-7/16"	10-5/8"	65-3/4"
2/10	22 x 64	10-3/8"	23-7/16"	10-5/8"	65-3/4"
3/0	22 x 64	11-3/8"	24-7/16"	10-5/8"	65-3/4"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 8'0" Half Lite - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	15-7/8"	12-1/4"	19-9/16"	17-15/16"	29-11/16"	41-7/16"
2/10	22 x 47	16-7/8"	13-1/4"	20-9/16"	17-15/16"	29-11/16"	41-7/16"
3/0	22 x 47	17-7/8"	14-1/4"	21-9/16"	17-15/16"	29-11/16"	41-7/16"

*SDL not available in 2W4H configuration.

Wood Grilles - Lip Lite - 8'0" Half Lite - 3W4H

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	-	12-3/8"	19-7/16"	18-1/8"	29-11/16"	41-3/16"
2/10	22 x 47	-	13-3/8"	20-7/16"	18-1/8"	29-11/16"	41-3/16"
3/0	22 x 47	-	14-3/8"	21-7/16"	18-1/8"	29-11/16"	41-3/16"




GBG - Lip Lite - 8'0" Half Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	15-7/8"	-	-	21-13/16"	37-1/2"
2/10	22 x 47	16-7/8"	-	-	21-13/16"	37-1/2"
3/0	22 x 47	17-7/8"	-	-	21-13/16"	37-1/2"

GBG - Lip Lite - 8'0" Half Lite - 2W2H

Panel	Glass	A	B	C	D
2/8	22 x 47	15-7/8"	-	-	29-11/16"
2/10	22 x 47	16-7/8"	-	-	29-11/16"
3/0	22 x 47	17-7/8"	-	-	29-11/16"




GBG - Lip Lite - 8'0" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-3/8"	22-7/16"	10-5/8"	48-3/4"
2/10	22 x 47	10-3/8"	23-7/16"	10-5/8"	48-3/4"
3/0	22 x 47	11-3/8"	24-7/16"	10-5/8"	48-3/4"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations




GBG/SDL - Lip Lite - 8'0" Half Lite Top and Bottom - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	15-7/8"	12-1/4"	19-9/16"	32-7/8"	44-5/8"	56-3/8"
2/10	22 x 47	16-7/8"	13-1/4"	20-9/16"	32-7/8"	44-5/8"	56-3/8"
3/0	22 x 47	17-7/8"	14-1/4"	21-9/16"	32-7/8"	44-5/8"	56-3/8"

*SDL not available in 2W4H configuration.

Wood Grilles - Lip Lite - 8'0" Half Lite Top and Bottom - 3W4H

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	-	12-3/8"	19-7/16"	33-1/16"	44-5/8"	56-3/16"
2/10	22 x 47	-	13-3/8"	20-7/16"	33-1/16"	44-5/8"	56-3/16"
3/0	22 x 47	-	14-3/8"	21-7/16"	33-1/16"	44-5/8"	56-3/16"




GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	15-7/8"	-	-	36-13/16"	52-7/16"
2/10	22 x 47	16-7/8"	-	-	36-13/16"	52-7/16"
3/0	22 x 47	17-7/8"	-	-	36-13/16"	52-7/16"

GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 2W2H


Panel	Glass	A	B	C	D
2/8	22 x 47	15-7/8"	-	-	44-5/8"
2/10	22 x 47	16-7/8"	-	-	44-5/8"
3/0	22 x 47	17-7/8"	-	-	44-5/8"



GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-3/8"	22-7/16"	25-9/16"	63-11/16"
2/10	22 x 47	10-3/8"	23-7/16"	25-9/16"	63-11/16"
3/0	22 x 47	11-3/8"	24-7/16"	25-9/16"	63-11/16"

All dimensions shown are to the center of the muntin.




GBG/SDL - Lip Lite - 8'0" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	38-9/16"	50-9/16"
2/10	8 x 36	-	-	-	38-9/16"	50-9/16"
3/0	8 x 36	-	-	-	38-9/16"	50-9/16"


Wood Grilles - Lip Lite - 8'0" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	38-3/4"	50-7/16"
2/10	8 x 36	-	-	-	38-3/4"	50-7/16"
3/0	8 x 36	-	-	-	38-3/4"	50-7/16"



GBG - Lip Lite - 8'0" Center Lite - 6 Lite Pairie

Panel	Glass	A	B	C	D
2/8	8 x 36	15-7/8"	-	31"	58-1/8"
2/10	8 x 36	16-7/8"	-	31"	58-1/8"
3/0	8 x 36	17-7/8"	-	31"	58-1/8"




GBG - Lip Lite - 8'0" Camber Top Lite - 3W2H

Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-1/4"	18-9/16"	8-3/8"
2/8	22 x 10	-	12-1/4"	19-9/16"	8-3/8"
2/10	22 x 10	-	13-1/4"	20-9/16"	8-3/8"
3/0	22 x 10	-	14-1/4"	21-9/16"	8-3/8"

Fixed Grilles - Lip Lite - 8'0" Camber Top Lite - 3W2H


Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-3/4"	18-9/16"	8-3/8"
2/8	22 x 10	-	12-3/4"	19-9/16"	8-3/8"
2/10	22 x 10	-	13-3/4"	20-9/16"	8-3/8"
3/0	22 x 10	-	14-3/4"	21-9/16"	8-3/8"

All dimensions shown are to the center of the muntin.




GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 80	11-7/8"	21-1/16"
2/6	20 x 80	14-7/8"	21"
2/8	22 x 80	15-7/8"	21"
2/10	22 x 80	16-7/8"	21"
3/0	22 x 80	17-7/8"	21"




GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 80	9-1/2"	14-5/16"	21-1/16"
2/6	20 x 80	11-1/2"	18-5/16"	21"
2/8	22 x 80	12-3/16"	19-5/8"	21"
2/10	22 x 80	13-3/16"	20-5/8"	21"
3/0	22 x 80	14-3/16"	21-5/8"	21"



GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 2W2H


Panel	Glass	A	B	C
2/0	14 x 80	11-7/8"	13-9/16"	21-1/16"
2/6	20 x 80	14-7/8"	13-1/2"	21"
2/8	22 x 80	15-7/8"	13-1/2"	21"
2/10	22 x 80	16-7/8"	13-1/2"	21"
3/0	22 x 80	17-7/8"	13-1/2"	21"



GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 3W2H


Panel	Glass	A	B	C	D
2/0	14 x 80	9-1/2"	14-5/16"	13-9/16"	21-1/16"
2/6	20 x 80	11-1/2"	18-5/16"	13-1/2"	21"
2/8	22 x 80	12-3/16"	19-5/8"	13-1/2"	21"
2/10	22 x 80	13-3/16"	20-5/8"	13-1/2"	21"
3/0	22 x 80	14-3/16"	21-5/8"	13-1/2"	21"

All dimensions shown are to the center of the muntin.




GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 2W1H

Panel	Glass	A	B
2/8	22 x 64	15-7/8"	21"
2/10	22 x 64	16-7/8"	21"
3/0	22 x 64	17-7/8"	21"




GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/8	22 x 64	12-3/16"	19-5/8"	21"
2/10	22 x 64	13-3/16"	20-5/8"	21"
3/0	22 x 64	14-3/16"	21-5/8"	21"



GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 2W2H


Panel	Glass	A	B	C
2/8	22 x 64	15-7/8"	13-1/2"	21"
2/10	22 x 64	16-7/8"	13-1/2"	21"
3/0	22 x 64	17-7/8"	13-1/2"	21"



GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/8	22 x 64	12-3/16"	19-5/8"	13-1/2"	21"
2/10	22 x 64	13-3/16"	20-5/8"	13-1/2"	21"
3/0	22 x 64	14-3/16"	21-5/8"	13-1/2"	21"

All dimensions shown are to the center of the muntin.



GBG/SDL - Lip Lite - 8'0" Full Lite Sidelite - 1W6H

Panel	Glass	A	B	C	D	E	F	G	H
12"	7 x 80	-	-	-	19-5/8"	33"	46-5/16"	59-5/8"	73"
14"	7 x 80	-	-	-	19-5/8"	33"	46-5/16"	59-5/8"	73"

Fixed Grilles - Lip Lite - 8'0" Full Lite Sidelite - 1W6H

Panel	Glass	A	B	C	D	E	F	G	H
12"	7 x 80	-	-	-	19-1/4"	32-13/16"	46-5/16"	59-13/16"	73-3/8"
14"	7 x 80	-	-	-	19-1/4"	32-13/16"	46-5/16"	59-13/16"	73-3/8"

GBG - Lip Lite - 8'0" Full Lite Sidelite - Craftsman 1W1H

Panel	Glass	A	B
12"	7 x 80	-	20-7/16"
14"	7 x 80	-	20-7/16"


GBG - Lip Lite - 8'0" Full Lite Sidelite - Craftsman 2W1H

Panel	Glass	A	B
12"	7 x 80	6"	20-7/16"
14"	7 x 80	7"	20-7/16"

GBG - Lip Lite - 8'0" Full Lite Sidelite - Craftsman 2W2H

Panel	Glass	A	B	C
12"	7 x 80	6"	13-1/8"	20-7/16"
14"	7 x 80	7"	13-1/8"	20-7/16"

All dimensions shown are to the center of the muntin.



GBG/SDL - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19"	31-13/16"	44-9/16"	57-3/8"
14"	7 x 64	-	-	-	19"	31-13/16"	44-9/16"	57-3/8"

Wood Grilles - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19-5/16"	31-7/8"	44-1/2"	57-1/16"
14"	7 x 64	-	-	-	19-5/16"	31-7/8"	44-1/2"	57-1/16"

Fixed Grilles - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19-1/16"	31-13/16"	44-9/16"	57-5/16"
14"	7 x 64	-	-	-	19-1/16"	31-13/16"	44-9/16"	57-5/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	7 x 64	-	-	-	22-3/16"	38-3/16"	54-3/16"
14"	7 x 64	-	-	-	22-3/16"	38-3/16"	54-3/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	7 x 64	-	-	-	27-1/2"	48-7/8"
14"	7 x 64	-	-	-	27-1/2"	48-7/8"


GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12"	7 x 64	-	-	-	38-3/16"
14"	7 x 64	-	-	-	38-3/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	7 x 64	6"	-	10-5/8"	65-3/4"
14"	7 x 64	7"	-	10-5/8"	65-3/4"

All dimensions shown are to the center of the muntin.



GBG/SDL - Lip Lite - 8'0" Half Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	17-7/8"	29-5/8"	41-5/16"
14"	8 x 47	-	-	-	17-7/8"	29-5/8"	41-5/16"

GBG - Lip Lite - 8'0" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 47	-	-	-	21-13/16"	37-7/16"
14"	8 x 47	-	-	-	21-13/16"	37-7/16"


GBG - Lip Lite - 8'0" Half Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12"	8 x 47	-	-	-	29-5/8"
14"	8 x 47	-	-	-	29-5/8"

GBG - Lip Lite - 8'0" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 47	6"	-	10-5/8"	48-3/4"
14"	8 x 47	7"	-	10-5/8"	48-3/4"

All dimensions shown are to the center of the muntin.



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	17-7/16"	30-5/16"	43-3/16"	56"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	17-7/16"	30-5/16"	43-3/16"	56"
2/10	25 x 64	16-7/8"	12-11/16"	21-1/8"	17-7/16"	30-5/16"	43-3/16"	56"
3/0	25 x 64	17-7/8"	13-11/16"	22-1/8"	17-7/16"	30-5/16"	43-3/16"	56"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	17-5/8"	30-1/2"	43-5/16"	56-3/16"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	17-5/8"	30-1/2"	43-5/16"	56-3/16"
*2/10	25 x 64	16-7/8"	12-11/16"	21-1/8"	17-5/8"	30-1/2"	43-5/16"	56-3/16"
3/0	27 x 64	17-7/8"	13-3/8"	22-7/16"	17-5/8"	30-1/2"	43-3/8"	56-1/4"


*Only available in 6/6.

Wood Grilles - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-1/2"	18-5/16"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
2/8	20 x 64	15-7/8"	12-1/2"	19-5/16"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
2/10	25 x 64	16-7/8"	12-13/16"	21"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
3/0	25 x 64	17-7/8"	13-13/16"	22"	17-11/16"	30-3/8"	43-1/8"	55-13/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-1/2"	18-5/16"	17-13/16"	30-9/16"	43-1/4"	56"
2/8	20 x 64	15-7/8"	12-1/2"	19-5/16"	17-13/16"	30-9/16"	43-1/4"	56"
2/10	25 x 64	16-7/8"	12-13/16"	21"	17-13/16"	30-9/16"	43-1/4"	56"
3/0	25 x 64	17-7/8"	13-13/16"	22"	17-13/16"	30-9/16"	43-1/4"	56"



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W4H and 2W4H‡

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	20-11/16"	36-3/4"	52-13/16"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	20-11/16"	36-3/4"	52-13/16"
2/10	25 x 64	16-7/8"	13-1/4"	22-5/16"	20-11/16"	36-3/4"	52-7/8"
3/0	25 x 64	17-7/8"	14-1/4"	23-5/16"	20-11/16"	36-3/4"	52-7/8"

‡SDL only available in 2W4H

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W4H and 2W4H‡


Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	20-13/16"	36-15/16"	53"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	20-13/16"	36-15/16"	53"
*2/10	25 x 64	16-7/8"	13-1/4"	22-5/16"	20-7/8"	36-15/16"	53-1/16"
3/0	27 x 64	17-7/8"	13-3/8"	22-7/16"	20-7/8"	36-15/16"	53-1/16"

‡SDL only available in 2W4H

*Only available in 6/6.

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	14-7/8"	-	-	26"	47-7/16"
2/8	20 x 64	15-7/8"	-	-	26"	47-7/16"
2/10	25 x 64	16-7/8"	-	-	26"	47-7/16"
3/0	25 x 64	17-7/8"	-	-	26"	47-7/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	14-7/8"	-	-	26-3/16"	47-5/8"
2/8	20 x 64	15-7/8"	-	-	26-3/16"	47-5/8"
*2/10	25 x 64	16-7/8"	-	-	26-3/16"	47-5/8"
3/0	27 x 64	17-7/8"	-	-	26-3/16"	47-11/16"

*Only available in 6/6.




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	14-7/8"	-	-	36-3/4"
2/8	20 x 64	15-7/8"	-	-	36-3/4"
2/10	25 x 64	16-7/8"	-	-	36-3/4"
3/0	25 x 64	17-7/8"	-	-	36-3/4"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	14-7/8"	-	-	36-15/16"
2/8	20 x 64	15-7/8"	-	-	36-15/16"
*2/10	25 x 64	16-7/8"	-	-	36-15/16"
3/0	27 x 64	17-7/8"	-	-	36-15/16"

*Only available in 6/6.



GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 9 Lite Prairie


Panel	Glass	A	B	C	D
2/6	20 x 64	8-3/4"	21-1/16"	9"	64-7/16"
2/8	20 x 64	9-3/4"	22-1/16"	9"	64-7/16"
2/10	25 x 64	8-11/16"	25-1/8"	9"	64-7/16"
3/0	25 x 64	9-11/16"	26-1/8"	9"	64-7/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-3/4"	21-1/16"	9-3/16"	64-5/8"
2/8	20 x 64	9-3/4"	22-1/16"	9-3/16"	64-5/8"
*2/10	25 x 64	8-11/16"	25-1/8"	9-3/16"	64-5/8"
3/0	27 x 64	8-13/16"	27"	9-3/16"	64-11/16"

*Only available in 6/6.

All dimensions shown are to the center of the muntin.




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/8	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/10	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
3/0	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
2/8	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
*2/10	25 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
3/0	27 x 64	-	-	-	16-15/16"	30-1/4"	43-5/8"	56-15/16"

*Only available in 6/6




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/8	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/10	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
3/0	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
2/8	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
*2/10	25 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
3/0	27 x 64	-	-	-	20-1/4"	36-15/16"	53-5/8"

*Only available in 6/6




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	25-5/8"	47-13/16"
2/8	20 x 64	-	-	-	25-5/8"	47-13/16"
2/10	25 x 64	-	-	-	25-5/8"	47-13/16"
3/0	25 x 64	-	-	-	25-5/8"	47-13/16"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	25-13/16"	48"
2/8	20 x 64	-	-	-	25-13/16"	48"
*2/10	25 x 64	-	-	-	25-13/16"	48"
3/0	27 x 64	-	-	-	25-13/16"	48-1/16"

*Only available in 6/6




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	20-1/4"	37"
2/8	20 x 64	-	-	-	20-1/4"	37"
2/10	25 x 47	-	-	-	20-3/16"	37"
3/0	25 x 47	-	-	-	20-3/16"	37"

All dimensions shown are to the center of the muntin.


6/8 Flush-Glazed Grille Locations



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 3W4H and 2W4H‡


Panel	Glass	A	B	C	D	E	F
2/6	21 x 48	14-7/8"	12-11/16"	21-1/8"	16-5/8"	28-5/8"	40-5/8"
2/8	21 x 48	15-7/8"	13-11/16"	22-1/8"	16-5/8"	28-5/8"	40-5/8"
2/10	25 x 48	16-7/8"	12-11/16"	21-1/8"	16-9/16"	28-5/8"	40-5/8"
3/0	25 x 48	17-7/8"	13-11/16"	22-1/8"	16-9/16"	28-5/8"	40-5/8"

‡SDL not available in 2W4H configuration.



GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	21 x 48	14-7/8"	-	-	20-5/8"	36-5/8"
2/8	21 x 48	15-7/8"	-	-	20-5/8"	36-5/8"
2/10	25 x 48	16-7/8"	-	-	20-5/8"	36-5/8"
3/0	25 x 48	17-7/8"	-	-	20-5/8"	36-5/8"



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 2W2H


Panel	Glass	A	B	C	D
2/6	21 x 48	14-7/8"	-	-	28-5/8"
2/8	21 x 48	15-7/8"	-	-	28-5/8"
2/10	25 x 48	16-7/8"	-	-	28-5/8"
3/0	25 x 48	17-7/8"	-	-	28-5/8"



GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	21 x 48	8-11/16"	21-1/8"	9"	48-3/16"
2/8	21 x 48	9-11/16"	22-1/8"	9"	48-3/16"
2/10	25 x 48	8-11/16"	25-1/8"	9"	48-3/16"
3/0	25 x 48	9-11/16"	26-1/8"	9"	48-3/16"

All dimensions shown are to the center of the muntin.



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-3/16"	18-5/8"	16-5/8"	28-3/4"
2/8	22 x 36	-	12-3/16"	19-5/8"	16-5/8"	28-3/4"
3/0	22 x 36	-	14-3/16"	21-5/8"	16-5/8"	28-3/4"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 3W3H


Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-3/16"	18-5/8"	16-7/8"	28-15/16"
2/8	22 x 36	-	12-3/16"	19-5/8"	16-7/8"	28-15/16"
3/0	22 x 36	-	14-3/16"	21-5/8"	16-7/8"	28-15/16"

Wood Grilles - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-5/16"	18-7/16"	16-3/4"	28-9/16"
2/8	22 x 36	-	12-5/16"	19-7/16"	16-3/4"	28-9/16"
3/0	22 x 36	-	14-5/16"	21-7/16"	16-3/4"	28-9/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-5/16"	18-1/2"	17"	28-13/16"
2/8	22 x 36	-	12-5/16"	19-1/2"	17"	28-13/16"
3/0	22 x 36	-	14-5/16"	21-1/2"	17"	28-13/16"



GBG - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 9 Lite Prairie


Panel	Glass	A	B	C	D
2/6	22 x 36	8-3/16"	21-5/8"	8-15/16"	36-3/8"
2/8	22 x 36	9-3/16"	22-5/8"	8-15/16"	36-3/8"
3/0	22 x 36	11-3/16"	24-5/8"	8-15/16"	36-3/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	22 x 36	8-3/16"	21-5/8"	9-3/16"	36-5/8"
2/8	22 x 36	9-3/16"	22-5/8"	9-3/16"	36-5/8"
3/0	22 x 36	11-3/16"	24-5/8"	9-3/16"	36-5/8"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations




GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 64	11-7/8"	20-3/16"
2/6	20 x 64	14-7/8"	20-1/8"
2/8	20 x 64	15-7/8"	20-1/8"
2/10	25 x 64	16-7/8"	20-1/8"
3/0	25 x 64	17-7/8"	20-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 64	11-7/8"	20-3/16"
2/6	20 x 64	14-7/8"	20-5/16"
2/8	20 x 64	15-7/8"	20-5/16"
2/10	25 x 64	16-7/8"	20-5/16"
3/0	27 x 64	17-7/8"	20-5/16"




GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 64	9-5/16"	14-1/2"	20-3/16"
2/6	20 x 64	11-3/8"	18-7/16"	20-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	20-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	20-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	20-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 64	9-5/16"	14-1/2"	20-5/16"
2/6	20 x 64	11-3/8"	18-7/16"	20-5/16"
2/8	20 x 64	12-3/8"	19-7/16"	20-5/16"
2/10	25 x 64	12-11/16"	21-1/8"	20-5/16"
3/0	27 x 64	13-3/8"	22-7/16"	20-5/16"




GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 64	11-7/8"	12-7/16"	20-3/16"
2/6	20 x 64	14-7/8"	12-3/8"	20-1/8"
2/8	20 x 64	15-7/8"	12-3/8"	20-1/8"
2/10	25 x 64	16-7/8"	12-3/8"	20-1/8"
3/0	25 x 64	17-7/8"	12-3/8"	20-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 64	11-7/8"	12-9/16"	20-5/16"
2/6	20 x 64	14-7/8"	12-1/2"	20-5/16"
2/8	20 x 64	15-7/8"	12-1/2"	20-5/16"
2/10	25 x 64	16-7/8"	12-1/2"	20-5/16"
3/0	27 x 64	17-7/8"	12-1/2"	20-5/16"




GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 64	9-5/16"	14-1/2"	12-7/16"	20-3/16"
2/6	20 x 64	11-3/8"	18-7/16"	12-3/8"	20-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	12-3/8"	20-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	12-3/8"	20-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	12-3/8"	20-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 3W2H


Panel	Glass	A	B	C	D
2/0	14 x 64	9-5/16"	14-1/2"	12-9/16"	20-5/16"
2/6	20 x 64	11-3/8"	18-7/16"	12-1/2"	20-5/16"
2/8	20 x 64	12-3/8"	19-7/16"	12-1/2"	20-5/16"
2/10	25 x 64	12-11/16"	21-1/8"	12-1/2"	20-5/16"
3/0	27 x 64	13-3/8"	22-7/16"	12-1/2"	20-5/16"

All dimensions shown are to the center of the muntin.




SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 2W1H

Panel	Glass	A
2/8	26 x 18	15-7/8"
2/10	26 x 18	16-7/8"
3/0	26 x 18	17-7/8"




SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 3W1H

Panel	Glass	A	B
2/8	26 x 18	11-3/4"	19"
2/10	26 x 18	12-3/4"	20"
3/0	26 x 18	13-3/4"	21"



SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 2W2H

Panel	Glass	A	B
2/8	26 x 18	15-7/8"	11-13/16"
2/10	26 x 18	16-7/8"	11-13/16"
3/0	26 x 18	17-7/8"	11-13/16"




SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 3W2H

Panel	Glass	A	B	C
2/8	26 x 18	11-3/4"	19"	11-13/16"
2/10	26 x 18	12-3/4"	20"	11-13/16"
3/0	26 x 18	13-3/4"	21"	11-13/16"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	7 x 64	-	-	-	17-9/16"	30-5/16"	43-1/8"	55-15/16"
14	7 x 64	-	-	-	17-9/16"	30-5/16"	43-1/8"	55-15/16"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	8 x 64	-	-	-	17-5/8"	30-1/2"	43-5/16"	56-3/16"
14	8 x 64	-	-	-	17-5/8"	30-1/2"	43-5/16"	56-3/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	8 x 64	-	-	-	17-13/16"	30-9/16"	43-1/4"	56"
14"	8 x 64	-	-	-	17-13/16"	30-9/16"	43-1/4"	56"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	7 x 64	-	-	-	20-3/4"	36-3/4"	52-3/4"
14	7 x 64	-	-	-	20-3/4"	36-3/4"	52-3/4"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	8 x 64	-	-	-	20-13/16"	36-15/16"	53"
14	8 x 64	-	-	-	20-13/16"	36-15/16"	53"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	7 x 64	-	-	-	26-1/16"	47-3/8"
14	7 x 64	-	-	-	26-1/16"	47-3/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	8 x 64	-	-	-	26-3/16"	47-5/8"
14	8 x 64	-	-	-	26-3/16"	47-5/8"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12	7 x 64	-	-	-	36-3/4"
14	7 x 64	-	-	-	36-3/4"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12	8 x 64	-	-	-	36-15/16"
14	8 x 64	-	-	-	36-15/16"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	7 x 64	6"	-	9-3/16"	64-5/16"
14	7 x 64	7"	-	9-3/16"	64-5/16"


GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	8 x 64	6"	-	9-3/16"	64-5/8"
14	8 x 64	7"	-	9-3/16"	64-5/8"

SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Shaker Sidelite - 1W2H

Panel	Glass	A
12	8 x 16	11-13/16"
14	8 x 16	11-13/16"

All dimensions shown are to the center of the muntin.



SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite Craftsman - 2W2H

Panel	Glass	A	B	C
12	7 x 64	6"	12-1/4"	19-9/16"
14	7 x 64	7"	12-1/4"	19-9/16"

SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite Craftsman - 2W1H

Panel	Glass	A	B
12	7 x 64	6"	19-9/16"
14	7 x 64	7"	19-9/16"

SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite Craftsman - 1W1H

Panel	Glass	A
12	7 x 64	19-9/16"
14	7 x 64	19-9/16"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	7 x 64	-	-	-	16-13/16"	30-1/16"	43-3/8"	56-11/16"
14	7 x 64	-	-	-	16-13/16"	30-1/16"	43-3/8"	56-11/16"


SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	7 x 64	-	-	-	20-1/8"	36-3/4"	53-3/8"
14	7 x 64	-	-	-	20-1/8"	36-3/4"	53-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	7 x 64	-	-	-	25-5/8"	47-13/16"
14	7 x 64	-	-	-	25-5/8"	47-13/16"

All dimensions shown are to the center of the muntin.



GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 1W3H


Panel	Glass	A	B	C	D	E
12	8 x 36	-	-	-	16-7/8"	28-15/16"
14	8 x 36	-	-	-	16-7/8"	28-15/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17"	28-13/16"
14"	8 x 36	-	-	-	17"	28-13/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	8 x 36	6"	-	9-3/16"	36-5/8"
14	8 x 36	7"	-	9-3/16"	36-5/8"



GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W4H


Panel	Glass	A	B	C	D	E	F
12	8 x 47	-	-	-	16-7/8"	28-5/8"	40-5/16"
14	8 x 47	-	-	-	16-7/8"	28-5/8"	40-5/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	17-1/16"	28-5/8"	40-3/16"
14"	8 x 47	-	-	-	17-1/16"	28-5/8"	40-3/16"

GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	8 x 47	-	-	-	20-13/16"	36-7/16"
14	8 x 47	-	-	-	20-13/16"	36-7/16"




GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12	8 x 47	-	-	-	28-5/8"
14	8 x 47	-	-	-	28-5/8"

GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	8 x 47	6"	-	9-5/8"	47-5/8"
14	8 x 47	7"	-	9-5/8"	47-5/8"

All dimensions shown are to the center of the muntin.



GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-3/8"	18-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/8	21 x 80	15-7/8"	12-3/8"	19-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/10	25 x 80	16-7/8"	12-3/4"	21-1/16"	18-7/8"	32-3/16"	45-9/16"	58-7/8"	72-3/16"
3/0	25 x 80	17-7/8"	13-3/4"	22-1/16"	18-7/8"	32-3/16"	45-9/16"	58-7/8"	72-3/16"

Wood Grilles - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 3W6H and 2W6H


Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-1/2"	18-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/8	21 x 80	15-7/8"	12-1/2"	19-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/10	25 x 80	16-7/8"	12-7/8"	20-15/16"	19-1/8"	32-5/16"	45-9/16"	58-3/4"	71-15/16"
3/0	25 x 80	17-7/8"	13-7/8"	21-15/16"	19-1/8"	32-5/16"	45-9/16"	58-3/4"	71-15/16"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-3/8"	18-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/8	21 x 80	15-7/8"	12-3/8"	19-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/10	25 x 80	16-7/8"	12-3/4"	21-1/16"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
3/0	25 x 80	17-7/8"	13-3/4"	22-1/16"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"

Wood Grilles - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-1/2"	18-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/8	21 x 80	15-7/8"	12-1/2"	19-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/10	25 x 80	16-7/8"	12-7/8"	20-15/16"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
3/0	25 x 80	17-7/8"	13-7/8"	21-15/16"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"




GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/0	14 x 80	9-3/8"	14-7/16"	10"	81-1/8"
2/6	21 x 80	8-7/8"	20-15/16"	10"	81-1/8"
2/8	21 x 80	10-7/8"	20-15/16"	10"	81-1/8"
2/10	25 x 80	10-7/8"	22-15/16"	10"	81-1/8"
3/0	25 x 80	12-7/8"	22-15/16"	10"	81-1/8"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/0	14 x 80	9-3/8"	14-7/16"	10"	81-1/8"
2/6	21 x 80	8-7/8"	20-15/16"	10"	81-1/8"
2/8	21 x 80	10-7/8"	20-15/16"	10"	81-1/8"
2/10	25 x 80	10-7/8"	22-15/16"	10"	81-1/8"
3/0	25 x 80	12-7/8"	22-15/16"	10"	81-1/8"

All dimensions shown are to the center of the muntin.




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/8	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/10	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
3/0	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
2/8	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
*2/10	25 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
3/0	27 x 64	-	-	-	16-15/16"	30-1/4"	43-5/8"	56-15/16"

*Only available in 6/6.




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/8	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/10	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
3/0	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
2/8	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
*2/10	25 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
3/0	27 x 64	-	-	-	20-1/4"	36-15/16"	53-5/8"

*Only available in 6/6.



SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W3H


Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	25-5/8"	47-13/16"	70-1/16"
2/8	20 x 64	-	-	-	25-5/8"	47-13/16"	70-1/16"
2/10	25 x 64	-	-	-	25-5/8"	47-13/16"	70-1/16"
3/0	25 x 64	-	-	-	25-5/8"	47-13/16"	70-1/16"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	25-13/16"	48"	70-3/16"
2/8	20 x 64	-	-	-	25-13/16"	48"	70-3/16"
*2/10	25 x 64	-	-	-	25-13/16"	48"	70-3/16"
3/0	27 x 64	-	-	-	25-13/16"	48-1/16"	70-1/4"

*Only available in 6/6.

All dimensions shown are to the center of the muntin.




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 80	11-7/8"	21-1/8"
2/6	21 x 80	14-7/8"	21-1/8"
2/8	21 x 80	15-7/8"	21-1/8"
2/10	25 x 80	16-7/8"	21-1/8"
3/0	25 x 80	17-7/8"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 80	11-7/8"	21-1/8"
2/6	21 x 80	14-7/8"	21-1/8"
2/8	21 x 80	15-7/8"	21-1/8"
2/10	25 x 80	16-7/8"	21-1/8"
3/0	25 x 80	17-7/8"	21-1/8"




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 80	10-1/16"	13-3/4"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 80	10-1/16"	13-3/4"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	21-1/8"




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 80	11-7/8"	13-5/16"	21-1/8"
2/6	21 x 80	14-7/8"	13-5/16"	21-1/8"
2/8	21 x 80	15-7/8"	13-5/16"	21-1/8"
2/10	25 x 80	16-7/8"	13-5/16"	21-1/8"
3/0	25 x 80	17-7/8"	13-5/16"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 80	11-7/8"	13-5/16"	21-1/8"
2/6	21 x 80	14-7/8"	13-5/16"	21-1/8"
2/8	21 x 80	15-7/8"	13-5/16"	21-1/8"
2/10	25 x 80	16-7/8"	13-5/16"	21-1/8"
3/0	25 x 80	17-7/8"	13-5/16"	21-1/8"



GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 3W2H


Panel	Glass	A	B	C	D
2/0	14 x 80	10-1/16"	13-3/4"	13-5/16"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	13-5/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	13-5/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	13-5/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	13-5/16"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 80	10-1/16"	13-3/4"	13-5/16"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	13-5/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	13-5/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	13-5/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	13-5/16"	21-1/8"

All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	18-7/16"	31-5/16"	44-1/8"	57"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	18-7/16"	31-5/16"	44-1/8"	57"
2/10	25 x 64	16-7/8"	12-11/16"	21-1/8"	18-7/16"	31-5/16"	44-1/8"	57"
3/0	25 x 64	17-7/8"	13-11/16"	22-1/8"	18-7/16"	31-5/16"	44-1/8"	57"

Wood Grilles - Flush-Glazed - Fiber Classic - 8'0" 3/4 Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	15"	11-9/16"	18-7/16"	18-5/8"	31-3/8"	44-1/16"	56-13/16"
2/8	20 x 64	16"	12-9/16"	19-7/16"	18-5/8"	31-3/8"	44-1/16"	56-13/16"
2/10	25 x 64	17"	12-7/8"	21-1/8"	18-5/8"	31-3/8"	44-1/16"	56-13/16"
3/0	25 x 64	18"	13-7/8"	22-1/8"	18-5/8"	31-3/8"	44-1/16"	56-13/16"



GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 3W4H and 2W4H‡

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	21-5/8"	37-3/4"	53-13/16"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	21-5/8"	37-3/4"	53-13/16"
2/10	25 x 64	16-7/8"	12-11/16"	21-1/8"	21-5/8"	37-3/4"	53-13/16"
3/0	25 x 64	17-7/8"	13-11/16"	22-1/8"	21-5/8"	37-3/4"	53-13/16"


‡SDL only available in 2W4H



GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 2W3H


Panel	Glass	A	B	C	D	E
2/6	20 x 64	14-7/8"	-	-	27"	48-7/16"
2/8	20 x 64	15-7/8"	-	-	27"	48-7/16"
2/10	25 x 64	16-7/8"	-	-	27"	48-7/16"
3/0	25 x 64	17-7/8"	-	-	27"	48-7/16"

All dimensions shown are to the center of the muntin.



GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	14-7/8"	-	-	37-3/4"
2/8	20 x 64	15-7/8"	-	-	37-3/4"
2/10	25 x 64	16-7/8"	-	-	37-3/4"
3/0	25 x 64	17-7/8"	-	-	37-3/4"




GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-3/4"	21-1/16"	10"	65-7/16"
2/8	20 x 64	10-3/4"	21-1/16"	10"	65-7/16"
2/10	25 x 64	10-11/16"	23-1/8"	10"	65-7/16"
3/0	25 x 64	12-11/16"	23-1/8"	10"	65-7/16"

Wood Grilles - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-11/16"	21-5/16"	10-5/8"	64-15/16"
2/8	20 x 64	9-11/16"	22-5/16"	10-5/8"	64-15/16"
2/10	25 x 64	8-5/8"	25-3/8"	10-5/8"	64-15/16"
3/0	25 x 64	9-5/8"	26-3/8"	10-5/8"	64-15/16"




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	26-5/8"	48-13/16"
2/8	20 x 64	-	-	-	26-5/8"	48-13/16"
2/10	25 x 64	-	-	-	26-5/8"	48-13/16"
3/0	25 x 64	-	-	-	26-5/8"	48-13/16"


All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 2W1H

Panel	Glass	A	B
2/6	20 x 64	14-7/8"	21-1/8"
2/8	20 x 64	15-7/8"	21-1/8"
2/10	25 x 64	16-7/8"	21-1/8"
3/0	25 x 64	17-7/8"	21-1/8"




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/6	20 x 64	11-3/8"	18-7/16"	21-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	21-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	21-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	21-1/8"



GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 2W2H


Panel	Glass	A	B	C
2/6	20 x 64	14-7/8"	13-5/16"	21-1/8"
2/8	20 x 64	15-7/8"	13-5/16"	21-1/8"
2/10	25 x 64	16-7/8"	13-5/16"	21-1/8"
3/0	25 x 64	17-7/8"	13-5/16"	21-1/8"



GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 3W2H


Panel	Glass	A	B	C	D
2/6	20 x 64	11-3/8"	18-7/16"	13-5/16"	21-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	13-5/16"	21-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	13-5/16"	21-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	13-5/16"	21-1/8"

All dimensions shown are to the center of the muntin.




SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 2W1H

Panel	Glass	A
2/8	26 x 18	15-7/8"
2/10	26 x 18	16-7/8"
3/0	26 x 18	17-7/8"




SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 3W1H

Panel	Glass	A	B
2/8	26 x 18	11-3/4"	19"
2/10	26 x 18	12-3/4"	20"
3/0	26 x 18	13-3/4"	21"



SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 2W2H


Panel	Glass	A	B
2/8	26 x 18	15-7/8"	12-3/4"
2/10	26 x 18	16-7/8"	12-3/4"
3/0	26 x 18	17-7/8"	12-3/4"



SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 3W2H

Panel	Glass	A	B	C
2/8	26 x 18	11-3/4"	19"	12-3/4"
2/10	26 x 18	12-3/4"	20"	12-3/4"
3/0	26 x 18	13-3/4"	21"	12-3/4"

All dimensions shown are to the center of the muntin.



SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W6H

Panel	Glass	A	B	C	D	E	F	G	H
12	07 x 80	-	-	-	18-15/16"	32-5/16"	45-5/8"	58-15/16"	72-5/16"
14	07 x 80	-	-	-	18-15/16"	32-5/16"	45-5/8"	58-15/16"	72-5/16"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	07 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"
14	07 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	07 x 80	-	-	-	25"	45-5/8"	66-1/4"
14	07 x 80	-	-	-	25"	45-5/8"	66-1/4"


SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	07 x 80	-	-	-	31-7/8"	59-3/8"
14	07 x 80	-	-	-	31-7/8"	59-3/8"

SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Shaker Sidelite - 1W2H


Panel	Glass	A
12	8 x 16	12-3/4"
14	8 x 16	12-3/4"

All dimensions shown are to the center of the muntin.




Rectangular Transom - 5W

Unit Width	A	B	C	D
5/0	12-5/16"	24-9/16"	36-3/4"	49"
5/4	13-1/8"	26-1/8"	39-3/16"	52-3/16"
5/8	13-7/8"	27-3/4"	41-9/16"	55-3/8"
6/0	14-3/4"	29-3/8"	44"	58-5/8"



Rectangular Transom - 4W

Unit Width	A	B	C
5/0	15-3/8"	30-5/8"	45-15/16"
5/4	16-3/8"	32-5/8"	48-15/16"
5/8	17-3/8"	34-5/8"	51-15/16"
6/0	18-3/8"	36-5/8"	54-15/16"



Rectangular Transom - 3W

Unit Width	A	B
3/0	12-1/16"	24-1/16"

All dimensions shown are to the center of the muntin.