
Unit and Rough Opening Sizing.....	1.3
Grille Profiles	1.41
6/8 Lip Lite Grille Locations.....	1.42
8/0 Lip Lite Grille Locations.....	1.50
6/8 Flush-Glazed Grille Locations.....	1.60
8/0 Flush-Glazed Grille Locations.....	1.70
Transom Grille Locations	1.78

Single or M.E.U. 6/6, 6/8, 7/0, 8/0

Single or M.E.U. - Inswing

Brickmould Dim.	28"	32"	34"	36"	38"	40"	46"	
Rough Opening	26 1/4"	30 1/4"	32 1/4"	34 1/4"	36 1/4"	38 1/4"	44 1/4"	
Unit Dimension	25 1/2"	29 1/2"	31 1/2"	33 1/2"	35 1/2"	37 1/2"	43 1/2"	

80 1/2"	79 3/4"	79 1/4"	6/6		2/0	2/4	2/6	2/8	2/10	3/0	3/6	78 5/8"	78 1/16"	80 1/8"	81 7/8"	79 9/16"	82 1/16"	81 1/8"	82 7/8"	85 7/8"	97 7/8"	96 15/16"	Composite	
82 7/8"	82"	81 5/8"	6/8		2/0	2/4	2/6	2/8	2/10	3/0	3/6	80 15/16"	80 3/8"	81 7/16"	80 7/8"	82 7/16"	80 7/8"	81 7/8"	82 7/16"	84 7/8"	98 7/8"	97 7/16"	96 7/8"	Aluminum Composite
86 7/8"	86"	85 5/8"	7/0		2/0	2/4	2/6	2/8	2/10	3/0	3/6	84 15/16"	84 3/8"	85 7/16"	84 7/8"	86 7/16"	84 7/8"	85 7/8"	86 7/16"	88 7/8"	100 7/8"	99 7/16"	98 3/8"	Aluminum Composite
98 7/8"	98"	97 5/8"	8/0		2/0	2/4	2/6	2/8	2/10	3/0	3/6	96 15/16"	96 3/8"	97 7/16"	96 7/8"	98 7/16"	96 7/8"	97 7/8"	98 7/16"	100 7/8"	112 7/8"	111 7/16"	110 3/8"	Aluminum Composite
					25 1/2"	29 1/2"	31 1/2"	33 1/2"	35 1/2"	37 1/2"	43 1/2"	Unit Dim.												
					26 1/4"	30 1/4"	32 1/4"	34 1/4"	36 1/4"	38 1/4"	44 1/4"	Rough Opening												
					28 1/2"	32 1/2"	34 1/2"	36 1/2"	38 1/2"	40 1/2"	46 1/2"	Brickmould Dim.												

For M.E.U., add actual unit dimension to door rough opening width for total rough opening width.

For units with public access sills, subtract 13/16" from inswing height. Unit widths will be the same as in the table above.


Single or M.E.U. - Outswing

Hand Designations


(Viewed from the exterior)

- F Fixed Panel
- L Left Hand
- R Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

French - 7/8" Astragal, 6/6, 6/8, 7/0, 8/0

French - Inswing - Astragal


	Brickmould Dim.	52 11/16"	60 11/16"	64 11/16"	68 11/16"	72 11/16"	76 11/16"			
	Rough Opening	50 15/16"	58 15/16"	62 15/16"	66 15/16"	70 15/16"	74 15/16"			
	Unit Dimension	50 3/16"	58 3/16"	62 3/16"	66 3/16"	70 3/16"	74 3/16"			
80 1/2"								78 5/8"		
79 3/4"										79 1/4"
82 7/8"										81 5/8"
82"										80 3/8"
86 7/8"										84 15/16"
86"										81 7/16"
85 5/8"										80 7/8"
										85 7/16"
										84 3/8"
98 7/8"										96 15/16"
98"										97 7/8"
97 5/8"										97 7/16"
										96 3/8"
										98 7/16"
										97 1/16"
										96 7/8"
				96 1/2"						
				96 3/8"						
				97 1/16"						
				96 3/8"						
				96 15/16"						
				96 15/16"						
50 3/16"					Unit Dim.					
50 15/16"								Rough Opening		
53 3/16"								Brickmould Dim.		

French - Outswing - Astragal

For units with public access sills, subtract 13/16" from inswing height. Unit widths will be the same as in the table above.

Hand Designations	
(Viewed from the exterior)	
A	Astragal (Passive)
L	Left Hand
R	Right Hand

Inswing



Outswing



Double - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Double - Inswing - Standard Mullion


Brickmould Dim.	53"	61"	65"	69"	73"	77"	
Rough Opening	51 1/4"	59 1/4"	63 1/4"	67 1/4"	71 1/4"	75 1/4"	
Unit Dimension	50 1/2"	58 1/2"	62 1/2"	66 1/2"	70 1/2"	74 1/2"	

80 1/2"	79 3/4"	79 1/4"	6/6							78 5/8"	80 1/8"	
			6/8							80 15/16"	81 7/16"	82 7/16"
			7/0							84 15/16"	85 7/16"	86 7/16"
			8/0							96 15/16"	97 7/16"	98 7/16"
			50 1/2"	58 1/2"	62 1/2"	66 1/2"	70 1/2"	74 1/2"	Unit Dim.			
			51 1/4"	59 1/4"	63 1/4"	67 1/4"	71 1/4"	75 1/4"	Rough Opening			
			53 1/2"	61 1/2"	65 1/2"	69 1/2"	73 1/2"	77 1/2"	Brickmould Dim.			


Double - Outswing - Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Double - Wide Mullion - 6/6, 6/8, 7/0, 8/0


Double - Inswing - Wide Mullion

Brickmould Dim.		53 1/2"	61 1/2"	65 1/2"	69 1/2"	73 1/2"	77 1/2"	
Rough Opening		51 3/4"	59 3/4"	63 3/4"	67 3/4"	71 3/4"	75 3/4"	
Unit Dimension		51"	59"	63"	67"	71"	75"	
80 1/2" 79 3/4" 79 1/4"	6/6							80 1/8" 79 1/8"
	6/8							82 7/16" 81 5/8"
	7/0							86 7/8" 85 5/8"
	8/0							98 7/8" 97 5/8"
		51"	59"	63"	67"	71"	75"	Unit Dim.
		51 3/4"	59 3/4"	63 3/4"	67 3/4"	71 3/4"	75 3/4"	Rough Opening
		54"	62"	66"	70"	74"	78"	Brickmould Dim.


Double - Outswing - Wide Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Triple - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Triple - Inswing - Standard Mullion


Brickmould Dim.	78"	90"	96"	102"	108"	114"	
Rough Opening	76 1/4"	88 1/4"	94 1/4"	100 1/4"	106 1/4"	112 1/4"	
Unit Dimension	75 1/2"	87 1/2"	93 1/2"	99 1/2"	105 1/2"	111 1/2"	

80 1/2"	79 3/4"	79 1/4"					80 1/8"
6/6							78 5/8"
	6/0	7/0	7/6	8/0	8/6	9/0	80 7/16"
82 7/8"	82"	81 5/8"					81 7/16"
6/8							80 15/16"
	6/0	7/0	7/6	8/0	8/6	9/0	81 7/16"
86 7/8"	86"	85 5/8"					84 15/16"
7/0							85 7/16"
	6/0	7/0	7/6	8/0	8/6	9/0	86 7/16"
98 7/8"	98"	97 5/8"					96 15/16"
8/0							97 7/16"
	6/0	7/0	7/6	8/0	8/6	9/0	98 7/16"
	75 1/2"	87 1/2"	93 1/2"	99 1/2"	105 1/2"	111 1/2"	Unit Dim.
	76 1/4"	88 1/4"	94 1/4"	100 1/4"	106 1/4"	112 1/4"	Rough Opening
	78 1/2"	90 1/2"	96 1/2"	102 1/2"	108 1/2"	114 1/2"	Brickmould Dim.


Triple - Outswing - Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Triple - Wide Mullion - 6/6, 6/8, 7/0, 8/0

Triple - Inswing - Wide Mullion


Brickmould Dim.	79"	91"	97"	103"	109"	115"	
Rough Opening	77 1/4"	89 1/4"	95 1/4"	101 1/4"	107 1/4"	113 1/4"	
Unit Dimension	76 1/2"	88 1/2"	94 1/2"	100 1/2"	106 1/2"	112 1/2"	

80 1/2"	79 3/4"	79 1/4"	6/6	6/0	7/0	7/6	8/0	8/6	9/0	78 5/8"	80 1/8"	82 7/16"	Composite
82 7/8"	82"	81 5/8"	6/8	6/0	7/0	7/6	8/0	8/6	9/0	80 15/16"	81 7/16"	85 7/16"	Composite
86 7/8"	86"	85 5/8"	7/0	6/0	7/0	7/6	8/0	8/6	9/0	84 15/16"	86 7/16"	97 7/16"	Composite
98 7/8"	98"	97 5/8"	8/0	6/0	7/0	7/6	8/0	8/6	9/0	96 15/16"	98 7/16"		
				76 1/2"	88 1/2"	94 1/2"	100 1/2"	106 1/2"	112 1/2"		Unit Dim.		
				77 1/4"	89 1/4"	95 1/4"	101 1/4"	107 1/4"	113 1/4"		Rough Opening		
				79 1/2"	91 1/2"	97 1/2"	103 1/2"	109 1/2"	115 1/2"		Brickmould Dim.		


Triple - Outswing - Wide Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing





















Outswing



Single - Continuous with 10" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0


Single with 1 Sidelite - Inswing - Continuous Standard Mullion

Brickmould Dim.	43"	45"	47"	49"	51"	57"								
Rough Opening	41 1/4"	43 1/4"	45 1/4"	47 1/4"	49 1/4"	55 1/4"								
Unit Dimension	40 1/2"	42 1/2"	44 1/2"	46 1/2"	48 1/2"	54 1/2"								
80 1/2"	 2/4	 2/6	 2/8	 2/10	 3/0	 3/6	78 5/8"	78 1/16"	79 9/16"					
79 3/4"							80 1/8"	80 1/16"	80 9/16"	81 7/8"	82 7/16"	81 7/8"	79 9/16"	
79 1/4"							80 1/8"	80 7/8"	81 1/16"	81 7/8"	82 7/16"	80 7/8"	81 7/8"	80 1/8"
82 7/8"							81 5/8"	81 7/8"	82 1/16"	82 7/8"	83 1/8"	84 7/8"	81 5/8"	82 7/8"
82"							81 5/8"	82 1/8"	82 7/16"	83 1/8"	84 1/8"	85 1/8"	80 1/16"	81 1/8"
81 1/4"							81 5/8"	82 1/8"	82 7/16"	83 1/8"	84 1/8"	85 1/8"	81 5/8"	82 7/8"
86 7/8"	 2/4	 2/6	 2/8	 2/10	 3/0	 3/6	84 15/16"	84 3/8"	85 7/8"					
86"							85 5/8"	85 7/8"	86 1/16"	86 7/8"	87 7/8"	85 5/8"	86 7/8"	
85 5/8"							85 5/8"	86 1/8"	86 7/16"	87 1/8"	88 1/8"	87 7/8"	86 7/8"	85 5/8"
86 7/8"							85 5/8"	86 1/8"	86 7/16"	87 1/8"	88 1/8"	89 1/8"	85 5/8"	86 7/8"
86"							85 5/8"	86 1/8"	86 7/16"	87 1/8"	88 1/8"	89 1/8"	86 7/8"	87 7/8"
85 5/8"							85 5/8"	86 1/8"	86 7/16"	87 1/8"	88 1/8"	89 1/8"	85 5/8"	86 7/8"
98 7/8"	 2/4	 2/6	 2/8	 2/10	 3/0	 3/6	96 15/16"	96 3/8"	97 7/8"					
98"							97 5/8"	97 7/8"	98 1/16"	98 7/8"	99 7/8"	97 5/8"	98 7/8"	
97 5/8"							97 5/8"	98 1/8"	98 7/16"	99 1/8"	100 1/8"	99 7/8"	97 5/8"	98 7/8"
98 7/8"							97 5/8"	98 1/8"	98 7/16"	99 1/8"	100 1/8"	101 1/8"	97 5/8"	98 7/8"
98"							97 5/8"	98 1/8"	98 7/16"	99 1/8"	100 1/8"	101 1/8"	97 5/8"	98 7/8"
97 5/8"							97 5/8"	98 1/8"	98 7/16"	99 1/8"	100 1/8"	101 1/8"	97 5/8"	98 7/8"
	40 1/2"	42 1/2"	44 1/2"	46 1/2"	48 1/2"	54 1/2"	Unit Dim.							
	41 1/4"	43 1/4"	45 1/4"	47 1/4"	49 1/4"	55 1/4"	Rough Opening							
	43 1/2"	45 1/2"	47 1/2"	49 1/2"	51 1/2"	57 1/2"	Brickmould Dim.							


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



























Outswing



Unit and Rough Opening Sizing

Single - Continuous with 12" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0


Single with 1 Sidelite - Inswing - Continuous Standard Mullion

		45"	47"	49"	51"	53"	59"		
Brickmould Dim.		45"	47"	49"	51"	53"	59"		
Rough Opening		43 1/4"	45 1/4"	47 1/4"	49 1/4"	51 1/4"	57 1/4"		
Unit Dimension		42 1/2"	44 1/2"	46 1/2"	48 1/2"	50 1/2"	56 1/2"		
80 1/2" 79 3/4" 79 1/4"	6/6							78 5/8"	78 1/16"
		2/4	2/6	2/8	2/10	3/0	3/6		
	6/8							80 15/16"	80 1/8"
		2/4	2/6	2/8	2/10	3/0	3/6		
86 7/8" 86" 85 5/8"	7/0							84 15/16"	84 3/8"
	2/4	2/6	2/8	2/10	3/0	3/6			
98 7/8" 98" 97 5/8"	8/0							96 15/16"	96 3/8"
	2/4	2/6	2/8	2/10	3/0	3/6			
		42 1/2"	44 1/2"	46 1/2"	48 1/2"	50 1/2"	56 1/2"	Unit Dim.	
		43 1/4"	45 1/4"	47 1/4"	49 1/4"	51 1/4"	57 1/4"	Rough Opening	
		45 1/2"	47 1/2"	49 1/2"	51 1/2"	53 1/2"	59 1/2"	Brickmould Dim.	
								Composite	Aluminum
								Composite	Aluminum
								Composite	Aluminum
								Composite	Aluminum


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Single - Continuous with 14" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0


Single with 1 Sidelite - Inswing - Continuous Standard Mullion

Brickmould Dim.	47"	49"	51"	53"	55"	61"		
Rough Opening	45 1/4"	47 1/4"	49 1/4"	51 1/4"	53 1/4"	59 1/4"		
Unit Dimension	44 1/2"	46 1/2"	48 1/2"	50 1/2"	52 1/2"	58 1/2"		
80 1/2"							78 5/8"	79 9/16"
79 3/4"								
79 1/4"								
	2/4	2/6	2/8	2/10	3/0	3/6		
82 7/8"							80 15/16"	81 7/8"
82"								
81 5/8"								
	2/4	2/6	2/8	2/10	3/0	3/6		
86 7/8"							84 15/16"	85 7/8"
86"								
85 5/8"								
	2/4	2/6	2/8	2/10	3/0	3/6		
98 7/8"							96 15/16"	97 7/8"
98"								
97 5/8"								
	2/4	2/6	2/8	2/10	3/0	3/6		
							Unit Dim.	Aluminum
							Rough Opening	Composite
							Brickmould Dim.	Aluminum
								Composite
								Aluminum
								Composite
								Aluminum
								Composite
								Aluminum
								Composite
								Aluminum
								Composite


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Single - Continuous with 2-14" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Standard Mullion

Brickmould Dim.	62"	64"	66"	68"	70"	76"			
Rough Opening	60 1/4"	62 1/4"	64 1/4"	66 1/4"	68 1/4"	74 1/4"			
Unit Dimension	59 1/2"	61 1/2"	63 1/2"	65 1/2"	67 1/2"	73 1/2"			
	80 1/2"	79 3/4"	79 1/4"						
	6/6								
	2/4	2/6	2/8	2/10	3/0	3/6			
	6/8								
	2/4	2/6	2/8	2/10	3/0	3/6			
	7/0								
	2/4	2/6	2/8	2/10	3/0	3/6			
	8/0								
	2/4	2/6	2/8	2/10	3/0	3/6			
	80 1/2"	82 7/8"	82"	81 5/8"					
	86 7/8"	86"	85 5/8"						
	98 7/8"	98"	97 5/8"						
	78 5/8"	78 1/16"	79 1/8"	79 9/16"	80 1/8"	80 7/16"	81 1/8"	81 7/8"	81 7/8"
	80 15/16"	80 3/8"	81 7/16"	82 7/16"	83 1/8"	84 7/16"	85 1/8"	85 7/8"	86 1/8"
	84 15/16"	84 3/8"	85 7/16"	86 7/16"	87 1/8"	88 7/16"	89 1/8"	90 7/8"	91 1/8"
	96 15/16"	96 3/8"	97 7/16"	98 7/16"	99 1/8"	100 7/16"	101 1/8"	102 7/8"	103 1/8"
	Composite	Aluminum	Composite	Aluminum	Composite	Aluminum	Composite	Aluminum	Composite
	59 1/2"	61 1/2"	63 1/2"	65 1/2"	67 1/2"	73 1/2"	Unit Dim.		
	60 1/4"	62 1/4"	64 1/4"	66 1/4"	68 1/4"	74 1/4"	Rough Opening		
	62 1/2"	64 1/2"	66 1/2"	68 1/2"	70 1/2"	76 1/2"	Brickmould Dim.		

Single with 2 Sidelites - Outswing - Continuous Standard Mullion

Hand Designations

(Viewed from the exterior)

- F Fixed Panel
- L Left Hand
- R Right Hand

Inswing



FLF



FRF

Outswing



FLF



FRF

Single with 10" Sidelite - Continuous Mullion Wide or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 1 Sidelite - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	43 1/2"	45 1/2"	47 1/2"	49 1/2"	51 1/2"	57 1/2"	
Rough Opening	41 3/4"	43 3/4"	45 3/4"	47 3/4"	49 3/4"	55 3/4"	
Unit Dimension	41"	43"	45"	47"	49"	55"	
80 1/2" 79 3/4" 79 1/4"	6/6 2/4	6/6 2/6	6/6 2/8	6/6 2/10	6/6 3/0	6/6 3/6	79 9/16" 80 1/8" 78 9/16" 79 1/8"
82 7/8" 82" 81 5/8"	6/8 2/4	6/8 2/6	6/8 2/8	6/8 2/10	6/8 3/0	6/8 3/6	81 7/8" 82 7/16" 80 3/8" 81 7/16"
86 7/8" 86" 85 5/8"	7/0 2/4	7/0 2/6	7/0 2/8	7/0 2/10	7/0 3/0	7/0 3/6	85 7/8" 86 7/16" 84 3/8" 85 7/16"
98 7/8" 98" 97 5/8"	8/0 2/4	8/0 2/6	8/0 2/8	8/0 2/10	8/0 3/0	8/0 3/6	97 7/8" 98 7/16" 96 3/8" 97 7/16"
							78 5/8" 80 15/16" 84 15/16" 96 15/16"
	41"	43"	45"	47"	49"	55"	Unit Dim.
	41 3/4"	43 3/4"	45 3/4"	47 3/4"	49 3/4"	55 3/4"	Rough Opening
	44"	46"	48"	50"	52"	58"	Brickmould Dim.
							Aluminum Composite Aluminum Composite Aluminum Composite

Single with 1 Sidelite - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with one 10" sidelite and one mullion spread 3/4" would be:


49" unit size + 3/4" spread = 49 3/4"

Units can be spread 0" to 3" in 1/4" increments.


Spread mullion only available in 3/0 inswing.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



























Outswing



Unit and Rough Opening Sizing

Single with 12" Sidelite - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 1 Sidelite - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	45 1/2"	47 1/2"	49 1/2"	51 1/2"	53 1/2"	59 1/2"							
Rough Opening	43 3/4"	45 3/4"	47 3/4"	49 3/4"	51 3/4"	57 3/4"							
Unit Dimension	43"	45"	47"	49"	51"	57"							
80 1/2" 79 3/4" 79 1/4"	6/6							78 5/8"	78 1/16"	79 9/16"	80 1/8"	81 7/8"	
	6/8							80 15/16"	80 3/8"	81 7/16"	80 7/8"	82 7/16"	81 7/8"
	7/0							84 15/16"	84 3/8"	85 7/16"	84 7/8"	86 7/16"	85 7/8"
	8/0							96 15/16"	96 3/8"	97 7/16"	96 7/8"	98 7/16"	97 7/8"
	43"	45"	47"	49"	51"	57"	Unit Dim.						
	43 3/4"	45 3/4"	47 3/4"	49 3/4"	51 3/4"	57 3/4"	Rough Opening						
	46"	48"	50"	52"	54"	60"	Brickmould Dim.						

Single with 1 Sidelite - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with one 12" sidelite and one mullion spread 3/4" would be:


$$51" \text{ unit size} + 3/4" \text{ spread} = 51 3/4"$$

Units can be spread 0" to 3" in 1/4" increments.


Spread mullion only available in 3/0 inswing.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Single with 14" Sidelite - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 1 Sidelite - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	47 1/2"	49 1/2"	51 1/2"	53 1/2"	55 1/2"	61 1/2"						
Rough Opening	45 3/4"	47 3/4"	49 3/4"	51 3/4"	53 3/4"	59 3/4"						
Unit Dimension	45"	47"	49"	51"	53"	59"						
80 1/2"							78 5/8"	79 9/16"	79 1/4"	79 9/16"	80 1/8"	81 7/8"
82 7/8"							80 1/8"	81 5/8"	80 1/8"	81 7/16"	80 3/8"	80 15/16"
86 7/8"							86"	85 5/8"	84 15/16"	84 3/8"	85 7/16"	85 7/8"
98 7/8"							98"	97 5/8"	96 15/16"	96 3/8"	97 7/16"	97 7/8"
							Composite	Aluminum	Aluminum	Aluminum	Composite	Composite
	45"	47"	49"	51"	53"	59"	Unit Dim.					
	45 3/4"	47 3/4"	49 3/4"	51 3/4"	53 3/4"	59 3/4"	Rough Opening					
	48"	50"	52"	54"	56"	62"	Brickmould Dim.					

Single with 1 Sidelite - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with one 14" sidelite and one mullion spread 3/4" would be:


53" unit size + 3/4" spread = 53 3/4"

Units can be spread 0" to 3" in 1/4" increments.


Spread mullion only available in 3/0 inswing.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Single with 2-10" Sidelites - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0 Single with 2 Sidelites - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	55"	57"	59"	61"	63"	69"							
Rough Opening	53 1/4"	55 1/4"	57 1/4"	59 1/4"	61 1/4"	67 1/4"							
Unit Dimension	52 1/2"	54 1/2"	56 1/2"	58 1/2"	60 1/2"	66 1/2"							
80 1/2"							78 5/8"	78 1/16"	79 9/16"	80 1/8"	81 7/8"	Aluminum Composite	
82 7/8"							80 15/16"	80 3/8"	81 7/16"	80 7/8"	82 7/16"	81 7/8"	Aluminum Composite
86 7/8"							84 15/16"	84 3/8"	85 7/16"	84 7/8"	86 7/16"	85 7/8"	Aluminum Composite
98 7/8"							96 15/16"	96 3/8"	97 7/16"	96 7/8"	98 7/16"	97 7/8"	Aluminum Composite
	52 1/2"	54 1/2"	56 1/2"	58 1/2"	60 1/2"	66 1/2"	Unit Dim.						
	53 1/4"	55 1/4"	57 1/4"	59 1/4"	61 1/4"	67 1/4"	Rough Opening						
	55 1/2"	57 1/2"	59 1/2"	61 1/2"	63 1/2"	69 1/2"	Brickmould Dim.						

Single with 2 Sidelites - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with two 10" sidelites and two mullions spread 3/4" each would be:


$$60\ 1/2" \text{ unit size} + 3/4" \text{ spread} + 3/4" \text{ spread} = 62"$$

Units can be spread 0" to 3" per mullion in 1/4" increments (0" to 6" per unit in 1/2" increments).


Spread mullion only available in 3/0 inswing.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Single with 2-12" Sidelites - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0
Single with 2 Sidelites - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	59"	61"	63"	65"	67"	73"																	
Rough Opening	57 1/4"	59 1/4"	61 1/4"	63 1/4"	65 1/4"	71 1/4"																	
Unit Dimension	56 1/2"	58 1/2"	60 1/2"	62 1/2"	64 1/2"	70 1/2"																	
80 1/2"							78 5/8"	78 1/16"	79 9/16"	80 1/8"	81 7/8"	81 7/8"	81 7/8"	81 7/8"	81 7/8"	Aluminum							
79 3/4"							80 1/16"	80 1/8"	80 7/8"	81 7/16"	82 7/16"	82 7/16"	82 7/16"	82 7/16"	82 7/16"	82 7/16"	82 7/16"	82 7/16"	82 7/16"	82 7/16"	Composite		
82 7/8"							81 5/8"	81 5/8"	81 5/8"	81 5/8"	81 5/8"	81 5/8"	81 5/8"	81 5/8"	81 5/8"	81 5/8"	81 5/8"	81 5/8"	81 5/8"	81 5/8"	81 5/8"	Aluminum	
82"							81 1/8"	81 1/8"	81 1/8"	81 1/8"	81 1/8"	81 1/8"	81 1/8"	81 1/8"	81 1/8"	81 1/8"	81 1/8"	81 1/8"	81 1/8"	81 1/8"	81 1/8"	Composite	
86 7/8"							84 5/8"	84 3/8"	85 7/16"	85 7/8"	86 7/16"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	Aluminum				
86"							84 1/16"	84 1/8"	84 7/8"	85 7/16"	86 7/16"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	Composite	
86 7/8"							85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	85 5/8"	Aluminum
86"							85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	85 1/8"	Composite
98 7/8"							96 5/8"	96 3/8"	97 7/16"	97 7/8"	98 7/16"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	Aluminum			
98"							96 1/16"	96 1/8"	96 7/8"	97 7/16"	98 7/16"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	98 7/8"	Composite
98 7/8"							97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	97 5/8"	Aluminum
98"							97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	97 1/8"	Composite
Unit Dim.	56 1/2"	58 1/2"	60 1/2"	62 1/2"	64 1/2"	70 1/2"	78 5/8"	78 1/16"	79 9/16"	80 1/8"	81 7/8"	81 7/8"	81 7/8"	81 7/8"	81 7/8"	81 7/8"	81 7/8"						
Rough Opening	57 1/4"	59 1/4"	61 1/4"	63 1/4"	65 1/4"	71 1/4"	80 1/16"	80 1/8"	80 7/8"	81 7/16"	82 7/16"	82 7/16"	82 7/16"	82 7/16"	82 7/16"	82 7/16"	82 7/16"						
Brickmould Dim.	59 1/2"	61 1/2"	63 1/2"	65 1/2"	67 1/2"	73 1/2"	84 5/8"	84 3/8"	85 7/16"	85 7/8"	86 7/16"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	86 7/8"	86 7/8"						

Single with 2 Sidelites - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with two 12" sidelites and two mullions spread 3/4" each would be:


64 1/2" unit size + 3/4" spread + 3/4" spread = 66"

Units can be spread 0" to 3" per mullion in 1/4" increments (0" to 6" per unit in 1/2" increments).


Spread mullion only available in 3/0 inswing.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Single with 2-14" Sidelites - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	63"	65"	67"	69"	71"	77"		
Rough Opening	61 1/4"	63 1/4"	65 1/4"	67 1/4"	69 1/4"	75 1/4"		
Unit Dimension	60 1/2"	62 1/2"	64 1/2"	66 1/2"	68 1/2"	74 1/2"		

80 1/2" 79 3/4" 79 1/4"	6/6							78 5/8"	78 1/16"	80 1/8"	79 9/16"	81 7/8"	79 9/16"
	6/8							80 15/16"	80 3/8"	81 7/16"	80 7/8"	82 7/16"	81 7/8"
	7/0							84 15/16"	84 3/8"	85 7/16"	84 7/8"	86 7/16"	85 7/8"
	8/0							96 15/16"	96 3/8"	97 7/16"	96 7/8"	98 7/16"	97 7/8"
86 7/8" 86" 85 5/8"													
82 7/8" 82" 81 5/8"													
98 7/8" 98" 97 5/8"													
	60 1/2"	62 1/2"	64 1/2"	66 1/2"	68 1/2"	74 1/2"	Unit Dim.						
	61 1/4"	63 1/4"	65 1/4"	67 1/4"	69 1/4"	75 1/4"	Rough Opening						
	63 1/2"	65 1/2"	67 1/2"	69 1/2"	71 1/2"	77 1/2"	Brickmould Dim.						


Single with 2 Sidelites - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:


Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with two 14" sidelites and two mullions spread 3/4" each would be:
 68 1/2" unit size + 3/4" spread + 3/4" spread = 70"
 Units can be spread 0" to 3" per mullion in 1/4" increments (0" to 6" per unit in 1/2" increments).
 Spread mullion only available in 3/0 inswing.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing







Outswing



French - Continuous with 2-10" Sidelites - Wide Mullion - 6/6, 6/8, 8/0
French with Continuous Sidelites - Inswing - Wide Mullion


Brickmould Dim.	99 11/16"
Rough Opening	97 15/16"
Unit Dimension	97 3/16"

80 1/2"	79 3/4"	79 1/4"	6/6		6/0
82 7/8"	82"	81 5/8"	6/8		6/0
86 7/8"	86"	85 5/8"	7/0		6/0
98 7/8"	98"	97 5/8"	8/0		6/0

*Outswing not available.

Hand Designations	
<i>(Viewed from the exterior)</i>	
L	Left Hand
R	Right Hand
A	Astragal
F	Fixed Sidelite

Inswing



FLAF







FARF

Unit and Rough Opening Sizing

French - Continuous with 2-12" Sidelites - Wide Mullion - 6/6, 6/8, 8/0

French with Continuous Sidelites - Inswing - Wide Mullion


Brickmould Dim.	103 11/16"
Rough Opening	101 15/16"
Unit Dimension	101 3/16"

80 1/2"	79 3/4"	79 1/4"	
			6/6
			6/0
82 7/8"	82"	81 5/8"	
			6/8
			6/0
86 7/8"	86"	85 5/8"	
			7/0
			6/0
98 7/8"	98"	97 5/8"	
			8/0
			6/0


*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
A	Astragal
F	Fixed Sidelite

Inswing



FLAF







FARF

French - Continuous with 2-14" Sidelites - Wide Mullion - 6/6, 6/8, 8/0

French with Continuous Sidelites - Inswing - Wide Mullion


Brickmould Dim.	107 11/16"
Rough Opening	105 15/16"
Unit Dimension	105 3/16"

80 1/2"	79 3/4"	79 1/4"	6/6		6/0
82 7/8"	82"	81 5/8"	6/8		6/0
86 7/8"	86"	85 5/8"	7/0		6/0
98 7/8"	98"	97 5/8"	8/0		6/0


*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
A	Astragal
F	Fixed Sidelite

Inswing



FLAF



FARF

Unit and Rough Opening Sizing

Sidelite 6/6, 6/8, 7/0, 8/0 Sidelite - Inswing

Rough Opening		Unit Dimension		
		11 1/2"	13 1/2"	15 1/2"
80"	78 9/16"	6/6		
79 1/8"	78 1/16"	10"	12"	14"
82 1/2"	81 1/8"	6/8		
82"	81 1/16"	10"	12"	14"
86 1/2"	85 1/8"	7/0		
86"	85 1/16"	10"	12"	14"
98 1/2"	97 1/8"	8/0		
98"	97 1/16"	10"	12"	14"
		11 1/2"	13 1/2"	15 1/2"
		*	*	*
				Unit Dim.
				Rough Opening

Sidelite - Outswing

*Add actual unit dimension to door rough opening width for total rough opening width.

Hand Designations (Viewed from the exterior)	
F	Fixed Panel

Inswing



F
















Outswing



F

Single with 12" Venting Sidelite - Wide Mullion - 6/6, 6/8, 8/0
Single with Venting Sidelite - Wide Mullion

Brickmould Dim.	45 3/4"	47 3/4"	49 3/4"	51 3/4"	53 3/4"
Rough Opening	44"	46"	48"	50"	52"
Unit Dimension	43 1/4"	45 1/4"	47 1/4"	49 1/4"	51 1/4"

80 1/2"	79 3/4"	79 1/4"	6/6					
			2/4	2/6	2/8	2/10	3/0	
			6/8					
2/4	2/6	2/8	2/10	3/0				
8/0								
2/4	2/6	2/8	2/10	3/0				

*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
S	Vented Sidelite (hinged off jamb)


Inswing



SL



SR



LS


















RS

Unit and Rough Opening Sizing

Single with 14" Venting Sidelite - Wide Mullion - 6/6, 6/8, 8/0

Single with Venting Sidelite - Wide Mullion


Brickmould Dim.	47 3/4"	49 3/4"	51 3/4"	53 3/4"	55 3/4"
Rough Opening	46"	48"	50"	52"	54"
Unit Dimension	45 1/4"	47 1/4"	49 1/4"	51 1/4"	53 1/4"

80 1/2" 79 3/4" 79 1/4"	6/6					
		2/4	2/6	2/8	2/10	3/0
	6/8					
		2/4	2/6	2/8	2/10	3/0
8/0						
		2/4	2/6	2/8	2/10	3/0

*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
S	Vented Sidelite (hinged off jamb)

Inswing




SL



SR




LS



RS

Single with 2-12" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0
Single with Venting Sidelites - Wide Mullion


Brickmould Dim.	59 7/16"	61 7/16"	63 7/16"	65 7/16"	67 7/16"
Rough Opening	57 11/16"	59 11/16"	61 11/16"	63 11/16"	65 11/16"
Unit Dimension	56 15/16"	58 15/16"	60 15/16"	62 15/16"	64 15/16"



*Outswing not available.

Hand Designations	
<i>(Viewed from the exterior)</i>	
L	Left Hand
R	Right Hand
S	Sidelite

Inswing




Unit and Rough Opening Sizing

Single with 2-14" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0

Single with Venting Sidelites - Wide Mullion


Brickmould Dim.	63 7/16"	65 7/16"	67 7/16"	69 7/16"	71 7/16"
Rough Opening	61 11/16"	63 11/16"	65 11/16"	67 11/16"	69 11/16"
Unit Dimension	60 15/16"	62 15/16"	64 15/16"	66 15/16"	68 15/16"



*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
S	Sidelite

Inswing



French with 2-12" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0

French with Venting Sidelites - Wide Mullion


Brickmould Dim.	88 1/8"	92 1/8"	96 1/8"	100 1/8"	104 1/8"
Rough Opening	86 3/8"	90 3/8"	94 3/8"	98 3/8"	102 3/8"
Unit Dimension	85 5/8"	89 5/8"	93 5/8"	97 5/8"	101 5/8"




*Outswing not available

Hand Designations	
<i>(Viewed from the exterior)</i>	
L	Left Hand
R	Right Hand
A	Astragal
S	Sidelite

Inswing



SLAS




SARS

Unit and Rough Opening Sizing

French with 2-14" Venting Sidelites - Wide Mullion 6/6, 6/8, 8/0

French with Venting Sidelites - Wide Mullion



Brickmould Dim.	92 1/8"	96 1/8"	100 1/8"	104 1/8"	108 1/8"
Rough Opening	90 3/8"	94 3/8"	98 3/8"	102 3/8"	106 3/8"
Unit Dimension	89 5/8"	93 5/8"	97 5/8"	101 5/8"	105 5/8"



*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
A	Astragal
S	Sidelite

Inswing



Single Transoms

Unit Dimension	37 5/8"	13 1/2"	15 1/2"
13 7/16"	 3/0	 12"	 14"

*Add actual unit dimension to door rough opening height for total rough opening height.

Double - Standard Continuous Mullion Transoms

Unit Dimension	62 13/16"	66 13/16"	70 13/16"	74 13/16"
13 7/16"	 5/0	 5/4	 5/8	 6/0
13 5/8"	 5/0	 5/4	 5/8	 6/0

*Add actual unit dimension to door rough opening height for total rough opening height.

Single with 2 Sidelites - Boxed Transoms

Unit Dimension	64 21/32"	68 21/32"
13 15/32"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
13 5/8"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
33 5/16"	 3/0 w/ 2-12" SL	
35 5/16"		 3/0 w/ 2-14" SL

*Add actual unit dimension to door rough opening height for total rough opening height.

Single with 2 Sidelites - Continuous Transoms

Unit Dimension	63 21/32"	67 21/32"
13 15/32"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
13 5/8"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
32 13/16"	 3/0 w/ 2-12" SL	
34 13/16"		 3/0 w/ 2-14" SL

*Add actual unit dimension to door rough opening height for total rough opening height.

Unit and Rough Opening Sizing



Single - 90 min. Fire Doors with Adjusta-Fit 2 Frames - 6/8, 7/0

Single

Masonry R.O.	27 1/4"	31 1/4"	33 1/4"	35 1/4"	37 1/4"	39 1/4"	45 1/4"
Drywall R.O.	25"	29"	31"	33"	35"	37"	43"
Unit Dimension	27 1/4"	31 1/4"	33 1/4"	35 1/4"	37 1/4"	39 1/4"	45 1/4"


82 11/32"	81 1/4"	82 11/32"	6/8								81 7/32"	82 21/32"	80 1/8"	80 5/8"	81 7/32"	82 21/32"
				2/0	2/4	2/6	2/8	2/10	3/0	3/6						
86 11/32"	85 1/4"	86 11/32"	7/0								85 7/32"	86 21/32"	84 1/8"	84 5/8"	85 7/32"	86 21/32"
				2/0	2/4	2/6	2/8	2/10	3/0	3/6						
Inswing	Inswing	Inswing										Unit Dim.	Drywall R.O.	Masonry R.O.		
				27 1/4"	31 1/4"	33 1/4"	35 1/4"	37 1/4"	39 1/4"	45 1/4"						
				25"	29"	31"	33"	35"	37"	43"						
				27 1/4"	31 1/4"	33 1/4"	35 1/4"	37 1/4"	39 1/4"	45 1/4"						

Single



Hinged Clear Opening Heights


Door Panel Height	Composite Clear Opening Height Inswing	Basic Fixed Clear Opening Height Inswing	Aluminum Clear Opening Height Outswing	Composite Clear Opening Height Outswing
6/6	76-3/4"	76-9/16"	75-13/16"	75-7/8"
6/8	79-1/16"	78-15/16"	78-1/8"	78-1/4"
7/0	83-1/16"	82-15/16"	82-1/8"	82-1/4"
8/0	95-1/16"	94-15/16"	N/A	94-1/4"



Hinged Clear Opening Widths


Door Panel Width	Clear Opening Width		Clear Opening French w/ 7/8" Astragal	
	90°	Full	90°	Full
12" Venting Sidelite	9"	11-3/16"	n/a	n/a
14" Venting Sidelite	11"	13-3/16"	n/a	n/a
2/4	25-1/8"	26-15/16"	51"	55-11/16"
2/6	27-1/8"	28-15/16"	53"	57-11/16"
2/8	29-1/8"	30-15/16"	55"	59-11/16"
2/10	31-1/8"	32-15/16"	57"	61-11/16"
3/0	33-1/8"	34-15/16"	59"	63-11/16"
3/6	39-1/8"	40-15/16"	65"	69-11/16"

NOTE: To find the square footage of a clear opening, multiply the appropriate system height by the appropriate system width.




HORIZONTAL SECTION (Single)

HORIZONTAL SECTION (Double/Triple - Operable panel hinged off jamb or mullion)




HORIZONTAL SECTION (French) (Hinged off jamb or mullion)


Unit and Rough Opening Sizing



**VERTICAL SECTION
INSWING - FIXED**




**VERTICAL SECTION
INSWING - SINGLE**




**VERTICAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN**


Unit and Rough Opening Sizing




**VERTICAL SECTION
INSWING - FIXED**
(shown with Stucco Brickmould option)




**VERTICAL SECTION
INSWING - SINGLE**




**VERTICAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN**



**VERTICAL SECTION
INSWING - DOUBLE/TRIPLE
w/TOP HUNG SCREEN**




**VERTICAL SECTION
INSWING - 6-9/16"
w/STANDARD SCREEN**




**VERTICAL SECTION
INSWING - VENTED SIDELITE
w/FIXED SCREEN**


Unit and Rough Opening Sizing




**HORIZONTAL SECTION
INSWING - SINGLE
(L shown)**




**HORIZONTAL SECTION
INSWING - DOUBLE w/MULLION
(LF shown)**




**HORIZONTAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN
(AR shown)**




**HORIZONTAL SECTION
INSWING - SINGLE WITH VENTED SIDELITE
AND FIXED SCREEN**



**HORIZONTAL SECTION
INSWING -TRIPLE
(RFF shown)**




**HORIZONTAL SECTION
INSWING - TRIPLE
(FLF shown)**




**HORIZONTAL SECTION
INSWING - TRIPLE
(FFL shown)**


Unit and Rough Opening Sizing




**VERTICAL SECTION
OUTSWING
THERMAL BREAK**




**HORIZONTAL SECTION
OUTSWING - DOUBLE w/ASTRAGAL
(RA shown)**




**VERTICAL SECTION
OUTSWING - FIXED**




**VERTICAL SECTION
OUTSWING**




**VERTICAL SECTION
OUTSWING - 6-9/16"**




**HORIZONTAL SECTION
OUTSWING - FIXED**




**HORIZONTAL SECTION
OUTSWING - FIXED/FIXED**



HORIZONTAL SECTION




Unit and Rough Opening Sizing




**HORIZONTAL SECTION
OUTSWING - SINGLE
(R shown)**


**HORIZONTAL SECTION
OUTSWING - DOUBLE w/MULLION
(LF shown)**













**HORIZONTAL SECTION
OUTSWING - TRIPLE
(LFF shown)**




**HORIZONTAL SECTION
OUTSWING - TRIPLE
(FRF shown)**



**HORIZONTAL SECTION
OUTSWING - TRIPLE
(FFR shown)**



6/8 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
*2/4	16 x 64	13-7/8"	11-1/4"	16-9/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
2/6	20 x 64	14-7/8"	11-9/16"	18-1/4"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"


*SDL not available.

Wood Grilles - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/4"	18-1/16"	18-3/16"	30-13/16"	43-3/8"	56"
2/8	22 x 64	15-7/8"	12-3/8"	19-7/16"	18-3/16"	30-13/16"	43-3/8"	56"
2/10	22 x 64	16-7/8"	13-3/8"	20-7/16"	18-3/16"	30-13/16"	43-3/8"	56"
3/0	22 x 64	17-7/8"	14-3/8"	21-7/16"	18-3/16"	30-13/16"	43-3/8"	56"


Fixed Grilles - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-5/8"	18-3/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"



GBG - Lip Lite - 6'8" Full Lite - 3W4H and 2W4H


Panel	Glass	A	B	C	D	E	F
2/4	16 x 64	13-7/8"	11-1/4"	16-9/16"	21-3/16"	37-3/16"	53-3/16"
2/6	20 x 64	14-7/8"	11-9/16"	18-1/4"	21-1/8"	37-1/8"	53-1/8"
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	21-1/8"	37-1/8"	53-1/8"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	21-1/8"	37-1/8"	53-1/8"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	21-1/8"	37-1/8"	53-1/8"



GBG - Lip Lite - 6'8" Full Lite - 2W3H


Panel	Glass	A	B	C	D	E
2/4	16 x 64	13-7/8"	-	-	26-1/2"	47-7/8"
2/6	20 x 64	14-7/8"	-	-	26-7/16"	47-3/4"
2/8	22 x 64	15-7/8"	-	-	26-7/16"	47-3/4"
2/10	22 x 64	16-7/8"	-	-	26-7/16"	47-3/4"
3/0	22 x 64	17-7/8"	-	-	26-7/16"	47-3/4"

All dimensions shown are to the center of the muntin.



GBG - Lip Lite - 6'8" Full Lite -2W2H

Panel	Glass	A	B	C	D
2/4	16 x 64	13-7/8"	-	-	37-3/16"
2/6	20 x 64	14-7/8"	-	-	37-1/8"
2/8	22 x 64	15-7/8"	-	-	37-1/8"
2/10	22 x 64	16-7/8"	-	-	37-1/8"
3/0	22 x 64	17-7/8"	-	-	37-1/8"




GBG - Lip Lite - 6'8" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/4	16 x 64	10-3/8"	17-7/16"	9-9/16"	64-5/8"
2/6	20 x 64	9-3/8"	20-7/16"	9-9/16"	64-5/8"
2/8	22 x 64	9-3/8"	22-7/16"	9-9/16"	64-5/8"
2/10	22 x 64	10-3/8"	23-7/16"	9-9/16"	64-5/8"
3/0	22 x 64	11-3/8"	24-7/16"	9-9/16"	64-5/8"

All dimensions shown are to the center of the muntin.


6/8 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 6'8" 3/4 Lite - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	15-7/8"	12-1/4"	19-9/16"	16-7/8"	28-5/8"	40-3/8"
2/10	22 x 47	16-7/8"	13-1/4"	20-9/16"	16-7/8"	28-5/8"	40-3/8"
3/0	22 x 47	17-7/8"	14-1/4"	21-9/16"	16-7/8"	28-5/8"	40-3/8"

*SDL not available in 2W4H configuration.




GBG - Lip Lite - 6'8" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	15-7/8"	-	-	20-3/4"	36-7/16"
2/10	22 x 47	16-7/8"	-	-	20-3/4"	36-7/16"
3/0	22 x 47	17-7/8"	-	-	20-3/4"	36-7/16"

GBG - Lip Lite - 6'8" 3/4 Lite - 2W2H


Panel	Glass	A	B	C	D
2/8	22 x 47	15-7/8"	-	-	28-5/8"
2/10	22 x 47	16-7/8"	-	-	28-5/8"
3/0	22 x 47	17-7/8"	-	-	28-5/8"



GBG - Lip Lite - 6'8" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-3/8"	22-7/16"	9-9/16"	47-5/8"
2/10	22 x 47	10-3/8"	23-7/16"	9-9/16"	47-5/8"
3/0	22 x 47	11-3/8"	24-7/16"	9-9/16"	47-5/8"

All dimensions shown are to the center of the muntin.



GBG/SDL - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
*2/6	20 x 36	-	11-9/16"	18-1/4"	17-1/8"	29-1/8"
2/8	22 x 36	-	12-1/4"	19-9/16"	17-1/8"	29-1/8"
2/10	22 x 36	-	13-1/4"	20-9/16"	17-1/8"	29-1/8"
3/0	22 x 36	-	14-1/4"	21-9/16"	17-1/8"	29-1/8"


*SDL not available.

Wood Grilles - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-7/16"	19-3/8"	17-1/4"	28-15/16"
2/10	22 x 36	-	13-7/16"	20-3/8"	17-1/4"	28-15/16"
3/0	22 x 36	-	14-7/16"	21-3/8"	17-1/4"	28-15/16"


Fixed Grilles - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 36	-	11-9/16"	18-1/4"	17-3/16"	29-1/8"
2/8	22 x 36	-	12-11/16"	19-9/16"	17-1/8"	29-1/16"
2/10	22 x 36	-	13-11/16"	20-9/16"	17-1/8"	29-1/16"
3/0	22 x 36	-	14-11/16"	21-9/16"	17-1/8"	29-1/16"



GBG - Lip Lite - 6'8" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 36	9-3/8"	20-7/16"	9-9/16"	36-11/16"
2/8	22 x 36	9-3/8"	22-7/16"	9-9/16"	36-5/8"
2/10	22 x 36	10-3/8"	23-7/16"	9-9/16"	36-5/8"
3/0	22 x 36	11-3/8"	24-7/16"	9-9/16"	36-5/8"



GBG/SDL - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H


Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-1/4"	19-9/16"	28-1/8"	40-1/8"
2/10	22 x 36	-	13-1/4"	20-9/16"	28-1/8"	40-1/8"
3/0	22 x 36	-	14-1/4"	21-9/16"	28-1/8"	40-1/8"

Wood Grilles - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-7/16"	19-3/8"	28-1/4"	39-15/16"
2/10	22 x 36	-	13-7/16"	20-3/8"	28-1/4"	39-15/16"
3/0	22 x 36	-	14-7/16"	21-3/8"	28-1/4"	39-15/16"

Fixed Grilles - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-11/16"	19-9/16"	28-1/8"	40-1/16"
2/10	22 x 36	-	13-11/16"	20-9/16"	28-1/8"	40-1/16"
3/0	22 x 36	-	14-11/16"	21-9/16"	28-1/8"	40-1/16"




GBG - Lip Lite - 6'8" Half Lite Top and Bottom - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 36	9-3/8"	22-7/16"	20-9/16"	47-11/16"
2/10	22 x 36	10-3/8"	23-7/16"	20-9/16"	47-11/16"
3/0	22 x 36	11-3/8"	24-7/16"	20-9/16"	47-11/16"

All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations




GBG/SDL - Lip Lite - 6'8" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	22-7/8"	34-7/8"
2/10	8 x 36	-	-	-	22-7/8"	34-7/8"
3/0	8 x 36	-	-	-	22-7/8"	34-7/8"


Wood Grilles - Lip Lite - 6'8" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	23-1/16"	34-11/16"
2/10	8 x 36	-	-	-	23-1/16"	34-11/16"
3/0	8 x 36	-	-	-	23-1/16"	34-11/16"



GBG - Lip Lite - 6'8" Center Lite - 6 Lite Pairie

Panel	Glass	A	B	C	D
2/8	8 x 36	15-7/8"	-	15-5/16"	42-7/16"
2/10	8 x 36	16-7/8"	-	15-5/16"	42-7/16"
3/0	8 x 36	17-7/8"	-	15-5/16"	42-7/16"



GBG - Lip Lite - 6'8" Camber Top Lite - 3W2H


Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-1/4"	18-9/16"	7-1/2"
2/8	22 x 10	-	12-1/4"	19-9/16"	7-1/2"
2/10	22 x 10	-	13-1/4"	20-9/16"	7-1/2"
3/0	22 x 10	-	14-1/4"	21-9/16"	7-1/2"

Fixed Grilles - Lip Lite - 6'8" Camber Top Lite - 3W2H

Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-3/4"	18-9/16"	7-1/2"
2/8	22 x 10	-	12-3/4"	19-9/16"	7-1/2"
2/10	22 x 10	-	13-3/4"	20-9/16"	7-1/2"
3/0	22 x 10	-	14-3/4"	21-9/16"	7-1/2"


All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations




GBG/SDL - Lip Lite - 6'8" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/4	16 x 64	13-7/8"	19-15/16"
2/6	20 x 64	14-7/8"	19-15/16"
2/8	22 x 64	15-7/8"	19-15/16"
2/10	22 x 64	16-7/8"	19-15/16"
3/0	22 x 64	17-7/8"	19-15/16"




GBG/SDL - Lip Lite - 6'8" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/4	16 x 64	11-3/16"	16-5/8"	19-15/16"
2/6	20 x 64	11-1/2"	18-5/16"	19-15/16"
2/8	22 x 64	12-3/16"	19-5/8"	19-15/16"
2/10	22 x 64	13-3/16"	20-5/8"	19-15/16"
3/0	22 x 64	14-3/16"	21-5/8"	19-15/16"



GBG/SDL - Lip Lite - 6'8" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/4	16 x 64	13-7/8"	12-7/16"	19-15/16"
2/6	20 x 64	14-7/8"	12-7/16"	19-15/16"
2/8	22 x 64	15-7/8"	12-7/16"	19-15/16"
2/10	22 x 64	16-7/8"	12-7/16"	19-15/16"
3/0	22 x 64	17-7/8"	12-7/16"	19-15/16"




GBG/SDL - Lip Lite - 6'8" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/4	16 x 64	11-3/16"	16-5/8"	12-7/16"	19-15/16"
2/6	20 x 64	11-1/2"	18-5/16"	12-7/16"	19-15/16"
2/8	22 x 64	12-3/16"	19-5/8"	12-7/16"	19-15/16"
2/10	22 x 64	13-3/16"	20-5/8"	12-7/16"	19-15/16"
3/0	22 x 64	14-3/16"	21-5/8"	12-7/16"	19-15/16"

All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	17-15/16"	30-3/4"	43-1/2"	56-5/16"
14"	7 x 64	-	-	-	17-15/16"	30-3/4"	43-1/2"	56-5/16"

Wood Grilles - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel Size	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	18-1/4"	30-13/16"	43-7/16"	56"
14"	7 x 64	-	-	-	18-1/4"	30-13/16"	43-7/16"	56"

Fixed Grilles - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	18"	30-3/4"	43-1/2"	56-1/4"
14"	7 x 64	-	-	-	18"	30-3/4"	43-1/2"	56-1/4"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	7 x 64	-	-	-	21-1/8"	37-1/8"	53-1/8"
14"	7 x 64	-	-	-	21-1/8"	37-1/8"	53-1/8"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	7 x 64	-	-	-	26-7/16"	47-13/16"
14"	7 x 64	-	-	-	26-7/16"	47-13/16"


GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12"	7 x 64	-	-	-	37-1/8"
14"	7 x 64	-	-	-	37-1/8"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	7 x 64	6"	-	9-9/16"	64-11/16"
14"	7 x 64	7"	-	9-9/16"	64-11/16"

All dimensions shown are to the center of the muntin.



GBG/SDL - Lip Lite - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/8"	29-1/8"
14"	8 x 36	-	-	-	17-1/8"	29-1/8"

Wood Grilles - Lip Lite - 6'8" Half Lite Sidelite - 1W3H


Panel Size	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/4"	28-15/16"
14"	8 x 36	-	-	-	17-1/4"	28-15/16"

Fixed Grilles - Lip Lite - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/8"	29-1/16"
14"	8 x 36	-	-	-	17-1/8"	29-1/16"

GBG - Lip Lite - 6'8" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 36	6"	-	9-9/16"	36-11/16"
14"	8 x 36	7"	-	9-9/16"	36-11/16"




GBG/SDL - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	16-13/16"	28-9/16"	40-1/4"
14"	8 x 47	-	-	-	16-13/16"	28-9/16"	40-1/4"

GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 47	-	-	-	20-3/4"	36-3/8"
14"	8 x 47	-	-	-	20-3/4"	36-3/8"



GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12"	8 x 47	-	-	-	28-9/16"
14"	8 x 47	-	-	-	28-9/16"

GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 47	6"	-	9-9/16"	47-11/16"
14"	8 x 47	7"	-	9-9/16"	47-11/16"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations




GBG - Lip Lite - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	20 x 80	14-7/8"	11-9/16"	18-1/4"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
2/8	22 x 80	15-7/8"	12-1/4"	19-9/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
2/10	22 x 80	16-7/8"	13-1/4"	20-9/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
3/0	22 x 80	17-7/8"	14-1/4"	21-9/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"

Fixed Grilles - Lip Lite - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	20 x 80	14-7/8"	11-5/8"	18-3/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
2/8	22 x 80	15-7/8"	12-1/4"	19-9/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
2/10	22 x 80	16-7/8"	13-1/4"	20-9/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
3/0	22 x 80	17-7/8"	14-1/4"	21-9/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"



GBG/SDL - Lip Lite - 8'0" 3/4 Lite - 3w5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"

Wood Grilles - Lip Lite - 8'0" 3/4 Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/8	22 x 64	15-7/8"	12-3/8"	19-7/16"	19-1/4"	31-7/8"	44-7/16"	57-1/16"
2/10	22 x 64	16-7/8"	13-3/8"	20-7/16"	19-1/4"	31-7/8"	44-7/16"	57-1/16"
3/0	22 x 64	17-7/8"	14-3/8"	21-7/16"	19-1/4"	31-7/8"	44-7/16"	57-1/16"

Fixed Grilles - Lip Lite - 8'0" 3/4 Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	19"	31-3/4"	44-9/16"	57-5/16"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	19"	31-3/4"	44-9/16"	57-5/16"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	19"	31-3/4"	44-9/16"	57-5/16"



GBG - Lip Lite - 8'0" 3/4 Lite - 3W4H and 2W4H


Panel	Glass	A	B	C	D	E	F
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	22-3/16"	38-3/16"	54-3/16"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	22-3/16"	38-3/16"	54-3/16"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	22-3/16"	38-3/16"	54-3/16"

All dimensions shown are to the center of the muntin.




GBG - Lip Lite - 8'0" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 64	15-7/8"	-	-	27-1/2"	48-13/16"
2/10	22 x 64	16-7/8"	-	-	27-1/2"	48-13/16"
3/0	22 x 64	17-7/8"	-	-	27-1/2"	48-13/16"



GBG - Lip Lite - 8'0" 3/4 Lite - 2W2H

Panel	Glass	A	B	C	D
2/8	22 x 64	15-7/8"	-	-	38-3/16"
2/10	22 x 64	16-7/8"	-	-	38-3/16"
3/0	22 x 64	17-7/8"	-	-	38-3/16"




GBG - Lip Lite - 8'0" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 64	9-3/8"	22-7/16"	10-5/8"	65-3/4"
2/10	22 x 64	10-3/8"	23-7/16"	10-5/8"	65-3/4"
3/0	22 x 64	11-3/8"	24-7/16"	10-5/8"	65-3/4"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 8'0" Half Lite - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	15-7/8"	12-1/4"	19-9/16"	17-15/16"	29-11/16"	41-7/16"
2/10	22 x 47	16-7/8"	13-1/4"	20-9/16"	17-15/16"	29-11/16"	41-7/16"
3/0	22 x 47	17-7/8"	14-1/4"	21-9/16"	17-15/16"	29-11/16"	41-7/16"

*SDL not available in 2W4H configuration.

Wood Grilles - Lip Lite - 8'0" Half Lite - 3W4H

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	-	12-3/8"	19-7/16"	18-1/8"	29-11/16"	41-3/16"
2/10	22 x 47	-	13-3/8"	20-7/16"	18-1/8"	29-11/16"	41-3/16"
3/0	22 x 47	-	14-3/8"	21-7/16"	18-1/8"	29-11/16"	41-3/16"




GBG - Lip Lite - 8'0" Half Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	15-7/8"	-	-	21-13/16"	37-1/2"
2/10	22 x 47	16-7/8"	-	-	21-13/16"	37-1/2"
3/0	22 x 47	17-7/8"	-	-	21-13/16"	37-1/2"

GBG - Lip Lite - 8'0" Half Lite - 2W2H

Panel	Glass	A	B	C	D
2/8	22 x 47	15-7/8"	-	-	29-11/16"
2/10	22 x 47	16-7/8"	-	-	29-11/16"
3/0	22 x 47	17-7/8"	-	-	29-11/16"




GBG - Lip Lite - 8'0" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-3/8"	22-7/16"	10-5/8"	48-3/4"
2/10	22 x 47	10-3/8"	23-7/16"	10-5/8"	48-3/4"
3/0	22 x 47	11-3/8"	24-7/16"	10-5/8"	48-3/4"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations




GBG/SDL - Lip Lite - 8'0" Half Lite Top and Bottom - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	15-7/8"	12-1/4"	19-9/16"	32-7/8"	44-5/8"	56-3/8"
2/10	22 x 47	16-7/8"	13-1/4"	20-9/16"	32-7/8"	44-5/8"	56-3/8"
3/0	22 x 47	17-7/8"	14-1/4"	21-9/16"	32-7/8"	44-5/8"	56-3/8"

*SDL not available in 2W4H configuration.

Wood Grilles - Lip Lite - 8'0" Half Lite Top and Bottom - 3W4H

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	-	12-3/8"	19-7/16"	33-1/16"	44-5/8"	56-3/16"
2/10	22 x 47	-	13-3/8"	20-7/16"	33-1/16"	44-5/8"	56-3/16"
3/0	22 x 47	-	14-3/8"	21-7/16"	33-1/16"	44-5/8"	56-3/16"




GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	15-7/8"	-	-	36-13/16"	52-7/16"
2/10	22 x 47	16-7/8"	-	-	36-13/16"	52-7/16"
3/0	22 x 47	17-7/8"	-	-	36-13/16"	52-7/16"

GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 2W2H


Panel	Glass	A	B	C	D
2/8	22 x 47	15-7/8"	-	-	44-5/8"
2/10	22 x 47	16-7/8"	-	-	44-5/8"
3/0	22 x 47	17-7/8"	-	-	44-5/8"



GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-3/8"	22-7/16"	25-9/16"	63-11/16"
2/10	22 x 47	10-3/8"	23-7/16"	25-9/16"	63-11/16"
3/0	22 x 47	11-3/8"	24-7/16"	25-9/16"	63-11/16"

All dimensions shown are to the center of the muntin.




GBG/SDL - Lip Lite - 8'0" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	38-9/16"	50-9/16"
2/10	8 x 36	-	-	-	38-9/16"	50-9/16"
3/0	8 x 36	-	-	-	38-9/16"	50-9/16"


Wood Grilles - Lip Lite - 8'0" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	38-3/4"	50-7/16"
2/10	8 x 36	-	-	-	38-3/4"	50-7/16"
3/0	8 x 36	-	-	-	38-3/4"	50-7/16"



GBG - Lip Lite - 8'0" Center Lite - 6 Lite Pairie

Panel	Glass	A	B	C	D
2/8	8 x 36	15-7/8"	-	31"	58-1/8"
2/10	8 x 36	16-7/8"	-	31"	58-1/8"
3/0	8 x 36	17-7/8"	-	31"	58-1/8"




GBG - Lip Lite - 8'0" Camber Top Lite - 3W2H

Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-1/4"	18-9/16"	8-3/8"
2/8	22 x 10	-	12-1/4"	19-9/16"	8-3/8"
2/10	22 x 10	-	13-1/4"	20-9/16"	8-3/8"
3/0	22 x 10	-	14-1/4"	21-9/16"	8-3/8"

Fixed Grilles - Lip Lite - 8'0" Camber Top Lite - 3W2H


Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-3/4"	18-9/16"	8-3/8"
2/8	22 x 10	-	12-3/4"	19-9/16"	8-3/8"
2/10	22 x 10	-	13-3/4"	20-9/16"	8-3/8"
3/0	22 x 10	-	14-3/4"	21-9/16"	8-3/8"

All dimensions shown are to the center of the muntin.




GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 80	11-7/8"	21-1/16"
2/6	20 x 80	14-7/8"	21"
2/8	22 x 80	15-7/8"	21"
2/10	22 x 80	16-7/8"	21"
3/0	22 x 80	17-7/8"	21"




GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 80	9-1/2"	14-5/16"	21-1/16"
2/6	20 x 80	11-1/2"	18-5/16"	21"
2/8	22 x 80	12-3/16"	19-5/8"	21"
2/10	22 x 80	13-3/16"	20-5/8"	21"
3/0	22 x 80	14-3/16"	21-5/8"	21"



GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 80	11-7/8"	13-9/16"	21-1/16"
2/6	20 x 80	14-7/8"	13-1/2"	21"
2/8	22 x 80	15-7/8"	13-1/2"	21"
2/10	22 x 80	16-7/8"	13-1/2"	21"
3/0	22 x 80	17-7/8"	13-1/2"	21"




GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 80	9-1/2"	14-5/16"	13-9/16"	21-1/16"
2/6	20 x 80	11-1/2"	18-5/16"	13-1/2"	21"
2/8	22 x 80	12-3/16"	19-5/8"	13-1/2"	21"
2/10	22 x 80	13-3/16"	20-5/8"	13-1/2"	21"
3/0	22 x 80	14-3/16"	21-5/8"	13-1/2"	21"


All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations




GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 2W1H

Panel	Glass	A	B
2/8	22 x 64	15-7/8"	21"
2/10	22 x 64	16-7/8"	21"
3/0	22 x 64	17-7/8"	21"




GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/8	22 x 64	12-3/16"	19-5/8"	21"
2/10	22 x 64	13-3/16"	20-5/8"	21"
3/0	22 x 64	14-3/16"	21-5/8"	21"



GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 2W2H


Panel	Glass	A	B	C
2/8	22 x 64	15-7/8"	13-1/2"	21"
2/10	22 x 64	16-7/8"	13-1/2"	21"
3/0	22 x 64	17-7/8"	13-1/2"	21"



GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/8	22 x 64	12-3/16"	19-5/8"	13-1/2"	21"
2/10	22 x 64	13-3/16"	20-5/8"	13-1/2"	21"
3/0	22 x 64	14-3/16"	21-5/8"	13-1/2"	21"

All dimensions shown are to the center of the muntin.



GBG/SDL - Lip Lite - 8'0" Full Lite Sidelite - 1W6H

Panel	Glass	A	B	C	D	E	F	G	H
12"	7 x 80	-	-	-	19-5/8"	33"	46-5/16"	59-5/8"	73"
14"	7 x 80	-	-	-	19-5/8"	33"	46-5/16"	59-5/8"	73"

Fixed Grilles - Lip Lite - 8'0" Full Lite Sidelite - 1W6H

Panel	Glass	A	B	C	D	E	F	G	H
12"	7 x 80	-	-	-	19-1/4"	32-13/16"	46-5/16"	59-13/16"	73-3/8"
14"	7 x 80	-	-	-	19-1/4"	32-13/16"	46-5/16"	59-13/16"	73-3/8"

GBG - Lip Lite - 8'0" Full Lite Sidelite - Craftsman 1W1H

Panel	Glass	A	B
12"	7 x 80	-	20-7/16"
14"	7 x 80	-	20-7/16"


GBG - Lip Lite - 8'0" Full Lite Sidelite - Craftsman 2W1H

Panel	Glass	A	B
12"	7 x 80	6"	20-7/16"
14"	7 x 80	7"	20-7/16"

GBG - Lip Lite - 8'0" Full Lite Sidelite - Craftsman 2W2H

Panel	Glass	A	B	C
12"	7 x 80	6"	13-1/8"	20-7/16"
14"	7 x 80	7"	13-1/8"	20-7/16"

All dimensions shown are to the center of the muntin.



GBG/SDL - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19"	31-13/16"	44-9/16"	57-3/8"
14"	7 x 64	-	-	-	19"	31-13/16"	44-9/16"	57-3/8"

Wood Grilles - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19-5/16"	31-7/8"	44-1/2"	57-1/16"
14"	7 x 64	-	-	-	19-5/16"	31-7/8"	44-1/2"	57-1/16"

Fixed Grilles - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19-1/16"	31-13/16"	44-9/16"	57-5/16"
14"	7 x 64	-	-	-	19-1/16"	31-13/16"	44-9/16"	57-5/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	7 x 64	-	-	-	22-3/16"	38-3/16"	54-3/16"
14"	7 x 64	-	-	-	22-3/16"	38-3/16"	54-3/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	7 x 64	-	-	-	27-1/2"	48-7/8"
14"	7 x 64	-	-	-	27-1/2"	48-7/8"


GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12"	7 x 64	-	-	-	38-3/16"
14"	7 x 64	-	-	-	38-3/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	7 x 64	6"	-	10-5/8"	65-3/4"
14"	7 x 64	7"	-	10-5/8"	65-3/4"

All dimensions shown are to the center of the muntin.



GBG/SDL - Lip Lite - 8'0" Half Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	17-7/8"	29-5/8"	41-5/16"
14"	8 x 47	-	-	-	17-7/8"	29-5/8"	41-5/16"

GBG - Lip Lite - 8'0" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 47	-	-	-	21-13/16"	37-7/16"
14"	8 x 47	-	-	-	21-13/16"	37-7/16"

GBG - Lip Lite - 8'0" Half Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12"	8 x 47	-	-	-	29-5/8"
14"	8 x 47	-	-	-	29-5/8"

GBG - Lip Lite - 8'0" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 47	6"	-	10-5/8"	48-3/4"
14"	8 x 47	7"	-	10-5/8"	48-3/4"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	17-7/16"	30-5/16"	43-3/16"	56"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	17-7/16"	30-5/16"	43-3/16"	56"
2/10	25 x 64	16-7/8"	12-11/16"	21-1/8"	17-7/16"	30-5/16"	43-3/16"	56"
3/0	25 x 64	17-7/8"	13-11/16"	22-1/8"	17-7/16"	30-5/16"	43-3/16"	56"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	17-5/8"	30-1/2"	43-5/16"	56-3/16"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	17-5/8"	30-1/2"	43-5/16"	56-3/16"
*2/10	25 x 64	16-7/8"	12-11/16"	21-1/8"	17-5/8"	30-1/2"	43-5/16"	56-3/16"
3/0	27 x 64	17-7/8"	13-3/8"	22-7/16"	17-5/8"	30-1/2"	43-3/8"	56-1/4"


*Only available in 6/6.

Wood Grilles - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-1/2"	18-5/16"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
2/8	20 x 64	15-7/8"	12-1/2"	19-5/16"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
2/10	25 x 64	16-7/8"	12-13/16"	21"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
3/0	25 x 64	17-7/8"	13-13/16"	22"	17-11/16"	30-3/8"	43-1/8"	55-13/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-1/2"	18-5/16"	17-13/16"	30-9/16"	43-1/4"	56"
2/8	20 x 64	15-7/8"	12-1/2"	19-5/16"	17-13/16"	30-9/16"	43-1/4"	56"
2/10	25 x 64	16-7/8"	12-13/16"	21"	17-13/16"	30-9/16"	43-1/4"	56"
3/0	25 x 64	17-7/8"	13-13/16"	22"	17-13/16"	30-9/16"	43-1/4"	56"



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W4H and 2W4H‡

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	20-11/16"	36-3/4"	52-13/16"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	20-11/16"	36-3/4"	52-13/16"
2/10	25 x 64	16-7/8"	13-1/4"	22-5/16"	20-11/16"	36-3/4"	52-7/8"
3/0	25 x 64	17-7/8"	14-1/4"	23-5/16"	20-11/16"	36-3/4"	52-7/8"

‡SDL only available in 2W4H


GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W4H and 2W4H‡

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	20-13/16"	36-15/16"	53"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	20-13/16"	36-15/16"	53"
*2/10	25 x 64	16-7/8"	13-1/4"	22-5/16"	20-7/8"	36-15/16"	53-1/16"
3/0	27 x 64	17-7/8"	13-3/8"	22-7/16"	20-7/8"	36-15/16"	53-1/16"

‡SDL only available in 2W4H

*Only available in 6/6.

All dimensions shown are to the center of the muntin.




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	14-7/8"	-	-	26"	47-7/16"
2/8	20 x 64	15-7/8"	-	-	26"	47-7/16"
2/10	25 x 64	16-7/8"	-	-	26"	47-7/16"
3/0	25 x 64	17-7/8"	-	-	26"	47-7/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	14-7/8"	-	-	26-3/16"	47-5/8"
2/8	20 x 64	15-7/8"	-	-	26-3/16"	47-5/8"
*2/10	25 x 64	16-7/8"	-	-	26-3/16"	47-5/8"
3/0	27 x 64	17-7/8"	-	-	26-3/16"	47-11/16"

*Only available in 6/6.




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	14-7/8"	-	-	36-3/4"
2/8	20 x 64	15-7/8"	-	-	36-3/4"
2/10	25 x 64	16-7/8"	-	-	36-3/4"
3/0	25 x 64	17-7/8"	-	-	36-3/4"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	14-7/8"	-	-	36-15/16"
2/8	20 x 64	15-7/8"	-	-	36-15/16"
*2/10	25 x 64	16-7/8"	-	-	36-15/16"
3/0	27 x 64	17-7/8"	-	-	36-15/16"

*Only available in 6/6.



GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 9 Lite Prairie


Panel	Glass	A	B	C	D
2/6	20 x 64	8-3/4"	21-1/16"	9"	64-7/16"
2/8	20 x 64	9-3/4"	22-1/16"	9"	64-7/16"
2/10	25 x 64	8-11/16"	25-1/8"	9"	64-7/16"
3/0	25 x 64	9-11/16"	26-1/8"	9"	64-7/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-3/4"	21-1/16"	9-3/16"	64-5/8"
2/8	20 x 64	9-3/4"	22-1/16"	9-3/16"	64-5/8"
*2/10	25 x 64	8-11/16"	25-1/8"	9-3/16"	64-5/8"
3/0	27 x 64	8-13/16"	27"	9-3/16"	64-11/16"

*Only available in 6/6.

All dimensions shown are to the center of the muntin.




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/8	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/10	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
3/0	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
2/8	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
*2/10	25 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
3/0	27 x 64	-	-	-	16-15/16"	30-1/4"	43-5/8"	56-15/16"

*Only available in 6/6




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/8	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/10	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
3/0	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
2/8	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
*2/10	25 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
3/0	27 x 64	-	-	-	20-1/4"	36-15/16"	53-5/8"

*Only available in 6/6




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	25-5/8"	47-13/16"
2/8	20 x 64	-	-	-	25-5/8"	47-13/16"
2/10	25 x 64	-	-	-	25-5/8"	47-13/16"
3/0	25 x 64	-	-	-	25-5/8"	47-13/16"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	25-13/16"	48"
2/8	20 x 64	-	-	-	25-13/16"	48"
*2/10	25 x 64	-	-	-	25-13/16"	48"
3/0	27 x 64	-	-	-	25-13/16"	48-1/16"

*Only available in 6/6




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	20-1/4"	37"
2/8	20 x 64	-	-	-	20-1/4"	37"
2/10	25 x 47	-	-	-	20-3/16"	37"
3/0	25 x 47	-	-	-	20-3/16"	37"

All dimensions shown are to the center of the muntin.


6/8 Flush-Glazed Grille Locations



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 3W4H and 2W4H‡


Panel	Glass	A	B	C	D	E	F
2/6	21 x 48	14-7/8"	12-11/16"	21-1/8"	16-5/8"	28-5/8"	40-5/8"
2/8	21 x 48	15-7/8"	13-11/16"	22-1/8"	16-5/8"	28-5/8"	40-5/8"
2/10	25 x 48	16-7/8"	12-11/16"	21-1/8"	16-9/16"	28-5/8"	40-5/8"
3/0	25 x 48	17-7/8"	13-11/16"	22-1/8"	16-9/16"	28-5/8"	40-5/8"

‡SDL not available in 2W4H configuration.




GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	21 x 48	14-7/8"	-	-	20-5/8"	36-5/8"
2/8	21 x 48	15-7/8"	-	-	20-5/8"	36-5/8"
2/10	25 x 48	16-7/8"	-	-	20-5/8"	36-5/8"
3/0	25 x 48	17-7/8"	-	-	20-5/8"	36-5/8"



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	21 x 48	14-7/8"	-	-	28-5/8"
2/8	21 x 48	15-7/8"	-	-	28-5/8"
2/10	25 x 48	16-7/8"	-	-	28-5/8"
3/0	25 x 48	17-7/8"	-	-	28-5/8"




GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	21 x 48	8-11/16"	21-1/8"	9"	48-3/16"
2/8	21 x 48	9-11/16"	22-1/8"	9"	48-3/16"
2/10	25 x 48	8-11/16"	25-1/8"	9"	48-3/16"
3/0	25 x 48	9-11/16"	26-1/8"	9"	48-3/16"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-3/16"	18-5/8"	16-5/8"	28-3/4"
2/8	22 x 36	-	12-3/16"	19-5/8"	16-5/8"	28-3/4"
3/0	22 x 36	-	14-3/16"	21-5/8"	16-5/8"	28-3/4"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 3W3H


Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-3/16"	18-5/8"	16-7/8"	28-15/16"
2/8	22 x 36	-	12-3/16"	19-5/8"	16-7/8"	28-15/16"
3/0	22 x 36	-	14-3/16"	21-5/8"	16-7/8"	28-15/16"

Wood Grilles - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-5/16"	18-7/16"	16-3/4"	28-9/16"
2/8	22 x 36	-	12-5/16"	19-7/16"	16-3/4"	28-9/16"
3/0	22 x 36	-	14-5/16"	21-7/16"	16-3/4"	28-9/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-5/16"	18-1/2"	17"	28-13/16"
2/8	22 x 36	-	12-5/16"	19-1/2"	17"	28-13/16"
3/0	22 x 36	-	14-5/16"	21-1/2"	17"	28-13/16"



GBG - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 9 Lite Prairie


Panel	Glass	A	B	C	D
2/6	22 x 36	8-3/16"	21-5/8"	8-15/16"	36-3/8"
2/8	22 x 36	9-3/16"	22-5/8"	8-15/16"	36-3/8"
3/0	22 x 36	11-3/16"	24-5/8"	8-15/16"	36-3/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	22 x 36	8-3/16"	21-5/8"	9-3/16"	36-5/8"
2/8	22 x 36	9-3/16"	22-5/8"	9-3/16"	36-5/8"
3/0	22 x 36	11-3/16"	24-5/8"	9-3/16"	36-5/8"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations




GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 64	11-7/8"	20-3/16"
2/6	20 x 64	14-7/8"	20-1/8"
2/8	20 x 64	15-7/8"	20-1/8"
2/10	25 x 64	16-7/8"	20-1/8"
3/0	25 x 64	17-7/8"	20-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 64	11-7/8"	20-3/16"
2/6	20 x 64	14-7/8"	20-5/16"
2/8	20 x 64	15-7/8"	20-5/16"
2/10	25 x 64	16-7/8"	20-5/16"
3/0	27 x 64	17-7/8"	20-5/16"




GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 64	9-5/16"	14-1/2"	20-3/16"
2/6	20 x 64	11-3/8"	18-7/16"	20-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	20-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	20-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	20-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 64	9-5/16"	14-1/2"	20-5/16"
2/6	20 x 64	11-3/8"	18-7/16"	20-5/16"
2/8	20 x 64	12-3/8"	19-7/16"	20-5/16"
2/10	25 x 64	12-11/16"	21-1/8"	20-5/16"
3/0	27 x 64	13-3/8"	22-7/16"	20-5/16"




GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 64	11-7/8"	12-7/16"	20-3/16"
2/6	20 x 64	14-7/8"	12-3/8"	20-1/8"
2/8	20 x 64	15-7/8"	12-3/8"	20-1/8"
2/10	25 x 64	16-7/8"	12-3/8"	20-1/8"
3/0	25 x 64	17-7/8"	12-3/8"	20-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 64	11-7/8"	12-9/16"	20-5/16"
2/6	20 x 64	14-7/8"	12-1/2"	20-5/16"
2/8	20 x 64	15-7/8"	12-1/2"	20-5/16"
2/10	25 x 64	16-7/8"	12-1/2"	20-5/16"
3/0	27 x 64	17-7/8"	12-1/2"	20-5/16"



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 3W2H


Panel	Glass	A	B	C	D
2/0	14 x 64	9-5/16"	14-1/2"	12-7/16"	20-3/16"
2/6	20 x 64	11-3/8"	18-7/16"	12-3/8"	20-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	12-3/8"	20-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	12-3/8"	20-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	12-3/8"	20-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 64	9-5/16"	14-1/2"	12-9/16"	20-5/16"
2/6	20 x 64	11-3/8"	18-7/16"	12-1/2"	20-5/16"
2/8	20 x 64	12-3/8"	19-7/16"	12-1/2"	20-5/16"
2/10	25 x 64	12-11/16"	21-1/8"	12-1/2"	20-5/16"
3/0	27 x 64	13-3/8"	22-7/16"	12-1/2"	20-5/16"


All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations




SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 2W1H

Panel	Glass	A
2/8	26 x 18	15-7/8"
2/10	26 x 18	16-7/8"
3/0	26 x 18	17-7/8"




SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 3W1H

Panel	Glass	A	B
2/8	26 x 18	11-3/4"	19"
2/10	26 x 18	12-3/4"	20"
3/0	26 x 18	13-3/4"	21"



SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 2W2H


Panel	Glass	A	B
2/8	26 x 18	15-7/8"	11-13/16"
2/10	26 x 18	16-7/8"	11-13/16"
3/0	26 x 18	17-7/8"	11-13/16"



SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 3W2H

Panel	Glass	A	B	C
2/8	26 x 18	11-3/4"	19"	11-13/16"
2/10	26 x 18	12-3/4"	20"	11-13/16"
3/0	26 x 18	13-3/4"	21"	11-13/16"

All dimensions shown are to the center of the muntin.



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	7 x 64	-	-	-	17-9/16"	30-5/16"	43-1/8"	55-15/16"
14	7 x 64	-	-	-	17-9/16"	30-5/16"	43-1/8"	55-15/16"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	8 x 64	-	-	-	17-5/8"	30-1/2"	43-5/16"	56-3/16"
14	8 x 64	-	-	-	17-5/8"	30-1/2"	43-5/16"	56-3/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	8 x 64	-	-	-	17-13/16"	30-9/16"	43-1/4"	56"
14"	8 x 64	-	-	-	17-13/16"	30-9/16"	43-1/4"	56"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	7 x 64	-	-	-	20-3/4"	36-3/4"	52-3/4"
14	7 x 64	-	-	-	20-3/4"	36-3/4"	52-3/4"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	8 x 64	-	-	-	20-13/16"	36-15/16"	53"
14	8 x 64	-	-	-	20-13/16"	36-15/16"	53"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	7 x 64	-	-	-	26-1/16"	47-3/8"
14	7 x 64	-	-	-	26-1/16"	47-3/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	8 x 64	-	-	-	26-3/16"	47-5/8"
14	8 x 64	-	-	-	26-3/16"	47-5/8"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12	7 x 64	-	-	-	36-3/4"
14	7 x 64	-	-	-	36-3/4"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12	8 x 64	-	-	-	36-15/16"
14	8 x 64	-	-	-	36-15/16"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	7 x 64	6"	-	9-3/16"	64-5/16"
14	7 x 64	7"	-	9-3/16"	64-5/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 6 Lite Prairie


Panel	Glass	A	B	C	D
12	8 x 64	6"	-	9-3/16"	64-5/8"
14	8 x 64	7"	-	9-3/16"	64-5/8"

SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Shaker Sidelite - 1W2H

Panel	Glass	A
12	8 x 16	11-13/16"
14	8 x 16	11-13/16"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations



SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite Craftsman - 2W2H

Panel	Glass	A	B	C
12	7 x 64	6"	12-1/4"	19-9/16"
14	7 x 64	7"	12-1/4"	19-9/16"

SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite Craftsman - 2W1H

Panel	Glass	A	B
12	7 x 64	6"	19-9/16"
14	7 x 64	7"	19-9/16"

SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite Craftsman - 1W1H

Panel	Glass	A
12	7 x 64	19-9/16"
14	7 x 64	19-9/16"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	7 x 64	-	-	-	16-13/16"	30-1/16"	43-3/8"	56-11/16"
14	7 x 64	-	-	-	16-13/16"	30-1/16"	43-3/8"	56-11/16"


SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	7 x 64	-	-	-	20-1/8"	36-3/4"	53-3/8"
14	7 x 64	-	-	-	20-1/8"	36-3/4"	53-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	7 x 64	-	-	-	25-5/8"	47-13/16"
14	7 x 64	-	-	-	25-5/8"	47-13/16"

All dimensions shown are to the center of the muntin.



GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 1W3H


Panel	Glass	A	B	C	D	E
12	8 x 36	-	-	-	16-7/8"	28-15/16"
14	8 x 36	-	-	-	16-7/8"	28-15/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17"	28-13/16"
14"	8 x 36	-	-	-	17"	28-13/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	8 x 36	6"	-	9-3/16"	36-5/8"
14	8 x 36	7"	-	9-3/16"	36-5/8"



GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W4H


Panel	Glass	A	B	C	D	E	F
12	8 x 47	-	-	-	16-7/8"	28-5/8"	40-5/16"
14	8 x 47	-	-	-	16-7/8"	28-5/8"	40-5/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	17-1/16"	28-5/8"	40-3/16"
14"	8 x 47	-	-	-	17-1/16"	28-5/8"	40-3/16"

GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	8 x 47	-	-	-	20-13/16"	36-7/16"
14	8 x 47	-	-	-	20-13/16"	36-7/16"



GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12	8 x 47	-	-	-	28-5/8"
14	8 x 47	-	-	-	28-5/8"

GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	8 x 47	6"	-	9-5/8"	47-5/8"
14	8 x 47	7"	-	9-5/8"	47-5/8"

All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations



GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-3/8"	18-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/8	21 x 80	15-7/8"	12-3/8"	19-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/10	25 x 80	16-7/8"	12-3/4"	21-1/16"	18-7/8"	32-3/16"	45-9/16"	58-7/8"	72-3/16"
3/0	25 x 80	17-7/8"	13-3/4"	22-1/16"	18-7/8"	32-3/16"	45-9/16"	58-7/8"	72-3/16"

Wood Grilles - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 3W6H and 2W6H


Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-1/2"	18-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/8	21 x 80	15-7/8"	12-1/2"	19-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/10	25 x 80	16-7/8"	12-7/8"	20-15/16"	19-1/8"	32-5/16"	45-9/16"	58-3/4"	71-15/16"
3/0	25 x 80	17-7/8"	13-7/8"	21-15/16"	19-1/8"	32-5/16"	45-9/16"	58-3/4"	71-15/16"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-3/8"	18-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/8	21 x 80	15-7/8"	12-3/8"	19-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/10	25 x 80	16-7/8"	12-3/4"	21-1/16"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
3/0	25 x 80	17-7/8"	13-3/4"	22-1/16"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"

Wood Grilles - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-1/2"	18-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/8	21 x 80	15-7/8"	12-1/2"	19-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/10	25 x 80	16-7/8"	12-7/8"	20-15/16"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
3/0	25 x 80	17-7/8"	13-7/8"	21-15/16"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"




GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/0	14 x 80	9-3/8"	14-7/16"	10"	81-1/8"
2/6	21 x 80	8-7/8"	20-15/16"	10"	81-1/8"
2/8	21 x 80	10-7/8"	20-15/16"	10"	81-1/8"
2/10	25 x 80	10-7/8"	22-15/16"	10"	81-1/8"
3/0	25 x 80	12-7/8"	22-15/16"	10"	81-1/8"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/0	14 x 80	9-3/8"	14-7/16"	10"	81-1/8"
2/6	21 x 80	8-7/8"	20-15/16"	10"	81-1/8"
2/8	21 x 80	10-7/8"	20-15/16"	10"	81-1/8"
2/10	25 x 80	10-7/8"	22-15/16"	10"	81-1/8"
3/0	25 x 80	12-7/8"	22-15/16"	10"	81-1/8"

All dimensions shown are to the center of the muntin.




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/8	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/10	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
3/0	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
2/8	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
*2/10	25 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
3/0	27 x 64	-	-	-	16-15/16"	30-1/4"	43-5/8"	56-15/16"

*Only available in 6/6.




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/8	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/10	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
3/0	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
2/8	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
*2/10	25 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
3/0	27 x 64	-	-	-	20-1/4"	36-15/16"	53-5/8"

*Only available in 6/6.



SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	25-5/8"	47-13/16"	70-1/16"
2/8	20 x 64	-	-	-	25-5/8"	47-13/16"	70-1/16"
2/10	25 x 64	-	-	-	25-5/8"	47-13/16"	70-1/16"
3/0	25 x 64	-	-	-	25-5/8"	47-13/16"	70-1/16"


SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	25-13/16"	48"	70-3/16"
2/8	20 x 64	-	-	-	25-13/16"	48"	70-3/16"
*2/10	25 x 64	-	-	-	25-13/16"	48"	70-3/16"
3/0	27 x 64	-	-	-	25-13/16"	48-1/16"	70-1/4"

*Only available in 6/6.

All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 80	11-7/8"	21-1/8"
2/6	21 x 80	14-7/8"	21-1/8"
2/8	21 x 80	15-7/8"	21-1/8"
2/10	25 x 80	16-7/8"	21-1/8"
3/0	25 x 80	17-7/8"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 80	11-7/8"	21-1/8"
2/6	21 x 80	14-7/8"	21-1/8"
2/8	21 x 80	15-7/8"	21-1/8"
2/10	25 x 80	16-7/8"	21-1/8"
3/0	25 x 80	17-7/8"	21-1/8"




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 80	10-1/16"	13-3/4"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 80	10-1/16"	13-3/4"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	21-1/8"




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 80	11-7/8"	13-5/16"	21-1/8"
2/6	21 x 80	14-7/8"	13-5/16"	21-1/8"
2/8	21 x 80	15-7/8"	13-5/16"	21-1/8"
2/10	25 x 80	16-7/8"	13-5/16"	21-1/8"
3/0	25 x 80	17-7/8"	13-5/16"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 80	11-7/8"	13-5/16"	21-1/8"
2/6	21 x 80	14-7/8"	13-5/16"	21-1/8"
2/8	21 x 80	15-7/8"	13-5/16"	21-1/8"
2/10	25 x 80	16-7/8"	13-5/16"	21-1/8"
3/0	25 x 80	17-7/8"	13-5/16"	21-1/8"




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 80	10-1/16"	13-3/4"	13-5/16"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	13-5/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	13-5/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	13-5/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	13-5/16"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 80	10-1/16"	13-3/4"	13-5/16"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	13-5/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	13-5/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	13-5/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	13-5/16"	21-1/8"

All dimensions shown are to the center of the muntin.




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	18-7/16"	31-5/16"	44-1/8"	57"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	18-7/16"	31-5/16"	44-1/8"	57"
2/10	25 x 64	16-7/8"	12-11/16"	21-1/8"	18-7/16"	31-5/16"	44-1/8"	57"
3/0	25 x 64	17-7/8"	13-11/16"	22-1/8"	18-7/16"	31-5/16"	44-1/8"	57"

Wood Grilles - Flush-Glazed - Fiber Classic - 8'0" 3/4 Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	15"	11-9/16"	18-7/16"	18-5/8"	31-3/8"	44-1/16"	56-13/16"
2/8	20 x 64	16"	12-9/16"	19-7/16"	18-5/8"	31-3/8"	44-1/16"	56-13/16"
2/10	25 x 64	17"	12-7/8"	21-1/8"	18-5/8"	31-3/8"	44-1/16"	56-13/16"
3/0	25 x 64	18"	13-7/8"	22-1/8"	18-5/8"	31-3/8"	44-1/16"	56-13/16"



GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 3W4H and 2W4H‡

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	21-5/8"	37-3/4"	53-13/16"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	21-5/8"	37-3/4"	53-13/16"
2/10	25 x 64	16-7/8"	12-11/16"	21-1/8"	21-5/8"	37-3/4"	53-13/16"
3/0	25 x 64	17-7/8"	13-11/16"	22-1/8"	21-5/8"	37-3/4"	53-13/16"

‡SDL only available in 2W4H




GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	14-7/8"	-	-	27"	48-7/16"
2/8	20 x 64	15-7/8"	-	-	27"	48-7/16"
2/10	25 x 64	16-7/8"	-	-	27"	48-7/16"
3/0	25 x 64	17-7/8"	-	-	27"	48-7/16"


All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations



GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	14-7/8"	-	-	37-3/4"
2/8	20 x 64	15-7/8"	-	-	37-3/4"
2/10	25 x 64	16-7/8"	-	-	37-3/4"
3/0	25 x 64	17-7/8"	-	-	37-3/4"




GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-3/4"	21-1/16"	10"	65-7/16"
2/8	20 x 64	10-3/4"	21-1/16"	10"	65-7/16"
2/10	25 x 64	10-11/16"	23-1/8"	10"	65-7/16"
3/0	25 x 64	12-11/16"	23-1/8"	10"	65-7/16"

Wood Grilles - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-11/16"	21-5/16"	10-5/8"	64-15/16"
2/8	20 x 64	9-11/16"	22-5/16"	10-5/8"	64-15/16"
2/10	25 x 64	8-5/8"	25-3/8"	10-5/8"	64-15/16"
3/0	25 x 64	9-5/8"	26-3/8"	10-5/8"	64-15/16"




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	26-5/8"	48-13/16"
2/8	20 x 64	-	-	-	26-5/8"	48-13/16"
2/10	25 x 64	-	-	-	26-5/8"	48-13/16"
3/0	25 x 64	-	-	-	26-5/8"	48-13/16"


All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 2W1H

Panel	Glass	A	B
2/6	20 x 64	14-7/8"	21-1/8"
2/8	20 x 64	15-7/8"	21-1/8"
2/10	25 x 64	16-7/8"	21-1/8"
3/0	25 x 64	17-7/8"	21-1/8"




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/6	20 x 64	11-3/8"	18-7/16"	21-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	21-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	21-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	21-1/8"



GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/6	20 x 64	14-7/8"	13-5/16"	21-1/8"
2/8	20 x 64	15-7/8"	13-5/16"	21-1/8"
2/10	25 x 64	16-7/8"	13-5/16"	21-1/8"
3/0	25 x 64	17-7/8"	13-5/16"	21-1/8"




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	11-3/8"	18-7/16"	13-5/16"	21-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	13-5/16"	21-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	13-5/16"	21-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	13-5/16"	21-1/8"


All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations




SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 2W1H

Panel	Glass	A
2/8	26 x 18	15-7/8"
2/10	26 x 18	16-7/8"
3/0	26 x 18	17-7/8"




SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 3W1H

Panel	Glass	A	B
2/8	26 x 18	11-3/4"	19"
2/10	26 x 18	12-3/4"	20"
3/0	26 x 18	13-3/4"	21"



SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 2W2H


Panel	Glass	A	B
2/8	26 x 18	15-7/8"	12-3/4"
2/10	26 x 18	16-7/8"	12-3/4"
3/0	26 x 18	17-7/8"	12-3/4"



SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 3W2H

Panel	Glass	A	B	C
2/8	26 x 18	11-3/4"	19"	12-3/4"
2/10	26 x 18	12-3/4"	20"	12-3/4"
3/0	26 x 18	13-3/4"	21"	12-3/4"

All dimensions shown are to the center of the muntin.



SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W6H

Panel	Glass	A	B	C	D	E	F	G	H
12	07 x 80	-	-	-	18-15/16"	32-5/16"	45-5/8"	58-15/16"	72-5/16"
14	07 x 80	-	-	-	18-15/16"	32-5/16"	45-5/8"	58-15/16"	72-5/16"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	07 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"
14	07 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	07 x 80	-	-	-	25"	45-5/8"	66-1/4"
14	07 x 80	-	-	-	25"	45-5/8"	66-1/4"


SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	07 x 80	-	-	-	31-7/8"	59-3/8"
14	07 x 80	-	-	-	31-7/8"	59-3/8"

SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Shaker Sidelite - 1W2H


Panel	Glass	A
12	8 x 16	12-3/4"
14	8 x 16	12-3/4"

All dimensions shown are to the center of the muntin.




Rectangular Transom - 5W

Unit Width	A	B	C	D
5/0	12-5/16"	24-9/16"	36-3/4"	49"
5/4	13-1/8"	26-1/8"	39-3/16"	52-3/16"
5/8	13-7/8"	27-3/4"	41-9/16"	55-3/8"
6/0	14-3/4"	29-3/8"	44"	58-5/8"



Rectangular Transom - 4W

Unit Width	A	B	C
5/0	15-3/8"	30-5/8"	45-15/16"
5/4	16-3/8"	32-5/8"	48-15/16"
5/8	17-3/8"	34-5/8"	51-15/16"
6/0	18-3/8"	36-5/8"	54-15/16"



Rectangular Transom - 3W

Unit Width	A	B
3/0	12-1/16"	24-1/16"

All dimensions shown are to the center of the muntin.