

Single or M.E.U. - 6/6, 6/8, 7/0, 8/0

Single or M.E.U. - Inswing

| Brickmould Dim. | 28" | 32" | 34" | 36" | 38" | 40" | 46" | |
|-----------------|---------|-----------|-----------|-----------|---------|---------|---------|--------------------|
| Rough Opening | 26 1/4" | 30 1/4" | 32 1/4" | 34 1/4" | 36 1/4" | 38 1/4" | 44 1/4" | |
| Unit Dimension | 25 1/2" | 29 1/2" | 31 1/2" | 33 1/2" | 35 1/2" | 37 1/2" | 43 1/2" | |
| | 80 1/2" | 83 1/16" | 87 1/16" | 99 1/16" | | | | |
| | 79 3/4" | 82 5/16" | 86 5/16" | 98 5/16" | | | | |
| | 79 1/4" | 81 13/16" | 85 13/16" | 97 13/16" | | | | |
| | 6/6 | 6/8 | 7/0 | 8/0 | | | | |
| | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | |
| | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | |
| | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | |
| | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | |
| | 25 1/2" | 29 1/2" | 31 1/2" | 33 1/2" | 35 1/2" | 37 1/2" | 43 1/2" | Unit Dim. |
| | 26 1/4" | 30 1/4" | 32 1/4" | 34 1/4" | 36 1/4" | 38 1/4" | 44 1/4" | Rough Opening |
| | 28 1/2" | 32 1/2" | 34 1/2" | 36 1/2" | 38 1/2" | 40 1/2" | 46 1/2" | Brickmould Dim. |
| | | | | | | | | 78 5/8" |
| | | | | | | | | 78 1/16" |
| | | | | | | | | 80 1/8" |
| | | | | | | | | 82 1/16" |
| | | | | | | | | 81 1/8" |
| | | | | | | | | 81 1/16" |
| | | | | | | | | 80 5/8" |
| | | | | | | | | 81 3/16" |
| | | | | | | | | 86 1/8" |
| | | | | | | | | 86 11/16" |
| | | | | | | | | 85 1/8" |
| | | | | | | | | 85 11/16" |
| | | | | | | | | 84 5/8" |
| | | | | | | | | 85 3/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | Aluminum Composite |
| | | | | | | | | Aluminum |
| | | | | | | | | Composite |
| | | | | | | | | Aluminum |
| | | | | | | | | Composite |


For M.E.U., add actual unit dimension to door rough opening width for total rough opening width.

Single or M.E.U. - Outswing


For units with public access sills, subtract 13/16" from inswing height. Unit widths will be the same as in the table above.

| Hand Designations | |
|----------------------------|-------------|
| (Viewed from the exterior) | |
| F | Fixed Panel |
| L | Left Hand |
| R | Right Hand |

Inswing



Outswing



Double - Standard Mullion, 6/6, 6/8, 7/0, 8/0

Double - Inswing - Standard Mullion

| Brickmould Dim. | 57" | 61" | 65" | 69" | 73" | 77" | |
|-----------------|---------|---------|---------|---------|---------|---------|--|
| Rough Opening | 55 1/4" | 59 1/4" | 63 1/4" | 67 1/4" | 71 1/4" | 75 1/4" | |
| Unit Dimension | 54 1/2" | 58 1/2" | 62 1/2" | 66 1/2" | 70 1/2" | 74 1/2" | |

| | | | | | | | | |
|-----------------------------------|-----|-----|-----|-----|-----|-----|-----------|-----------|
| 80 1/2" 79 3/4" 79 1/4" | 6/6 | | | | | | 78 5/8" | 80 1/8" |
| | | 4/0 | 4/8 | 5/0 | 5/4 | 5/8 | 6/0 | |
| | 6/8 | | | | | | 81 3/16" | 82 11/16" |
| | | 4/0 | 4/8 | 5/0 | 5/4 | 5/8 | 6/0 | |
| 83 1/16" 82 5/16" 81 13/16" | 7/0 | | | | | | 85 3/16" | 86 11/16" |
| | 4/0 | 4/8 | 5/0 | 5/4 | 5/8 | 6/0 | | |
| 87 1/16" 86 5/16" 85 13/16" | 8/0 | | | | | | 97 3/16" | 98 11/16" |
| | 4/0 | 4/8 | 5/0 | 5/4 | 5/8 | 6/0 | | |
| 99 1/16" 98 5/16" 97 13/16" | | | | | | | Composite | 98 11/16" |
| | | | | | | | Composite | 97 11/16" |
| | | | | | | | Composite | 81 3/16" |
| | | | | | | | Composite | 79 1/8" |
| | | | | | | | Composite | 80 1/8" |

| Unit Dim. | 54 1/2" | 58 1/2" | 62 1/2" | 66 1/2" | 70 1/2" | 74 1/2" | |
|-----------------|---------|---------|---------|---------|---------|---------|--|
| Rough Opening | 55 1/4" | 59 1/4" | 63 1/4" | 67 1/4" | 71 1/4" | 75 1/4" | |
| Brickmould Dim. | 57 1/2" | 61 1/2" | 65 1/2" | 69 1/2" | 73 1/2" | 77 1/2" | |


Double - Outswing - Standard Mullion

Hand Designations


(Viewed from the exterior)

- F Fixed Panel
- L Left Hand
- R Right Hand

Inswing



Outswing



Triple - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Triple - Inswing - Standard Mullion


| | | | | | | | |
|------------------------|---------|---------|---------|----------|----------|----------|--|
| Brickmould Dim. | 78" | 90" | 96" | 102" | 108" | 114" | |
| Rough Opening | 76 1/4" | 88 1/4" | 94 1/4" | 100 1/4" | 106 1/4" | 112 1/4" | |
| Unit Dimension | 75 1/2" | 87 1/2" | 93 1/2" | 99 1/2" | 105 1/2" | 111 1/2" | |

| | | | | | | | | | | | | | |
|-------------------------------|-----|---------|---------|---------|----------|----------|----------|------------------------|-----------|-----------|----------|----------|-----------|
| 80 1/2" 79 3/4" 79 1/4" | 6/6 | | | | | | | 78 5/8" | 80 1/8" | 82 1/16" | 85 3/16" | 98 1/16" | Composite |
| | 6/8 | | | | | | | 81 3/16" | 81 1/16" | 85 11/16" | 97 3/16" | 98 1/16" | Composite |
| | 7/0 | | | | | | | 85 3/16" | 85 11/16" | 97 11/16" | 97 3/16" | 98 1/16" | Composite |
| | 8/0 | | | | | | | 97 3/16" | 97 11/16" | 97 3/16" | 97 3/16" | 97 3/16" | Composite |
| | | 75 1/2" | 87 1/2" | 93 1/2" | 99 1/2" | 105 1/2" | 111 1/2" | Unit Dim. | | | | | |
| | | 76 1/4" | 88 1/4" | 94 1/4" | 100 1/4" | 106 1/4" | 112 1/4" | Rough Opening | | | | | |
| | | 78 1/2" | 90 1/2" | 96 1/2" | 102 1/2" | 108 1/2" | 114 1/2" | Brickmould Dim. | | | | | |


Triple - Outswing - Standard Mullion

| Hand Designations | |
|----------------------------|-------------|
| (Viewed from the exterior) | |
| F | Fixed Panel |
| L | Left Hand |
| R | Right Hand |

Inswing



Outswing



Single - Continuous with 10" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0


Single with 1 Sidelite - Inswing - Continuous Standard Mullion

| Brickmould Dim. | 43" | 45" | 47" | 49" | 51" | 57" | |
|-----------------------------------|------------|---------|---------|---------|---------|---------|--|
| Rough Opening | 41 1/4" | 43 1/4" | 45 1/4" | 47 1/4" | 49 1/4" | 55 1/4" | |
| Unit Dimension | 40 1/2" | 42 1/2" | 44 1/2" | 46 1/2" | 48 1/2" | 54 1/2" | |
| 80 1/2" 79 3/4" 79 1/4" | 6/6 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | 79 5/8" 78 1/16" |
| 83 1/16" 82 5/16" 81 13/16" | 6/8 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | 81 3/16" 80 5/8" |
| 87 1/16" 86 5/16" 85 13/16" | 7/0 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | 85 3/16" 84 5/8" |
| 99 1/16" 98 5/16" 97 13/16" | 8/0 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | 97 3/16" 96 5/8" |
| | | | | | | | Unit Dim. |
| | | | | | | | Rough Opening |
| | | | | | | | Brickmould Dim. |
| | | | | | | | 79 9/16" 80 1/8" 82 11/16" 81 1/8" 86 11/16" 85 1/8" 98 11/16" 97 1/8" Aluminum Composite Aluminum Composite Aluminum Composite |


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

| Hand Designations | |
|----------------------------|-------------|
| (Viewed from the exterior) | |
| F | Fixed Panel |
| L | Left Hand |
| R | Right Hand |

Inswing



Outswing



Unit and Rough Opening Sizing

Single - Continuous with 12" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0


Single with 1 Sidelite - Inswing - Continuous Standard Mullion

| Brickmould Dim. | 45" | 47" | 49" | 51" | 53" | 59" | | |
|-----------------------------------|---------|---------|---------|---------|---------|---------|--------------------|-----------|
| Rough Opening | 43 1/4" | 45 1/4" | 47 1/4" | 49 1/4" | 51 1/4" | 57 1/4" | | |
| Unit Dimension | 42 1/2" | 44 1/2" | 46 1/2" | 48 1/2" | 50 1/2" | 56 1/2" | | |
| 80 1/2" 79 3/4" 79 1/4" | 6/6 | | | | | | 78 5/8" | 79 9/16" |
| | | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 80 1/8" | 82 1/8" |
| | 6/8 | | | | | | 81 3/16" | 82 11/16" |
| | | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 80 5/8" | 81 1/8" |
| 83 1/16" 82 5/16" 81 13/16" | 7/0 | | | | | | 85 3/16" | 86 1/8" |
| | | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 84 5/8" | 86 11/16" |
| | 8/0 | | | | | | 97 3/16" | 98 1/8" |
| | | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 96 5/8" | 97 1/8" |
| 87 1/16" 86 5/16" 85 13/16" | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 89 1/16" 88 5/16" 87 13/16" | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | 42 1/2" | 44 1/2" | 46 1/2" | 48 1/2" | 50 1/2" | 56 1/2" | Unit Dim. | |
| | 43 1/4" | 45 1/4" | 47 1/4" | 49 1/4" | 51 1/4" | 57 1/4" | Rough Opening | |
| | 45 1/2" | 47 1/2" | 49 1/2" | 51 1/2" | 53 1/2" | 59 1/2" | Brickmould Dim. | |
| | | | | | | | Aluminum Composite | |
| | | | | | | | Aluminum Composite | |
| | | | | | | | Aluminum Composite | |
| | | | | | | | Aluminum Composite | |


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

| Hand Designations | |
|----------------------------|-------------|
| (Viewed from the exterior) | |
| F | Fixed Panel |
| L | Left Hand |
| R | Right Hand |

Inswing



Outswing




Single - Continuous with 14" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0
Single with 1 Sidelite - Inswing - Continuous Standard Mullion

| Brickmould Dim. | | 47" | 49" | 51" | 53" | 55" | 61" | | | | |
|-------------------------------|-----|---------|---------|---------|---------|---------|---------|-----------------|---------|----------|--------------------|
| Rough Opening | | 45 1/4" | 47 1/4" | 49 1/4" | 51 1/4" | 53 1/4" | 59 1/4" | | | | |
| Unit Dimension | | 44 1/2" | 46 1/2" | 48 1/2" | 50 1/2" | 52 1/2" | 58 1/2" | | | | |
| 80 1/2" 79 3/4" 79 1/4" | 6/6 | | | | | | | 79 9/16" | 80 1/8" | 82 1/8" | Aluminum Composite |
| | 6/8 | | | | | | | 81 1/16" | 80 5/8" | 81 1/8" | Aluminum Composite |
| | 7/0 | | | | | | | 85 3/16" | 84 5/8" | 85 1/16" | Aluminum Composite |
| | 8/0 | | | | | | | 97 3/16" | 96 5/8" | 97 1/16" | Aluminum Composite |
| | | 44 1/2" | 46 1/2" | 48 1/2" | 50 1/2" | 52 1/2" | 58 1/2" | Unit Dim. | | | |
| | | 45 1/4" | 47 1/4" | 49 1/4" | 51 1/4" | 53 1/4" | 59 1/4" | Rough Opening | | | |
| | | 47 1/2" | 49 1/2" | 51 1/2" | 53 1/2" | 55 1/2" | 61 1/2" | Brickmould Dim. | | | |


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

| Hand Designations | |
|----------------------------|-------------|
| (Viewed from the exterior) | |
| F | Fixed Panel |
| L | Left Hand |
| R | Right Hand |

Inswing



Outswing



Unit and Rough Opening Sizing

Single - Continuous with 2-10" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Standard Mullion

| Brickmould Dim. | 54" | 56" | 58" | 60" | 62" | 68" | |
|-----------------|----------|-----------|---------|---------|---------|---------|--------------------|
| Rough Opening | 52 1/4" | 54 1/4" | 56 1/4" | 58 1/4" | 60 1/4" | 66 1/4" | |
| Unit Dimension | 51 1/2" | 53 1/2" | 55 1/2" | 57 1/2" | 59 1/2" | 65 1/2" | |
| | | | | | | | |
| 80 1/2" | 79 3/4" | 79 1/4" | | | | | 78 5/8" |
| 83 1/16" | 82 5/16" | 81 13/16" | | | | | 81 3/16" |
| 87 1/16" | 86 5/16" | 85 13/16" | | | | | 85 3/16" |
| 99 1/16" | 98 5/16" | 97 13/16" | | | | | 97 3/16" |
| | | | | | | | Unit Dim. |
| | | | | | | | Rough Opening |
| | | | | | | | Brickmould Dim. |
| | 51 1/2" | 53 1/2" | 55 1/2" | 57 1/2" | 59 1/2" | 65 1/2" | |
| | 52 1/4" | 54 1/4" | 56 1/4" | 58 1/4" | 60 1/4" | 66 1/4" | |
| | 54 1/2" | 56 1/2" | 58 1/2" | 60 1/2" | 62 1/2" | 68 1/2" | |
| | | | | | | | 79 9/16" |
| | | | | | | | 80 1/8" |
| | | | | | | | 78 9/16" |
| | | | | | | | 81 1/8" |
| | | | | | | | 82 11/16" |
| | | | | | | | 81 1/8" |
| | | | | | | | 80 5/8" |
| | | | | | | | 81 11/16" |
| | | | | | | | 82 1/8" |
| | | | | | | | 82 11/16" |
| | | | | | | | 85 1/8" |
| | | | | | | | 86 11/16" |
| | | | | | | | 85 1/8" |
| | | | | | | | 84 5/8" |
| | | | | | | | 85 11/16" |
| | | | | | | | 86 1/8" |
| | | | | | | | 86 1/8" |
| | | | | | | | 97 1/8" |
| | | | | | | | 98 11/16" |
| | | | | | | | 97 1/8" |
| | | | | | | | 96 5/8" |
| | | | | | | | 97 11/16" |
| | | | | | | | 98 1/8" |
| | | | | | | | 98 1/8" |
| | | | | | | | Aluminum Composite |
| | | | | | | | Aluminum |
| | | | | | | | Aluminum |
| | | | | | | | Composite |
| | | | | | | | Aluminum |
| | | | | | | | Aluminum |

Single with 2 Sidelites - Outswing - Continuous Standard Mullion

| Hand Designations | |
|----------------------------|-------------|
| (Viewed from the exterior) | |
| F | Fixed Panel |
| L | Left Hand |
| R | Right Hand |

Inswing



FLF



FRF

Outswing



FLF



FRF

Unit and Rough Opening Sizing

Single - Continuous with 2-14" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0 Single with 2 Sidelites - Inswing - Continuous Standard Mullion

| Brickmould Dim. | 62" | 64" | 66" | 68" | 70" | 76" | | |
|-----------------|---------|---------|---------|---------|---------|---------|---------|-----------|
| Rough Opening | 60 1/4" | 62 1/4" | 64 1/4" | 66 1/4" | 68 1/4" | 74 1/4" | | |
| Unit Dimension | 59 1/2" | 61 1/2" | 63 1/2" | 65 1/2" | 67 1/2" | 73 1/2" | | |
| | | | | | | | | |
| 80 1/2" | | | | | | | 78 5/8" | 79 9/16" |
| 79 3/4" | | | | | | | | 80 1/8" |
| 79 1/4" | | | | | | | | 78 9/16" |
| | | | | | | | | 79 1/8" |
| | | | | | | | | 80 5/8" |
| | | | | | | | | 81 11/16" |
| | | | | | | | | 82 1/8" |
| | | | | | | | | 82 11/16" |
| | | | | | | | | 86 1/8" |
| | | | | | | | | 86 11/16" |
| | | | | | | | | 85 1/8" |
| | | | | | | | | 85 11/16" |
| | | | | | | | | 84 5/8" |
| | | | | | | | | 85 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 98 1/8" |
| | | | | | | | | 98 11/16" |
| | | | | | | | | 97 1/8" |
| | | | | | | | | 97 11/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 97 3/16" |
| | | | | | | | | 96 5/8" |
| | | | | | | | | 97 11/1 |

Single with 10" Sidelite - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 1 Sidelite - Inswing - Continuous Wide Mullion or Boxed

| Brickmould Dim. | | 43 1/2" | 45 1/2" | 47 1/2" | 49 1/2" | 51 1/2" | 57 1/2" | | | | | | | |
|-------------------------------|-----|---------|---------|---------|---------|---------|---------|-----------------|----------|----------|----------|----------|---------|-----------|
| Rough Opening | | 41 3/4" | 43 3/4" | 45 3/4" | 47 3/4" | 49 3/4" | 55 3/4" | | | | | | | |
| Unit Dimension | | 41" | 43" | 45" | 47" | 49" | 55" | | | | | | | |
| 80 1/2" 79 3/4" 79 1/4" | 6/6 | | | | | | | 78 5/8" | 78 1/16" | 79 9/16" | 80 1/8" | 82 1/16" | 82 1/8" | Aluminum |
| | 6/8 | | | | | | | 81 3/16" | 80 5/8" | 81 1/8" | 81 1/16" | 82 1/16" | 82 1/8" | Aluminum |
| | 7/0 | | | | | | | 85 3/16" | 84 5/8" | 85 1/16" | 85 1/8" | 86 1/16" | 86 1/8" | Composite |
| | 8/0 | | | | | | | 97 3/16" | 96 5/8" | 97 1/16" | 97 1/8" | 98 1/16" | 98 1/8" | Aluminum |
| | | 41" | 43" | 45" | 47" | 49" | 55" | Unit Dim. | | | | | | |
| | | 41 3/4" | 43 3/4" | 45 3/4" | 47 3/4" | 49 3/4" | 55 3/4" | Rough Opening | | | | | | |
| | | 44" | 46" | 48" | 50" | 52" | 58" | Brickmould Dim. | | | | | | |

Single with 1 Sidelite - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with one 10" sidelite and one mullion spread 3/4" would be:


49" unit size + 3/4" spread = 49 3/4"

Units can be spread 0" to 3" in 1/4" increments.


Spread mullion only available in 3/0 inswing.

| Hand Designations | |
|----------------------------|-------------|
| (Viewed from the exterior) | |
| F | Fixed Panel |
| L | Left Hand |
| R | Right Hand |

Inswing



























Outswing



Single with 14" Sidelite - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 1 Sidelite - Inswing - Continuous Wide Mullion or Boxed

| | | 47 1/2" | 49 1/2" | 51 1/2" | 53 1/2" | 55 1/2" | 61 1/2" | | |
|-----------------------------------|-----|---|---|---|---|--|---|-----------------|-----------|
| Brickmould Dim. | | 47 1/2" | 49 1/2" | 51 1/2" | 53 1/2" | 55 1/2" | 61 1/2" | | |
| Rough Opening | | 45 3/4" | 47 3/4" | 49 3/4" | 51 3/4" | 53 3/4" | 59 3/4" | | |
| Unit Dimension | | 45" | 47" | 49" | 51" | 53" | 59" | | |
| 80 1/2" 79 3/4" 79 1/4" | 6/6 |  |  |  |  |  |  | 79 9/16" | 80 1/8" |
| | | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | 78 1/16" | 82 1/8" |
| | 6/8 |  |  |  |  |  |  | 81 1/16" | 82 11/16" |
| | | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | 80 5/8" | 85 1/8" |
| 83 1/16" 82 5/16" 81 13/16" | 7/0 |  |  |  |  |  |  | 81 3/16" | 86 1/8" |
| | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | 85 3/16" | 85 11/16" | |
| 87 1/16" 86 5/16" 85 13/16" | 8/0 |  |  |  |  |  |  | 84 5/8" | 86 11/16" |
| | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | 3/6 | 97 3/16" | 97 1/8" | |
| 89 1/16" 88 5/16" 97 13/16" | | 45" | 47" | 49" | 51" | 53" | 59" | 96 5/8" | 98 1/8" |
| | | 45 3/4" | 47 3/4" | 49 3/4" | 51 3/4" | 53 3/4" | 59 3/4" | 97 1/16" | 98 11/16" |
| | | 48" | 50" | 52" | 54" | 56" | 62" | 97 3/16" | 99 1/8" |
| | | | | | | | | Unit Dim. | Aluminum |
| | | | | | | | | Rough Opening | Composite |
| | | | | | | | | Brickmould Dim. | Aluminum |
| | | | | | | | | | Composite |

Single with 1 Sidelite - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with one 10" sidelite and one mullion spread 3/4" would be:


53" unit size + 3/4" spread = 53 3/4"

Units can be spread 0" to 3" in 1/4" increments.

Spread mullion only available in 3/0 inswing.

| Hand Designations | |
|----------------------------|-------------|
| (Viewed from the exterior) | |
| F | Fixed Panel |
| L | Left Hand |
| R | Right Hand |

Inswing



Outswing



Unit and Rough Opening Sizing

Single with 2-14" Sidelites - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Wide Mullion or Boxed

| Brickmould Dim. | 63" | 65" | 67" | 69" | 71" | 77" | |
|-----------------|---------|---------|---------|---------|---------|---------|--|
| Rough Opening | 61 1/4" | 63 1/4" | 65 1/4" | 67 1/4" | 69 1/4" | 75 1/4" | |
| Unit Dimension | 60 1/2" | 62 1/2" | 64 1/2" | 66 1/2" | 68 1/2" | 74 1/2" | |

| | | | | | | | | | | | | | |
|----------|----------|-----------|-----|---------|---------|---------|---------|---------|---------|-----------------|-----------|----------|----------|
| 80 1/2" | 79 3/4" | 79 1/4" | 6/6 | | | | | | | 78 5/8" | 78 1/16" | 80 1/8" | 79 9/16" |
| 83 1/16" | 82 5/16" | 81 13/16" | 6/8 | | | | | | | 81 3/16" | 80 5/8" | 81 1/8" | 82 1/16" |
| 87 1/16" | 86 5/16" | 85 13/16" | 7/0 | | | | | | | 85 3/16" | 84 5/8" | 85 1/8" | 86 1/16" |
| 99 1/16" | 98 5/16" | 97 13/16" | 8/0 | | | | | | | 97 3/16" | 96 5/8" | 97 1/8" | 98 1/16" |
| | | | | 60 1/2" | 62 1/2" | 64 1/2" | 66 1/2" | 68 1/2" | 74 1/2" | Unit Dim. | | | |
| | | | | 61 1/4" | 63 1/4" | 65 1/4" | 67 1/4" | 69 1/4" | 75 1/4" | Rough Opening | | | |
| | | | | 63 1/2" | 65 1/2" | 67 1/2" | 69 1/2" | 71 1/2" | 77 1/2" | Brickmould Dim. | Composite | Aluminum | Aluminum |

Single with 2 Sidelites - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with two 10" sidelites and two mullions spread 3/4" would be:

$$68 \frac{1}{2}'' \text{ unit size} + \frac{3}{4}'' \text{ spread} + \frac{3}{4}'' \text{ spread} = 70''$$

Units can be spread 0" to 3" per mullion in 1/4" increments (0" to 6" per unit in 1/2" increments).

Spread mullion only available in 3/0 inswing.

Hand Designations

(Viewed from the exterior)

| | |
|---|-------------|
| F | Fixed Panel |
| L | Left Hand |
| R | Right Hand |

Inswing




FLF



FRF

Outswing



FLF







FRF

French - Continuous with 2-10" Sidelites - Wide Mullion - 6/6, 6/8, 7/0, 8/0

French with Continuous Sidelites - Inswing - Wide Mullion


| | |
|-----------------|-----------|
| Brickmould Dim. | 99 11/16" |
| Rough Opening | 97 15/16" |
| Unit Dimension | 97 3/16" |

| | | | | | |
|----------|----------|-----------|-----|---|-----|
| 80 1/2" | 79 3/4" | 79 1/4" | 6/6 |  | 6/0 |
| 83 1/16" | 82 5/16" | 81 13/16" | 6/8 |  | 6/0 |
| 87 1/16" | 86 5/16" | 85 13/16" | 7/0 |  | 6/0 |
| 99 1/16" | 98 5/16" | 97 13/16" | 8/0 |  | 6/0 |


*Outswing not available.

| Hand Designations | |
|----------------------------|----------------|
| (Viewed from the exterior) | |
| L | Left Hand |
| R | Right Hand |
| A | Astragal |
| F | Fixed Sidelite |

Inswing



FLAF







FARF

Unit and Rough Opening Sizing

French - Continuous with 2-12" Sidelites - Wide Mullion - 6/6, 6/8, 7/0, 8/0

French with Continuous Sidelites - Inswing - Wide Mullion


| | |
|------------------------|------------|
| Brickmould Dim. | 103 11/16" |
| Rough Opening | 101 15/16" |
| Unit Dimension | 101 3/16" |

| | | | | | |
|----------|----------|-----------|-----|--|-----|
| 80 1/2" | 79 3/4" | 79 1/4" | 6/6 |  | 6/0 |
| 83 1/16" | 82 5/16" | 81 13/16" | 6/8 |  | 6/0 |
| 87 1/16" | 86 5/16" | 85 13/16" | 7/0 |  | 6/0 |
| 99 1/16" | 98 5/16" | 97 13/16" | 8/0 |  | 6/0 |


*Outswing not available.

| Hand Designations | |
|----------------------------|----------------|
| (Viewed from the exterior) | |
| L | Left Hand |
| R | Right Hand |
| A | Astragal |
| F | Fixed Sidelite |

Inswing



FLAF



FARF

French - Continuous with 2-14" Sidelites - Wide Mullion - 6/6, 6/8, 7/0, 8/0

French with Continuous Sidelites - Inswing - Wide Mullion

| | |
|------------------------|------------|
| Brickmould Dim. | 107 11/16" |
| Rough Opening | 105 15/16" |
| Unit Dimension | 105 3/16" |

| | | | | | |
|----------|----------|-----------|-----|--|-----|
| 80 1/2" | 79 3/4" | 79 1/4" | 6/6 | | 6/0 |
| 83 1/16" | 82 5/16" | 81 13/16" | 6/8 | | 6/0 |
| 87 1/16" | 86 5/16" | 85 13/16" | 7/0 | | 6/0 |
| 99 1/16" | 98 5/16" | 97 13/16" | 8/0 | | 6/0 |


*Outswing not available.

| Hand Designations | |
|----------------------------|----------------|
| (Viewed from the exterior) | |
| L | Left Hand |
| R | Right Hand |
| A | Astragal |
| F | Fixed Sidelite |

Inswing



FLAF



FARF

Sidelite

Sidelite - Inswing

| Rough Opening | | Unit Dimension | | | Rough Opening | | |
|---------------|----------|----------------|-------------|-------------|---------------|--------------------|--------------------|
| | | 11 1/2" | 13 1/2" | 15 1/2" | | | |
| 80" | 79 1/2" | 6/6 | 10" | 12" | 14" | 78 5/8" | 78 9/16" |
| | 82 5/16" | 6/8 | 10" | 12" | 14" | 81 3/16" | 81 1/8" |
| | 86 5/16" | 7/0 | 10" | 12" | 14" | 84 5/8" | 85 1/8" |
| | 98 5/16" | 8/0 | 10" | 12" | 14" | 96 5/8" | 97 1/8" |
| | | 0' - 11 1/2" | 1' - 1 1/2" | 1' - 3 1/2" | Unit Dim. | Aluminum Composite | Aluminum Composite |
| | | * | * | * | Rough Opening | Aluminum Composite | Aluminum Composite |

Sidelite - Outswing

*Add actual unit dimension to door rough opening width for total rough opening width.

| Hand Designations | |
|----------------------------|-------------|
| (Viewed from the exterior) | |
| F | Fixed Panel |

Inswing



F

Outswing



F

Single with 12" Venting Sidelite - Wide Mullion - 6/6, 6/8, 8/0


Single with Venting Sidelite - Wide Mullion

| Brickmould Dim. | 45 3/4" | 47 3/4" | 49 3/4" | 51 3/4" | 53 3/4" |
|-----------------------|---------|---------|---------|---------|---------|
| Rough Opening | 44" | 46" | 48" | 50" | 52" |
| Unit Dimension | 43 1/4" | 45 1/4" | 47 1/4" | 49 1/4" | 51 1/4" |

| | | | | | | | | |
|---------|---------|---------|------|-----|-----|------|-----|--|
| 80 1/2" | 79 3/4" | 79 1/4" | 6/6 | | | | | |
| | | | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | |
| | | | 6/8 | | | | | |
| 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | | | | |
| 8/0 | | | | | | | | |
| 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | | | | |

| Hand Designations | |
|----------------------------|--------------------------------------|
| (Viewed from the exterior) | |
| L | Left Hand |
| R | Right Hand |
| S | Vented Sidelite (hinged off jamb) |
















Inswing



Unit and Rough Opening Sizing


Single with 14" Venting Sidelite - Wide Mullion - 6/6, 6/8, 8/0

Single with Venting Sidelite - Wide Mullion

| Brickmould Dim. | 47 3/4" | 49 3/4" | 51 3/4" | 53 3/4" | 55 3/4" |
|-----------------|---|---|---|---|---|
| Rough Opening | 46" | 48" | 50" | 52" | 54" |
| Unit Dimension | 45 1/4" | 47 1/4" | 49 1/4" | 51 1/4" | 53 1/4" |
| 80 1/2" |  |  |  |  |  |
| 79 3/4" | | | | | |
| 79 1/4" | | | | | |
| 83 1/16" |  |  |  |  |  |
| 82 5/16" | | | | | |
| 81 13/16" | | | | | |
| 99 1/16" |  |  |  |  |  |
| 98 5/16" | | | | | |
| 97 13/16" | | | | | |

| Hand Designations | |
|----------------------------|--------------------------------------|
| (Viewed from the exterior) | |
| L | Left Hand |
| R | Right Hand |
| S | Vented Sidelite (hinged off jamb) |


Inswing



SL



SR



LS




RS

Single with 2-12" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0


Single with Venting Sidelites - Wide Mullion

| | | | | | |
|------------------------|-----------|-----------|-----------|-----------|-----------|
| Brickmould Dim. | 59 7/16" | 61 7/16" | 63 7/16" | 65 7/16" | 67 7/16" |
| Rough Opening | 57 11/16" | 59 11/16" | 61 11/16" | 63 11/16" | 65 11/16" |
| Unit Dimension | 56 15/16" | 58 15/16" | 60 15/16" | 62 15/16" | 64 15/16" |



| Hand Designations | |
|-----------------------------------|------------|
| <i>(Viewed from the exterior)</i> | |
| L | Left Hand |
| R | Right Hand |
| S | Sidelite |

Inswing



Unit and Rough Opening Sizing


Single with 2-14" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0

Single with Venting Sidelites - Wide Mullion

| Brickmould Dim. | 63 7/16" | 65 7/16" | 67 7/16" | 69 7/16" | 71 7/16" | | | |
|-----------------|-----------|-----------|-----------|-----------|-----------|------|------|-----|
| Rough Opening | 61 11/16" | 63 11/16" | 65 11/16" | 67 11/16" | 69 11/16" | | | |
| Unit Dimension | 60 15/16" | 62 15/16" | 64 15/16" | 66 15/16" | 68 15/16" | | | |
| 80 1/2" | 79 3/4" | 79 1/4" | 6/6 | | | | | |
| | | | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | |
| | | | 6/8 | | | | | |
| | | | | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
| | | | | 8/0 | | | | |
| 2/4 | 2/6 | 2/8 | 2/10 | | 3/0 | | | |

| Hand Designations | |
|----------------------------|------------|
| (Viewed from the exterior) | |
| L | Left Hand |
| R | Right Hand |
| S | Sidelite |

Inswing



SLS

SRS

French with 2-12" Venting Sidelites 6/6, 6/8, 8/0

French with Venting Sidelites

| | | | | | |
|------------------------|---------|---------|---------|----------|----------|
| Brickmould Dim. | 88 1/8" | 92 1/8" | 96 1/8" | 100 1/8" | 104 1/8" |
| Rough Opening | 86 3/8" | 90 3/8" | 94 3/8" | 98 3/8" | 102 3/8" |
| Unit Dimension | 85 5/8" | 89 5/8" | 93 5/8" | 97 5/8" | 101 5/8" |




*Outswing not available.

| Hand Designations | |
|-----------------------------------|------------|
| <i>(Viewed from the exterior)</i> | |
| L | Left Hand |
| R | Right Hand |
| A | Astragal |
| S | Sidelite |

Inswing



SLAS




SARS

Unit and Rough Opening Sizing

French with 2-14" Venting Sidelites 6/6, 6/8, 8/0

French with Venting Sidelites


| | | | | | |
|------------------------|---------|---------|----------|----------|----------|
| Brickmould Dim. | 92 1/8" | 96 1/8" | 100 1/8" | 104 1/8" | 108 1/8" |
| Rough Opening | 90 3/8" | 94 3/8" | 98 3/8" | 102 3/8" | 106 3/8" |
| Unit Dimension | 89 5/8" | 93 5/8" | 97 5/8" | 101 5/8" | 105 5/8" |




*Outswing not available.

| Hand Designations | |
|----------------------------|------------|
| (Viewed from the exterior) | |
| L | Left Hand |
| R | Right Hand |
| A | Astragal |
| S | Sidelite |

Inswing






SLAS











SARS

Single Transoms

| Unit Dimension | 37 5/8" | 13 1/2" | 15 1/2" |
|----------------|--|--|--|
| 13 7/16" |  3/0 |  12" |  14" |







*Add actual unit dimension to door rough opening height for total rough opening height.

Double - Standard Continuous Mullion Transoms

| Unit Dimension | 62 13/16" | 66 13/16" | 70 13/16" | 74 13/16" |
|----------------|--|--|--|---|
| 13 7/16" |  5/0 |  5/4 |  5/8 |  6/0 |
| 13 5/8" |  5/0 |  5/4 |  5/8 |  6/0 |







*Add actual unit dimension to door rough opening height for total rough opening height.

Single with 2 Sidelites - Boxed Transoms

| Unit Dimension | 64 21/32" | 68 21/32" |
|----------------|--|--|
| 13 15/32" |  3/0 w/ 2-12" SL |  3/0 w/ 2-14" SL |
| 13 5/8" |  3/0 w/ 2-12" SL |  3/0 w/ 2-14" SL |
| 33 5/16" |  3/0 w/ 2-12" SL | |
| 35 5/16" | |  3/0 w/ 2-14" SL |

*Add actual unit dimension to door rough opening height for total rough opening height.

Single with 2 Sidelites - Continuous Transoms

| Unit Dimension | 63 21/32" | 67 21/32" |
|----------------|--|--|
| 13 15/32" |  3/0 w/ 2-12" SL |  3/0 w/ 2-14" SL |
| 13 5/8" |  3/0 w/ 2-12" SL |  3/0 w/ 2-14" SL |
| 32 13/16" |  3/0 w/ 2-12" SL | |
| 34 13/16" | |  3/0 w/ 2-14" SL |

*Add actual unit dimension to door rough opening height for total rough opening height.