

Single or M.E.U. 6/6, 6/8, 7/0, 8/0

Single or M.E.U. - Inswing

Brickmould Dim.	28"	32"	34"	36"	38"	40"	46"	
Rough Opening	26 1/4"	30 1/4"	32 1/4"	34 1/4"	36 1/4"	38 1/4"	44 1/4"	
Unit Dimension	25 1/2"	29 1/2"	31 1/2"	33 1/2"	35 1/2"	37 1/2"	43 1/2"	
80 1/2"	 2/0	 2/4	 2/6	 2/8	 2/10	 3/0	 3/6	79 9/16"
79 3/4"								81 7/8"
79 1/4"								82 7/16"
								85 7/8"
82 7/8"	 2/0	 2/4	 2/6	 2/8	 2/10	 3/0	 3/6	80 15/16"
82"								81 7/8"
81 5/8"								84 7/8"
								85 7/16"
86 7/8"	 2/0	 2/4	 2/6	 2/8	 2/10	 3/0	 3/6	84 15/16"
86"								85 7/8"
85 5/8"								87 7/16"
								96 3/8"
98 7/8"	 2/0	 2/4	 2/6	 2/8	 2/10	 3/0	 3/6	96 15/16"
98"								97 7/8"
97 5/8"								98 7/16"
								99 3/8"
								Unit Dim.
								Rough Opening
								Brickmould Dim.
								Aluminum Composite
								Aluminum Composite
								Aluminum Composite
								Aluminum Composite

For M.E.U., add actual unit dimension to door rough opening width for total rough opening width.

For units with public access sills, subtract 13/16" from inswing height. Unit widths will be the same as in the table above.


Single or M.E.U. - Outswing

Hand Designations


(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing







Outswing



Unit and Rough Opening Sizing

French - 7/8" Astragal, 6/6, 6/8, 7/0, 8/0

French - Inswing - Astragal

Brickmould Dim.	52 11/16"	60 11/16"	64 11/16"	68 11/16"	72 11/16"	76 11/16"	
Rough Opening	50 15/16"	58 15/16"	62 15/16"	66 15/16"	70 15/16"	74 15/16"	
Unit Dimension	50 3/16"	58 3/16"	62 3/16"	66 3/16"	70 3/16"	74 3/16"	
80 1/2"							
79 3/4"							
82 7/8"							
82"							
81 5/8"							
81"							
86 7/8"							
86"							
85 5/8"							
85 1/4"							
98 7/8"							
98"							
97 5/8"							
97 1/4"							
	50 3/16"	58 3/16"	62 3/16"	66 3/16"	70 3/16"	74 3/16"	Unit Dim.
	50 15/16"	58 15/16"	62 15/16"	66 15/16"	70 15/16"	74 15/16"	Rough Opening
	53 3/16"	61 3/16"	65 3/16"	69 3/16"	73 3/16"	77 3/16"	Brickmould Dim.

French - Outswing - Astragal

For units with public access sills, subtract 13/16" from inswing height. Unit widths will be the same as in the table above.

Hand Designations	
(Viewed from the exterior)	
A	Astragal (Passive)
L	Left Hand
R	Right Hand

Inswing



LA



AR

Outswing



AL



RA

Unit and Rough Opening Sizing

Double - Wide Mullion - 6/6, 6/8, 7/0, 8/0

Double - Inswing - Wide Mullion

Brickmould Dim.		53 1/2"	61 1/2"	65 1/2"	69 1/2"	73 1/2"	77 1/2"	
Rough Opening		51 3/4"	59 3/4"	63 3/4"	67 3/4"	71 3/4"	75 3/4"	
Unit Dimension		51"	59"	63"	67"	71"	75"	

80 1/2" 79 3/4" 79 1/4"	6/6							78 5/8" 79 1/8" 80 1/8"	82 7/16" 81 7/16"				
		4/0	4/8	5/0	5/4	5/8	6/0						
		82 7/8" 82" 81 5/8"	6/8									80 15/16"	86 7/16"
				4/0	4/8	5/0	5/4			5/8	6/0		
86 7/8" 86" 85 5/8"	7/0									84 15/16"	98 7/16"		
				4/0	4/8	5/0	5/4	5/8	6/0				
		98 7/8" 98" 97 5/8"	8/0									96 15/16"	Composite Composite Composite
				4/0	4/8	5/0	5/4	5/8	6/0				

51"	59"	63"	67"	71"	75"	Unit Dim.
51 3/4"	59 3/4"	63 3/4"	67 3/4"	71 3/4"	75 3/4"	Rough Opening
54"	62"	66"	70"	74"	78"	Brickmould Dim.

Double - Outswing - Wide Mullion

Hand Designations
(Viewed from the exterior)

F

Fixed Panel


L

Left Hand


R

Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Triple - Wide Mullion - 6/6, 6/8, 7/0, 8/0

Triple - Inswing - Wide Mullion

Brickmould Dim.	79"	91"	97"	103"	109"	115"	
Rough Opening	77 1/4"	89 1/4"	95 1/4"	101 1/4"	107 1/4"	113 1/4"	
Unit Dimension	76 1/2"	88 1/2"	94 1/2"	100 1/2"	106 1/2"	112 1/2"	
80 1/2"							Unit Dim.
79 3/4"							Rough Opening
79 1/4"							Brickmould Dim.
82 7/8"							
82"							
86"							
85 5/8"							
98 7/8"							
98"							
97 5/8"							
	76 1/2"	88 1/2"	94 1/2"	100 1/2"	106 1/2"	112 1/2"	Unit Dim.
	77 1/4"	89 1/4"	95 1/4"	101 1/4"	107 1/4"	113 1/4"	Rough Opening
	79 1/2"	91 1/2"	97 1/2"	103 1/2"	109 1/2"	115 1/2"	Brickmould Dim.


Triple - Outswing - Wide Mullion

Hand Designations


(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing







Outswing



Single - Continuous with 10" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0


Single with 1 Sidelite - Inswing - Continuous Standard Mullion

Brickmould Dim.	43"	45"	47"	49"	51"	57"	
Rough Opening	41 1/4"	43 1/4"	45 1/4"	47 1/4"	49 1/4"	55 1/4"	
Unit Dimension	40 1/2"	42 1/2"	44 1/2"	46 1/2"	48 1/2"	54 1/2"	
80 1/2"							78 5/8"
79 3/4"							78 1/8"
79 1/4"							78 1/16"
82 7/8"							80 15/16"
82"							80 3/8"
81 5/8"							81 1/16"
86 7/8"							84 15/16"
86"							84 3/8"
85 5/8"							85 7/16"
98 7/8"							96 15/16"
98"							96 3/8"
97 5/8"							97 7/16"
	40 1/2"	42 1/2"	44 1/2"	46 1/2"	48 1/2"	54 1/2"	Unit Dim.
	41 1/4"	43 1/4"	45 1/4"	47 1/4"	49 1/4"	55 1/4"	Rough Opening
	43 1/2"	45 1/2"	47 1/2"	49 1/2"	51 1/2"	57 1/2"	Brickmould Dim.
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing







Outswing



Unit and Rough Opening Sizing

Single - Continuous with 12" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Single with 1 Sidelite - Inswing - Continuous Standard Mullion

Brickmould Dim.	45"	47"	49"	51"	53"	59"	
Rough Opening	43 1/4"	45 1/4"	47 1/4"	49 1/4"	51 1/4"	57 1/4"	
Unit Dimension	42 1/2"	44 1/2"	46 1/2"	48 1/2"	50 1/2"	56 1/2"	
80 1/2"							78 5/8"
79 3/4"							78 1/16"
79 1/4"							80 15/16"
82 7/8"							80 3/8"
82"							84 15/16"
81 5/8"							84 3/8"
86 7/8"							96 15/16"
86"							96 3/8"
85 5/8"							97 7/16"
98 7/8"							97 7/8"
98"							98 7/16"
97 5/8"							98 7/8"
	42 1/2"	44 1/2"	46 1/2"	48 1/2"	50 1/2"	56 1/2"	Unit Dim.
	43 1/4"	45 1/4"	47 1/4"	49 1/4"	51 1/4"	57 1/4"	Rough Opening
	45 1/2"	47 1/2"	49 1/2"	51 1/2"	53 1/2"	59 1/2"	Brickmould Dim.
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Single - Continuous with 14" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0


Single with 1 Sidelite - Inswing - Continuous Standard Mullion

Brickmould Dim.	47"	49"	51"	53"	55"	61"	
Rough Opening	45 1/4"	47 1/4"	49 1/4"	51 1/4"	53 1/4"	59 1/4"	
Unit Dimension	44 1/2"	46 1/2"	48 1/2"	50 1/2"	52 1/2"	58 1/2"	
80 1/2"							78 5/8"
79 3/4"							78 1/16"
79 1/4"							80 1/8"
82 7/8"							81 7/8"
82"							82 7/16"
81 5/8"							80 7/8"
86 7/8"							85 7/8"
86"							86 7/16"
85 5/8"							84 7/8"
98 7/8"							97 7/8"
98"							98 7/16"
97 5/8"							96 7/8"
	44 1/2"	46 1/2"	48 1/2"	50 1/2"	52 1/2"	58 1/2"	Unit Dim.
	45 1/4"	47 1/4"	49 1/4"	51 1/4"	53 1/4"	59 1/4"	Rough Opening
	47 1/2"	49 1/2"	51 1/2"	53 1/2"	55 1/2"	61 1/2"	Brickmould Dim.
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite


Single with 1 Sidelite - Outswing - Continuous Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing






Outswing



Unit and Rough Opening Sizing

Single - Continuous with 2-10" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Standard Mullion

Brickmould Dim.	54"	56"	58"	60"	62"	68"	
Rough Opening	52 1/4"	54 1/4"	56 1/4"	58 1/4"	60 1/4"	66 1/4"	
Unit Dimension	51 1/2"	53 1/2"	55 1/2"	57 1/2"	59 1/2"	65 1/2"	
80 1/2"							79 9/16"
79 3/4"							80 1/8"
79 1/4"							81 1/8"
82 7/8"							82 7/16"
82"							80 15/16"
81 5/8"							80 3/8"
86 7/8"							84 15/16"
86"							84 3/8"
85 5/8"							85 7/16"
98 7/8"							85 7/8"
98"							86 7/16"
97 5/8"							87 1/16"
	51 1/2"	53 1/2"	55 1/2"	57 1/2"	59 1/2"	65 1/2"	Unit Dim.
	52 1/4"	54 1/4"	56 1/4"	58 1/4"	60 1/4"	66 1/4"	Rough Opening
	54 1/2"	56 1/2"	58 1/2"	60 1/2"	62 1/2"	68 1/2"	Brickmould Dim.
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite

Single with 2 Sidelites - Outswing - Continuous Standard Mullion

Hand Designations


(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing




FLF



FRF

Outswing







FLF



FRF

Single - Continuous with 2-12" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Standard Mullion

Brickmould Dim.	58"	60"	62"	64"	66"	72"	
Rough Opening	56 1/4"	58 1/4"	60 1/4"	62 1/4"	64 1/4"	70 1/4"	
Unit Dimension	55 1/2"	57 1/2"	59 1/2"	61 1/2"	63 1/2"	69 1/2"	
80 1/2"							78 5/8"
79 3/4"							78 1/16"
79 1/4"							80 1/8"
							81 1/8"
82 7/8"							80 15/16"
82"							80 3/8"
81 5/8"							81 7/16"
							80 7/8"
86 7/8"							84 15/16"
86"							84 3/8"
85 5/8"							85 7/16"
							84 7/8"
98 7/8"							96 15/16"
98"							96 3/8"
97 5/8"							97 7/16"
							96 7/8"
	55 1/2"	57 1/2"	59 1/2"	61 1/2"	63 1/2"	69 1/2"	Unit Dim.
	56 1/4"	58 1/4"	60 1/4"	62 1/4"	64 1/4"	70 1/4"	Rough Opening
	58 1/2"	60 1/2"	62 1/2"	64 1/2"	66 1/2"	72 1/2"	Brickmould Dim.
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite

Single with 2 Sidelites - Outswing - Continuous Standard Mullion

Hand Designations


(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



FLF



FRF

Outswing



FLF



FRF

Unit and Rough Opening Sizing

Single - Continuous with 2-14" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Standard Mullion

Brickmould Dim.		62"	64"	66"	68"	70"	76"
Rough Opening		60 1/4"	62 1/4"	64 1/4"	66 1/4"	68 1/4"	74 1/4"
Unit Dimension		59 1/2"	61 1/2"	63 1/2"	65 1/2"	67 1/2"	73 1/2"
80 1/2" 79 3/4"	79 1/4"						
		2/4	2/6	2/8	2/10	3/0	3/6
82 7/8" 82"	81 5/8"						
		2/4	2/6	2/8	2/10	3/0	3/6
86 7/8" 86"	85 5/8"						
		2/4	2/6	2/8	2/10	3/0	3/6
98 7/8" 98"	97 5/8"						
		2/4	2/6	2/8	2/10	3/0	3/6
		59 1/2"	61 1/2"	63 1/2"	65 1/2"	67 1/2"	73 1/2"
		60 1/4"	62 1/4"	64 1/4"	66 1/4"	68 1/4"	74 1/4"
		62 1/2"	64 1/2"	66 1/2"	68 1/2"	70 1/2"	76 1/2"
		Unit Dim.					
		Rough Opening					
		Brickmould Dim.					
		Aluminum Composite Aluminum Composite Aluminum Composite					


Single with 2 Sidelites - Outswing - Continuous Standard Mullion

Hand Designations

(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



FLF



FRF

Outswing



FLF



FRE

Single with 1 Sidelite - Inswing - Continuous Wide Mullion or Boxed


















Single with 1 Sidelite - Outswing - Continuous Wide Mullion or Boxed

Spread mullion only available in 3/0 inswing.

LF RF FL FR

Single with 14" Sidelite - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 1 Sidelite - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	47 1/2"	49 1/2"	51 1/2"	53 1/2"	55 1/2"	61 1/2"	
Rough Opening	45 3/4"	47 3/4"	49 3/4"	51 3/4"	53 3/4"	59 3/4"	
Unit Dimension	45"	47"	49"	51"	53"	59"	
	6/6	6/8	7/0	8/0			
80 1/2"							79 9/16"
79 3/4"	2/4	2/6	2/8	2/10	3/0	3/6	80 1/8"
79 1/4"							81 7/8"
82 7/8"							82 7/16"
82"	2/4	2/6	2/8	2/10	3/0	3/6	80 7/8"
81 5/8"							81 7/16"
86 7/8"							86 7/16"
86"	2/4	2/6	2/8	2/10	3/0	3/6	84 7/8"
85 5/8"							85 7/16"
98 7/8"							97 7/8"
98"	2/4	2/6	2/8	2/10	3/0	3/6	98 7/16"
97 5/8"							97 7/16"
	45"	47"	49"	51"	53"	59"	Unit Dim.
	45 3/4"	47 3/4"	49 3/4"	51 3/4"	53 3/4"	59 3/4"	Rough Opening
	48"	50"	52"	54"	56"	62"	Brickmould Dim.
							Aluminum
							Composite
							Aluminum
							Composite
							Aluminum
							Composite
							Aluminum
							Composite

Single with 1 Sidelite - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with one 14" sidelite and one mullion spread 3/4" would be:

53" unit size + 3/4" spread = 53 3/4"

Units can be spread 0" to 3" in 1/4" increments.

Spread mullion only available in 3/0 inswing.

Hand Designations


(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing




LF



RF




FL




FR


Outswing




LF



RF



FL






FR

Unit and Rough Opening Sizing

Single with 2-10" Sidelites - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	55"	57"	59"	61"	63"	69"	
Rough Opening	53 1/4"	55 1/4"	57 1/4"	59 1/4"	61 1/4"	67 1/4"	
Unit Dimension	52 1/2"	54 1/2"	56 1/2"	58 1/2"	60 1/2"	66 1/2"	
80 1/2"							79 9/16"
79 3/4"							80 1/8"
82 7/8"							82 7/16"
82"							84 7/8"
81 5/8"							85 7/8"
86"							86 7/16"
85 5/8"							88 7/8"
86 7/8"							90 1/8"
97 5/8"							97 7/8"
98"							98 7/16"
97 7/8"							100 7/8"
98 7/8"							101 7/16"
	52 1/2"	54 1/2"	56 1/2"	58 1/2"	60 1/2"	66 1/2"	Unit Dim.
	53 1/4"	55 1/4"	57 1/4"	59 1/4"	61 1/4"	67 1/4"	Rough Opening
	55 1/2"	57 1/2"	59 1/2"	61 1/2"	63 1/2"	69 1/2"	Brickmould Dim.
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite

Single with 2 Sidelites - Outswing - Continuous Wide Mullion or Boxed

For Spread Mullion Configurations:

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with two 10" sidelites and two mullions spread 3/4" each would be:


60 1/2" unit size + 3/4" spread + 3/4" spread = 62"

Units can be spread 0" to 3" per mullion in 1/4" increments (0" to 6" per unit in 1/2" increments).


Spread mullion only available in 3/0 inswing.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing







Single with 2 Sidelites - Inswing - Continuous Wide Mullion or Boxed

Single with 2 Sidelites - Outswing - Continuous Wide Mullion or Boxed

Arch 1

French - Continuous with 2-10" Sidelites - Wide Mullion - 6/6, 6/8, 8/0
French with Continuous Sidelites - Inswing - Wide Mullion


Brickmould Dim.	99 11/16"
Rough Opening	97 15/16"
Unit Dimension	97 3/16"

80 1/2"	79 3/4"	79 1/4"	6/6	
			6/0	
82 7/8"	82"	81 5/8"	6/8	
			6/0	
86 7/8"	86"	85 5/8"	7/0	
			6/0	
98 7/8"	98"	97 5/8"	8/0	
			6/0	


*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
A	Astragal
F	Fixed Sidelite

Inswing



FLAF







FARF

Unit and Rough Opening Sizing

French - Continuous with 2-12" Sidelites - Wide Mullion - 6/6, 6/8, 8/0

French with Continuous Sidelites - Inswing - Wide Mullion


Brickmould Dim.			103 11/16"
Rough Opening			101 15/16"
Unit Dimension			101 3/16"
80 1/2"	79 3/4"	79 1/4"	6/6  6/0
82 7/8"	82"	81 5/8"	6/8  6/0
86 7/8"	86"	85 5/8"	7/0  6/0
98 7/8"	98"	97 5/8"	8/0  6/0

*Outswing not available.


Hand Designations (Viewed from the exterior)

L	Left Hand
R	Right Hand
A	Astragal
F	Fixed Sidelite

Inswing



FLAF







FARF

French - Continuous with 2-14" Sidelites - Wide Mullion - 6/6, 6/8, 8/0

French with Continuous Sidelites - Inswing - Wide Mullion

Brickmould Dim.	107 11/16"
Rough Opening	105 15/16"
Unit Dimension	105 3/16"

80 1/2"	79 3/4"	79 1/4"	6/6		6/0
82 7/8"	82"	81 5/8"	6/8		6/0
86 7/8"	86"	85 5/8"	7/0		6/0
98 7/8"	98"	97 5/8"	8/0		6/0


*Outswing not available.

Hand Designations


(Viewed from the exterior)

L	Left Hand
R	Right Hand
A	Astragal
F	Fixed Sidelite

Inswing



FLAF



FARF

Unit and Rough Opening Sizing

Sidelite 6/6, 6/8, 7/0, 8/0

Sidelite - Inswing

Rough Opening		*	*	*
Unit Dimension		11 1/2"	13 1/2"	15 1/2"
80"	79 1/2"	6/6		
		10"	12"	14"
82 1/2"	82"	6/8		
		10"	12"	14"
86 1/2"	86"	7/0		
		10"	12"	14"
98 1/2"	98"	8/0		
		10"	12"	14"
		11 1/2"	13 1/2"	15 1/2"
		*	*	*
		Unit Dim.		
		Rough Opening		
78 9/16"	81 1/8"	85 1/8"	97 1/8"	Aluminum
79 1/8"	81 1/16"	85 11/16"	97 11/16"	Composite
78 1/16"	80 5/8"	84 5/8"	96 5/8"	Aluminum
78 5/8"	81 3/16"	85 3/16"	97 3/16"	Composite

Sidelite - Outswing

*Add actual unit dimension to door rough opening width for total rough opening width.

Hand Designations

(Viewed from the exterior)

F Fixed Panel

Inswing



F

Outswing












F

Single with 12" Venting Sidelite - Wide Mullion - 6/6, 6/8, 8/0

Single with Venting Sidelite - Wide Mullion

Brickmould Dim.		45 3/4"	47 3/4"	49 3/4"	51 3/4"	53 3/4"
Rough Opening		44"	46"	48"	50"	52"
Unit Dimension		43 1/4"	45 1/4"	47 1/4"	49 1/4"	51 1/4"

80 1/2"	79 3/4"	79 1/4"	6/6					
			2/4	2/6	2/8	2/10	3/0	
82 7/8"	82"	81 5/8"	6/8					
			2/4	2/6	2/8	2/10	3/0	
98 7/8"	98"	97 5/8"	8/0					
			2/4	2/6	2/8	2/10	3/0	

*Outswing not available.

Hand Designations

(Viewed from the exterior)

L	Left Hand
R	Right Hand
S	Vented Sidelite (hinged off jamb)

Inswing



SL



SR



LS


















RS

Unit and Rough Opening Sizing

Single with 14" Venting Sidelite - Wide Mullion - 6/6, 6/8, 8/0

Single with Venting Sidelite - Wide Mullion

Brickmould Dim.		47 3/4"	49 3/4"	51 3/4"	53 3/4"	55 3/4"
Rough Opening		46"	48"	50"	52"	54"
Unit Dimension		45 1/4"	47 1/4"	49 1/4"	51 1/4"	53 1/4"

80 1/2"	79 3/4"	79 1/4"	6/6					
			2/4	2/6	2/8	2/10	3/0	
82 7/8"	82"	81 5/8"	6/8					
			2/4	2/6	2/8	2/10	3/0	
98 7/8"	98"	97 5/8"	8/0					
			2/4	2/6	2/8	2/10	3/0	


*Outswing not available.

Hand Designations

(Viewed from the exterior)

L	Left Hand
R	Right Hand
S	Vented Sidelite (hinged off jamb)

Inswing




SL



SR














LS



RS

Single with 2-12" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0

Single with Venting Sidelites - Wide Mullion

Brickmould Dim.		59 7/16"	61 7/16"	63 7/16"	65 7/16"	67 7/16"		
Rough Opening		57 11/16"	59 11/16"	61 11/16"	63 11/16"	65 11/16"		
Unit Dimension		56 15/16"	58 15/16"	60 15/16"	62 15/16"	64 15/16"		
80 1/2"	79 3/4"	79 1/4"	6/6					
				2/4	2/6	2/8	2/10	3/0
82 7/8"	82"	81 5/8"	6/8					
				2/4	2/6	2/8	2/10	3/0
98 7/8"	98"	97 5/8"	8/0					
				2/4	2/6	2/8	2/10	3/0


*Outswing not available.

Hand Designations

(Viewed from the exterior)

L	Left Hand
R	Right Hand
S	Sidelite

Inswing



SLS











SRS

Unit and Rough Opening Sizing

Single with 2-14" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0

Single with Venting Sidelites - Wide Mullion

Brickmould Dim.	63 7/16"	65 7/16"	67 7/16"	69 7/16"	71 7/16"
Rough Opening	61 11/16"	63 11/16"	65 11/16"	67 11/16"	69 11/16"
Unit Dimension	60 15/16"	62 15/16"	64 15/16"	66 15/16"	68 15/16"

80 1/2"	79 3/4"	79 1/4"	6/6					
			2/4	2/6	2/8	2/10	3/0	
82 7/8"	82"	81 5/8"	6/8					
			2/4	2/6	2/8	2/10	3/0	
98 7/8"	98"	97 5/8"	8/0					
			2/4	2/6	2/8	2/10	3/0	


*Outswing not available.

Hand Designations

(Viewed from the exterior)

L	Left Hand
R	Right Hand
S	Sidelite

Inswing




SLS

SRS

French with 2-12" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0

French with Venting Sidelites - Wide Mullion

Brickmould Dim.	88 1/8"	92 1/8"	96 1/8"	100 1/8"	104 1/8"
Rough Opening	86 3/8"	90 3/8"	94 3/8"	98 3/8"	102 3/8"
Unit Dimension	85 5/8"	89 5/8"	93 5/8"	97 5/8"	101 5/8"



*Outswing not available


Hand Designations (Viewed from the exterior)

L	Left Hand
R	Right Hand
A	Astragal
S	Sidelite

Inswing



SLAS




SARS

Unit and Rough Opening Sizing

French with 2-14" Venting Sidelites - Wide Mullion 6/6, 6/8, 8/0

French with Venting Sidelites - Wide Mullion

Brickmould Dim.	92 1/8"	96 1/8"	100 1/8"	104 1/8"	108 1/8"
Rough Opening	90 3/8"	94 3/8"	98 3/8"	102 3/8"	106 3/8"
Unit Dimension	89 5/8"	93 5/8"	97 5/8"	101 5/8"	105 5/8"




*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
A	Astragal
S	Sidelite

Inswing



SLAS



SARS

Single Transoms


Unit Dimension	37 5/8"	13 1/2"	15 1/2"
----------------	---------	---------	---------

13 7/16"			
	3/0	12"	14"

*Add actual unit dimension to door rough opening height for total rough opening height.

Double - Standard Continuous Mullion Transoms

Unit Dimension	62 13/16"	66 13/16"	70 13/16"	74 13/16"
----------------	-----------	-----------	-----------	-----------

13 7/16"				
	5/0	5/4	5/8	6/0
13 5/8"				
	5/0	5/4	5/8	6/0

*Add actual unit dimension to door rough opening height for total rough opening height.

Single with 2 Sidelites - Boxed Transoms

Unit Dimension	64 21/32"	68 21/32"
----------------	-----------	-----------

13 15/32"		
	3/0 w/ 2-12" SL	3/0 w/ 2-14" SL
13 5/8"		
	3/0 w/ 2-12" SL	3/0 w/ 2-14" SL
33 5/16"		
	3/0 w/ 2-12" SL	
35 5/16"		
		3/0 w/ 2-14" SL

*Add actual unit dimension to door rough opening height for total rough opening height.

Single with 2 Sidelites - Continuous Transoms

Unit Dimension	63 21/32"	67 21/32"
----------------	-----------	-----------

13 15/32"		
	3/0 w/ 2-12" SL	3/0 w/ 2-14" SL
13 5/8"		
	3/0 w/ 2-12" SL	3/0 w/ 2-14" SL
32 13/16"		
	3/0 w/ 2-12" SL	
34 13/16"		
		3/0 w/ 2-14" SL

*Add actual unit dimension to door rough opening height for total rough opening height.

Single

Single

